

**SINSINPAS AREX PATCH LARGE- camphor, menthol, methyl salicylate patch**  
**Sinsin Pharmaceutical Co., Ltd.**

---

**SINSINPAS AREX PAIN RELIEVING PATCH, LARGE**

- DL-Camphor
- L-Menthol
- Methyl Salicylate

**Topical Analgesic**

For temporary relief of minor aches and pains of muscles and joints associated with:

- arthritis
- simple backache
- strains
- bruises
- sprains

For external use only

**Do not use**

- on wounds or damaged skin
- if you are allergic to aspirin or salicylates
- with a heating pad
- with, or at the same time as, other external analgesic products

This product contains natural rubber latex which may cause allergic reactions.

**Directions**

Adults and children 12 years of age and over:

- Clean and dry affected area
- Remove patch from film
- Apply to affected area not more than 3 to 4 times daily for 7 days.
- Remove patch from skin after at most 8 hours application

Children under 12 years of age:

- Consult a doctor

**Other information**

- avoid storing product in direct sunlight
- protect from excessive moisture

Benzyl Nicothinamide, Butylated Hydroxytoluene, Calcium Carbonate, Glyceryl Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamine, YSResin, Mentha oil, Zinc oxide

SINSIN PHARM. CO., LTD.

Gyeonggi-do, Korea

Keep out of reach of children.



LOT :  
EXP :

### Drug Facts

#### Active ingredients

DL-Camphor 34.10mg	Topical Analgesic
L-Menthol 90.90mg	Topical Analgesic
Mentha Oil 45.46mg	Topical Analgesic
Mentha Oil, Zinc Oxide	

#### Purpose

#### Uses

For temporary relief of minor aches and pains of muscles and joints associated with: ■ Arthritis ■ Simple backache ■ Strains ■ Bruises ■ Sprains

#### Warnings

##### For external use only

##### Do not use

- On wounds or damaged skin
- If you are allergic to aspirin or salicylates
- With a heating pad
- With, or at the same time as other external analgesic products

##### Ask a doctor before use if you are allergic to any ingredients in this product.

##### When using this product

- Do not use other than directed
- Avoid contact with eyes, mucous membranes, and rashes

#### Stop use and ask a doctor if

- Rash, itching, or excessive skin irritation develops
- Condition worsens
- Symptoms persist for longer than 7 days
- Symptoms clear up and reoccur within a few days

#### If pregnant or breast-feeding, ask a health professional before use

#### Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

##### Adults and children 12 years of age and over:

- Clean and dry affected area ■ Remove patch from film
- Apply to affected area no more than 3 to 4 times daily for 7 days
- Remove patch from skin after at most 8 hours of application
- Children under 12 years of age: Consult a doctor

#### Other information

- Avoid storing product in direct sunlight ■ Protect from excessive moisture

#### Inactive ingredients

Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glyceryl Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamine, YS Resin, Mentha Oil, Zinc Oxide

Distributed by: SINSIN PHARM AMERICA  
Brea, CA 92821  
www.sinsinpas.us

Made in Korea

FDA NDC No. :  
55264-021-06

KGMP

usa0129pp / CN250908



**SINSINPAS AREX PATCH LARGE**

camphor, menthol, methyl salicylate patch

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55264-024
<b>Route of Administration</b>	TOPICAL, TRANSDERMAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y) (SALICYLIC ACID - UNII:O414PZ4LPZ)	METHYL SALICYLATE	90.9 mg
<b>LEVOMENTHOL</b> (UNII: BZ1R15MTK7) (LEVOMENTHOL - UNII:BZ1R15MTK7)	LEVOMENTHOL	90.9 mg
<b>CAMPHOR (SYNTHETIC)</b> (UNII: 5TJD82A1ET) (CAMPHOR (SYNTHETIC) - UNII:5TJD82A1ET)	CAMPHOR (SYNTHETIC)	34.1 mg

### Inactive Ingredients


Ingredient Name	Strength
<b>POLYISOBUTYLENE (200000 MW)</b> (UNII: Z6Y02I0591)	
<b>ROSIN</b> (UNII: 88S87KL877)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>BENZYL NICOTINAMIDE</b> (UNII: HF1W0213QP)	
<b>BUTYLATED HYDROXYTOLUENE</b> (UNII: 1P9D0Z171K)	
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK)	
<b>NATURAL LATEX RUBBER</b> (UNII: 2LQ0UUW8IN)	
<b>POLYBUTENE (1400 MW)</b> (UNII: 1NA5AO9GH7)	

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55264-024-06	1 in 1 CARTON	01/06/2026	
1		6 in 1 POUCH; Type 0: Not a Combination Product		



LOT :  
EXP :

SINSINPAS®  
**AREX**



<b>Drug Facts</b>			
<b>Active ingredients</b>		<b>Purpose</b>	
DL-Camphor 34.10mg	.....	Topical Analgesic	
L-Menthol 90.90mg	.....	Topical Analgesic	
Mentha Oil 45.46mg	.....	Topical Analgesic	
Mentha Oil, Zinc Oxide			
<b>Uses</b>			
For temporary relief of minor aches and pains of muscles and joints associated with : ■ Arthritis ■ Simple backache ■ Strains ■ Bruises ■ Sprains			
<b>Warnings</b>			
<b>For external use only</b>			
<b>Do not use</b>			
■ On wounds or damaged skin			
■ If you are allergic to aspirin or salicylates			
■ With a heating pad			
■ With, or at the same time as other external analgesic products			
<b>Ask a doctor before use</b> if you are allergic to any ingredients in this product.			
<b>When using this product</b>			
■ Do not use other than directed			
■ Avoid contact with eyes, mucous membranes, and rashes			
<b>Distributed by: SINSIN PHARM AMERICA</b> Brea, CA 92821 www.sinsinpas.us Made in Korea		<b>Stop use and ask a doctor if</b>	
		■ Rash, itching, or excessive skin irritation develops	
		■ Condition worsens	
		■ Symptoms persist for longer than 7 days	
		■ Symptoms clear up and reoccur within a few days	
<b>If pregnant or breast-feeding</b> , ask a health professional before use			
<b>Keep out of reach of children.</b>			
If swallowed, get medical help or contact a Poison Control Center right away.			
<b>Directions</b>			
Adults and children 12 years of age and over:			
■ Clean and dry affected area ■ Remove patch from film			
■ Apply to affected area no more than 3 to 4 times daily for 7 days			
■ Remove patch from skin after at most 8 hours of application			
■ Children under 12 years of age: Consult a doctor			
<b>Other information</b>			
■ Avoid storing product in direct sunlight ■ Protect from excessive moisture			
<b>Inactive ingredients</b>			
Benzyl Nicotinate, Butylated Hydroxytoluene, Calcium Carbonate, Glyceryl Rosinate, Natural Rubber, Polyisobutylene, Polybutene, Quintone, Vanillyl Nonylamine, YS Resin, Mentha Oil, Zinc Oxide			

FDA NDC No. :  
55264-021-06

**KGMP**

usa0129pp / CN250908



6 85522 00005 1

## Marketing Information

Marketing	Application Number or Monograph	Marketing Start	Marketing End
-----------	---------------------------------	-----------------	---------------

Category	Citation	Date	Date
OTC Monograph Drug	M017	01/06/2026	

**Labeler** - Sinsin Pharmaceutical Co., Ltd. (823149161)

Revised: 1/2026

Sinsin Pharmaceutical Co., Ltd.