

**OMEPRAZOLE- omeprazole capsule, delayed release**  
**Meijer, Inc.**

-----  
**Meijer Distribution, Inc. Omeprazole Drug Facts**

**Active ingredient (in each capsule)**

Omeprazole delayed-release capsule 20 mg (equivalent to 20.6 mg omeprazole magnesium)

**Purpose**

Acid reducer

**Use**

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert:**

- do not use if you are allergic to omeprazole.
- Omeprazole may cause severe skin reactions. Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting

- stomach pain

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if:**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- do not use for more than 14 days unless directed by your doctor
- **swallow whole. Do not chew or crush capsules.**

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20-25°C (68-77°F) and protect from moisture

- FDA approved dissolution test specifications differ from USP

### **Inactive ingredients**

FD&C yellow # 6, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

### **Questions or comments?**

**1-800-719-9260**

### **Package/Label Principal Display Panel**

meijer®

Omeprazole

COMPARE TO PRILOSEC OTC® ACTIVE INGREDIENT

Delayed Release Capsules, 20 mg | Acid Reducer

24 HR

Treats FREQUENT Heartburn!

Mini Capsules

42 CAPSULES THREE 14-DAY COURSES OF TREATMENT MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT

See Current Drug Facts

Actual Size

Safety Feature – Do Not Use if printed foil seal under cap or band around the center of each capsule is broken or missing.

### Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**meijer.**

# Omeprazole

Delayed Release Capsules,  
20 mg | Acid Reducer

**24 HR**

Treats **FREQUENT** Heartburn!

See Current Drug Facts

NDC 79481-3023-1

COMPARE TO  
PRILOSEC OTC®  
ACTIVE INGREDIENT\*

**Mini Capsules**

**42**  
**CAPSULES**

THREE 14-DAY COURSES OF TREATMENT  
MAY TAKE 1 TO 4 DAYS FOR FULL EFFECT



Actual Size

3 Bottles inside




Actual Size

PID 4814016



57SD7 6E C1



**Drug Facts**

**Active ingredient (in each capsule)** *Purpose*  
 Omeprazole delayed-release capsule 20 mg  
 (equivalent to 20.6 mg omeprazole magnesium).....Acid reducer

**Use**  
 ■ treats frequent heartburn (occurs **2 or more** days a week)  
 ■ not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**  
**Allergy alert:**  
 ■ do not use if you are allergic to omeprazole.  
 ■ Omeprazole may cause severe skin reactions. Symptoms may include:  
 ■ skin reddening ■ blisters ■ rash  
 If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have:**  
 ■ trouble or pain swallowing food, vomiting with blood, or bloody or black stools  
 ■ heartburn with **lightheadedness, sweating or dizziness**  
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
 ■ frequent **chest pain**  
 These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have:**  
 ■ had heartburn over 3 months. This may be a sign of a more serious condition.  
 ■ frequent wheezing, particularly with heartburn  
 ■ unexplained weight loss  
 ■ nausea or vomiting  
 ■ stomach pain ▶

**Drug Facts (continued)**

**Ask a doctor or pharmacist before use if you are taking a prescription drug.** Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if:**  
 ■ your heartburn continues or worsens  
 ■ you need to take this product for more than 14 days  
 ■ you need to take more than 1 course of treatment every 4 months  
 ■ you get diarrhea  
 ■ you develop a rash or joint pain

**If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**  
 ■ for adults 18 years of age and older  
 ■ this product is to be used once a day (every 24 hours), every day for 14 days  
 ■ it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**  
 ■ swallow 1 capsule with a glass of water before eating in the morning  
 ■ take every day for 14 days  
 ■ do not take more than 1 capsule a day  
 ■ do not use for more than 14 days unless directed by your doctor  
 ■ **swallow whole. Do not chew or crush capsules.**

**Repeated 14-Day Courses (if needed)**  
 ■ you may repeat a 14-day course every 4 months  
 ■ **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**  
 ■ children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition. ▶

**Drug Facts (continued)**

**Other information**  
 ■ read the directions and warnings before use  
 ■ keep the carton. It contains important information.  
 ■ store at 20-25°C (68-77°F) and protect from moisture  
 ■ FDA approved dissolution test specifications differ from USP

**Inactive ingredients**  
 FD&C yellow # 8, ferric oxide, gelatin, glyceryl monostearate, hypromellose, magnesium stearate, meglumine, methacrylic acid copolymer, polyethylene glycol, polysorbate 80, shellac, sodium lauryl sulfate, sugar spheres, talc, titanium dioxide, triethyl citrate

**Questions or comments?**  
 1-800-719-9260

\*This product is not manufactured or distributed by AstraZeneca AB, owner of the registered trademark Prilosec OTC®.

**DIST. BY MEIJER DISTRIBUTION, INC. GRAND RAPIDS, MI 49544 www.meijer.com MADE IN ISRAEL**

**OUR QUALITY GUARANTEE**  
*The Meijer Family*  
 www.meijer.com/satisfaction

# OMEPRAZOLE

omeprazole capsule, delayed release

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:79481-3023
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OMEPRAZOLE MAGNESIUM</b> (UNII: 426QFE7XLK) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

## Inactive Ingredients

Ingredient Name	Strength
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MEGLUMINE (UNII: 6HG8UB2MUY)	
METHACRYLIC ACID AND ETHYL ACRYLATE COPOLYMER (UNII: NX76LV5T8J)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
SHELLAC (UNII: 46N107B71O)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)	

## Product Characteristics

Color	WHITE, ORANGE	Score	no score
Shape	CAPSULE	Size	14mm
Flavor		Imprint Code	57S
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:79481-3023-1	3 in 1 CARTON	01/29/2026	
1	NDC:79481-3023-0	14 in 1 BOTTLE; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA216096	01/29/2026	

**Labeler** - Meijer, Inc. (006959555)