

**ASTHMA- arsenicum iodatum, blatta orientalis, bryonia, carbo vegetabilis, eupatorium perfoliatum, histaminum hydrochloricum, ipecacuanha, lung suis, mercurius corrosivus, natrum sulphuricum, quebracho, sambucus nigra, sticta pulmonaria, urtica urens spray**  
**Liddell Laboratories**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

-----  
**Drug Facts:**

**ACTIVE INGREDIENTS:**

Arsenicum iodatum 200C, Blatta orientalis 30C, Bryonia 6X, Carbo vegetabilis 12X, Eupatorium perfoliatum 6X, Histaminum hydrochloricum 200C, Ipecacuanha 4X, Lung suis 6X, Mercurius corrosivus 200C, Natrum sulphuricum 30C, Quebracho 3X, Sambucus nigra 3X, Sticta pulmonaria 200C, Urtica urens 6X, 200C.

**USES:**

May temporarily relieve symptoms associated with asthma:

- breathing difficulties,
- congestion,
- coughing,
- wheezing,
- bronchial spasms\*\*

\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

**WARNINGS:**

**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients.

**Stop use and ask a doctor if** symptoms persist, worsen or if new symptoms occur.

**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

**If pregnant or breast-feeding,** ask a doctor before using product.

OTHER INFORMATION: Store at room temperature.

Do not use if **TAMPER EVIDENT** seal around neck of bottle is missing or broken.

**KEEP OUT OF REACH OF CHILDREN:**

**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

**DIRECTIONS:**

*Adults and children over 12:* Spray twice under the tongue 3 times per day. For severe symptoms, dosage may be taken up to six times the first day.

*Children 12 and under:* Consult a doctor prior to use.

**INDICATIONS:**

May temporarily relieve symptoms associated with asthma: breathing difficulties, congestion, coughing, wheezing, bronchial spasms \*\*

\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

**INACTIVE INGREDIENTS:**

Organic alcohol 20% v/v, Purified water

**QUESTIONS:****DIST. BY:**

**LIDDELL LABORATORIES**

**201 APPLE BLVD.**

**WOODBINE, IA 51579**

**WWW.LIDDELL.NET**

**1-800-460-7733**

**PACKAGE LABEL DISPLAY:**

ORAL SPRAYS

**LIDDELL  
LABORATORIES**

EST 1994

**16 Asm  
Asthma**

May relieve symptoms associated with asthma: breathing difficulties, congestion, coughing, wheezing, bronchial spasms.

**HOMEOPATHIC****DOCTOR FORMULATED**

Readily absorbed. Safe.

No known side effects. Easy to use.

1.0 FL OZ (30 ml)

**INDICATIONS** May temporarily relieve symptoms associated with asthma: breathing difficulties, congestion, coughing, wheezing, bronchial spasms.\*\*

**DIRECTIONS** Adults and children over 12: Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.  
Children 12 and under: Consult a doctor prior to use.

**WARNINGS** See box. Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

ORAL SPRAYS  
**LIDDELL**<sup>®</sup>  
~ LABORATORIES ~  
EST. 1994  
16  
**Asm**<sup>™</sup>  
Asthma  
HOMEOPATHIC  
1.0 FL OZ. (30 ml) 20% organic alcohol

**ACTIVE INGREDIENTS** Arsenicum iod 200C, Blatta or 30C, Bryonia 6X, Carbo veg 12X, Eupatorium perf 6X, Histaminum Hydrochloricum 200C, Ipecac 4X, Lung suis 6X, Merc corros 200C, Nat sulphuricum 30C, Quebracho 3X, Sambucus nig 3X, Sticta 200C, Urtica ur 6X, 200C.

**INACTIVE INGREDIENTS** Organic alcohol 20% v/v, Purified water.

\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

DIST. BY LIDDELL LABORATORIES INC.  
WOODBINE, IA 51579  
WWW.LIDDELL.NET 1-800-460-7733

LOT NUMBER AREA  
NO UV COATING IN THIS AREA

**Drug Facts**  
(continued)

**Other information**  
Store at room temperature.

**Inactive ingredients**  
Organic alcohol 20% v/v.  
Purified water.

**Questions or comments?**  
1-800-460-7733  
www.liddell.net

ESTABLISHED 1904  
**LIDDELL**<sup>®</sup>  
~ LABORATORIES ~

Do not use if TAMPER EVIDENT seal around neck of bottle is missing or broken.

**Asm**<sup>™</sup>  
Asthma

Liddell's Asthma formulation may aid in the temporary relief of symptoms associated with asthma, such as breathing difficulties, congestion, coughing, bronchial spasms and wheezing.

ORAL SPRAYS  
**LIDDELL**<sup>®</sup>  
~ LABORATORIES ~

EST. 1994  
16  
**Asm**<sup>™</sup>  
Asthma

May relieve symptoms associated with asthma: breathing difficulties, congestion, coughing, wheezing, bronchial spasms.

HOMEOPATHIC

DOCTOR FORMULATED

Readily absorbed. Safe.  
No known side effects. Easy to use.

1.0 FL OZ. (30 ml) 20% organic alcohol

**SPRAY YOUR WAY TO HEALTH<sup>®</sup>**

Oral sprays, a Liddell<sup>®</sup> innovation, are the modern and better way to deliver medication. Here's why:

- FAST ABSORPTION
- EASY TO SWALLOW
- ACCURATE-DOSE SPRAY PUMP
- CONVENIENT
- NO KNOWN NEGATIVE SIDE EFFECTS
- NO KNOWN CONTRAINDICATIONS
- NO KNOWN DRUG INTERACTIONS

**Money Back Guarantee**  
No questions asked!  
For details, visit:  
www.liddell.net

\*\*These statements are based upon traditional homeopathic practice. They have not been reviewed by the Food and Drug Administration.

DIST. BY  
LIDDELL LABORATORIES INC.  
201 APPLE BLVD.  
WOODBINE, IA 51579  
WWW.LIDDELL.NET  
1-800-460-7733

MADE IN THE USA



**Drug Facts**

**Active ingredients** Arsenicum iod 200C, Blatta or 30C, Bryonia 6X, Carbo veg 12X, Eupatorium perf 6X, Histaminum hydrochloricum 200C, Ipecac 4X, Lung suis 6X, Merc corros 200C, Nat sulphuricum 30C, Quebracho 3X, Sambucus nig 3X, Sticta 200C, Urtica ur 6X, 200C.  
**Purposes** (Symptom relief for asthma\*\*)

**Uses** May temporarily relieve symptoms associated with asthma:  
• breathing difficulties  
• congestion  
• coughing  
• wheezing  
• bronchial spasms\*\*

**Warnings**  
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

**Stop use and ask a doctor** if symptoms persist, worsen or if new symptoms occur.


**Keep out of reach of children.** In case of overdose, get medical help or call a Poison Control Center right away.

**If pregnant or breast feeding,** ask a doctor before using product.

**Directions**

**Adults and children over 12** Spray twice under the tongue three times per day. For severe symptoms, dosage may be taken up to six times the first day.

**Children 12 and under** Consult a doctor prior to use.



**ASTHMA**

arsenicum iodatum, blatta orientalis, bryonia, carbo vegetabilis, eupatorium perfoliatum, histaminum hydrochloricum, ipecacuanha, lung suis, mercurius corrosivus, natrum sulphuricum, quebracho, sambucus nigra, sticta pulmonaria, urtica urens spray

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:50845-0112
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ARSENIC TRIIODIDE</b> (UNII: 3029988O2T) (ARSENIC CATION (3+) - UNII:C96613F5AV)	ARSENIC TRIIODIDE	200 [hp_C] in 1 mL
<b>BLATTA ORIENTALIS</b> (UNII: 535787266D) (BLATTA ORIENTALIS - UNII:535787266D)	BLATTA ORIENTALIS	30 [hp_C] in 1 mL
<b>BRYONIA ALBA ROOT</b> (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)	BRYONIA ALBA ROOT	6 [hp_X] in 1 mL
<b>ACTIVATED CHARCOAL</b> (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)	ACTIVATED CHARCOAL	12 [hp_X] in 1 mL
<b>EUPATORIUM PERFOLIATUM FLOWERING TOP</b> (UNII: 1W0775VX6E) (EUPATORIUM PERFOLIATUM FLOWERING TOP - UNII:1W0775VX6E)	EUPATORIUM PERFOLIATUM FLOWERING TOP	6 [hp_X] in 1 mL
<b>HISTAMINE DIHYDRO CHLORIDE</b> (UNII: 3POA0Q644U) (HISTAMINE - UNII:820484N8I3)	HISTAMINE DIHYDROCHLORIDE	200 [hp_C] in 1 mL
<b>IPECAC</b> (UNII: 62I3C8233L) (IPECAC - UNII:62I3C8233L)	IPECAC	4 [hp_X] in 1 mL
<b>SUS SCROFA LUNG</b> (UNII: 7GL3G1COB3) (SUS SCROFA LUNG - UNII:7GL3G1COB3)	SUS SCROFA LUNG	6 [hp_X] in 1 mL
<b>MERCURIC CHLORIDE</b> (UNII: 53GH7MZT1R) (MERCURIC CATION - UNII:ED30FJ8Y42)	MERCURIC CHLORIDE	200 [hp_C] in 1 mL
<b>SODIUM SULFATE</b> (UNII: 0YPR65R21J) (SODIUM SULFATE ANHYDROUS - UNII:36KCS0R750)	SODIUM SULFATE	30 [hp_C] in 1 mL
<b>ASPIDOSPERMA QUEBRACHO-BLANCO BARK</b> (UNII: 52B1340190) (ASPIDOSPERMA QUEBRACHO-BLANCO BARK - UNII:52B1340190)	ASPIDOSPERMA QUEBRACHO-BLANCO BARK	3 [hp_X] in 1 mL
<b>EUROPEAN ELDERBERRY</b> (UNII: BQY1UBX046) (EUROPEAN ELDERBERRY - UNII:BQY1UBX046)	EUROPEAN ELDERBERRY	3 [hp_X] in 1 mL
<b>LOBARIA PULMONARIA</b> (UNII: D1YM0P5Z2T) (LOBARIA PULMONARIA - UNII:D1YM0P5Z2T)	LOBARIA PULMONARIA	200 [hp_C] in 1 mL
<b>URTICA URENS</b> (UNII: IHN2NQ5OF9) (URTICA URENS - UNII:IHN2NQ5OF9)	URTICA URENS	200 [hp_C] in 1 mL

**Inactive Ingredients**

<b>Ingredient Name</b>	<b>Strength</b>
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	

**Packaging**

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:50845-0112-2	1 in 1 CARTON	06/01/2016	06/27/2022
1	NDC:50845-0112-1	30 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		11/03/2010	06/27/2022

**Labeler** - Liddell Laboratories (832264241)

**Registrant** - Apotheca Company (844330915)

## Establishment

Name	Address	ID/FEI	Business Operations
Apotheca Company		844330915	manufacture(50845-0112) , api manufacture(50845-0112) , label(50845-0112) , pack(50845-0112)

Revised: 1/2019

Liddell Laboratories