

TREATONIC 5% LIDOCAINE CREAM- 5% lidocaine cream cream
100 KARMA INC

Initial Drug Listing - Treatonic 5% Lidocaine Cream

Lidocaine 5%

Menthol 0.7%

Local Anesthetic

For temporary relief local discomfort,itching,pain,soreness, or burning in the perianal area associated with anorectal isorders and anorectal inflammation.

For external use only

- Pregnant or breastfeeding, ask a health professional before use.
- If there is any allergic reaction to this product.
- In case of accidental overdose, get medical help, or contact the poison control center immediately.

Only take the recommended daily dosage unless otherwise instructed by a doctor.

Some individuals may experience allergic reactions to the ingredients contained in this product.

Never put it into the rectum by using the finger or any medical device.

- If discomfort persists for 7 days.
- The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

- For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying theproduct. Apply up to 6 times a day.
- For children under 12 years of age: Consulta doctor.
- Keep away from direct sunlight or heat.
- Store at room temperature.

Water, Arnica, Emu Oil, Lecithin(Soybean),Propyiene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl alcohol.

TREATONIC
5% LIDOCAINE
Anorectal (Hemorrhoidal) Cream
 MAXIMUM STRENGTH FORMULA

DRUG FACTS

Active ingredients	Purpose
Lidocaine 5%	Local Anesthetic
Menthol 0.7%	Local Anesthetic

Uses For temporary relief local discomfort, itching, pain, soreness, or burning in the perianal area associated with anorectal disorders and anorectal inflammation.

Warning (For external use only)
Do not use this product if

- Pregnant or breastfeeding, ask a health professional before use.
- If there is any allergic reaction to this product.
- In case of accidental overdose, get medical help, or contact the poison control center immediately.

When using this product

- Only take the recommended daily dosage unless otherwise instructed by a doctor.
- Some individuals may experience allergic reactions to the ingredients contained in this product.
- Never put it into the rectum by using the finger or any medical device.

DRUG FACTS (Continued)

Stop using and ask a doctor

- If discomfort persists for 7 days.
- The symptoms being treated do not subside or if redness irritation swelling, pain, or other symptoms develop or increase.

Keep out of reach of children
 Avoid contact with eyes. In case of accidental ingestion, seek medical attention immediately.

Directions

- For adults: Cleanse the affected area with mild soap and warm water, and rinse thoroughly. Gently dry the area with toilet tissue or a soft cloth before applying the product. Apply up to 6 times a day.
- For children under 12 years of age: Consult a doctor.

Other information

- Keep away from direct sunlight or heat.
- Store at room temperature.

Inactive ingredients
 Water, Arnica, Emu Oil, Lecithin(Soybean), Propylene Glycol, Tocopheryl Acetate, Carbomer 934, Benzyl alcohol.

DISTRIBUTED BY
 Via Las Inc
 GA DEN CITY, KS 67846

CUSTOMER CARE:
 For any questions, please contact us for a quick and satisfactory solution:
 service@treatonic.com

MADE IN CHINA



CHILD RESISTANT PACKAGING
 NET WT. 2.1 OZ (60G)

TREATONIC 5% LIDOCAINE CREAM

5% lidocaine cream cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85569-012
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	3 g in 60 g
MENTHOL (UNII: L7T10EIP3A) (MENTHOL - UNII:L7T10EIP3A)	MENTHOL	0.42 g in 60 g

Inactive Ingredients

Ingredient Name	Strength
LECITHIN, SOYBEAN (UNII: 1DI56QDM62)	
EMU OIL (UNII: 344821WD61)	
CARBOMER 934 (UNII: Z135WT9208)	

WATER (UNII: 059QF0KO0R)	
ARNICA MONTANA (UNII: O80TY208Z W)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85569-012-01	60 g in 1 CARTON; Type 0: Not a Combination Product	01/22/2026	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/22/2026	

Labeler - 100 KARMA INC (120186232)

Revised: 1/2026

100 KARMA INC