

SUNSCREEN SETTING SPRITZ, SPF 45- sunscreen setting spray spray
Aopline Biotechnology (Guangzhou) Co., Ltd.

87283-005-01 Sunscreen Setting Spritz, SPF 45

AVOBENZONE G63QQF2NOX 2.9%

OCTISALATE 4X49Y0596W 4.9%

OCTOCRYLENE 5A68WGF6WM 9.5%

Sunscreen+ Setting Spritz

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Sun Protection Measures, Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including, limit time in sun, especially from 10 a.m.-2p.m, and wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: ask a doctor.

Apply liberally 15 minutes before sun exposure. Reapply at least every 2 hours or after 80 minutes of swimming or sweating.

WATER

BHT

ALCOHOL

PEG-400

PROPYLENE GLYCOL LAURATE

Warnings

For external use only Do not use on damaged or broken skin.

When using this product: keep out of eyes, Rinse with water to remove.

Stop use and ask a doctor if rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Flammable. Do not spray near heat sparks, sources of ignition, or flames



caring mill™

[Compare to the active ingredients in e.l.f. Skin® Suntouchable All Set for Sun SPF 45 Sun Protection + Setting Spray]

**Sunscreen
+ Setting Spritz**

SPF 45

Broad Spectrum
Dries Quickly + Clear Finish
Water & Sweat Resistant
(80 minutes)

NET WT. 2 FL OZ. (60mL)
Fragrance- & Oxybenzone-Free

Drug Facts

Active ingredients	Purpose
Avobenzon 2.9%	Sunscreen
Octisalate 4.9%	Sunscreen
Octocrylene 9.5%	Sunscreen

Uses

- Helps prevent sunburn.
- If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only. Do not use on damaged or broken skin.

- When using this product: keep out of eyes. Rinse with water to remove.
- Stop use and ask a doctor if rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.
- Flammable. Do not spray near heat sparks, sources of ignition, or flames.

Directions

- Apply liberally 15 minutes before sun exposure.
- Reapply: at least every 2 hours or after 80 minutes of swimming or sweating.
- Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: limit time in sun, especially from 10 a.m.-2 p.m., and wear long-sleeved shirts, pants, hats, and sunglasses. Children under 6 months of age: ask a doctor.

Other information

- Protect this product in this container from excessive heat and direct sun.

Inactive ingredients

Ethanol, Water, PEG-400, Propylene Glycol Laurate, Butylated Hydroxytoluene

Distributed by FSA Store Inc.
5473 Blair Rd, Suite 100, PMB 24308, Dallas, TX 75231
Customer Care Help Line: 1-650-634-7044
Made in China

*This product is not manufactured or distributed by e.l.f. Cosmetics, Inc., the distributor of e.l.f. Skin® Suntouchable All Set for Sun SPF 45 Sun Protection + Setting Spray



SUNSCREEN SETTING SPRITZ, SPF 45

sunscreen setting spray spray

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87283-005
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)		OCTOCRYLENE	5.7 g in 60 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)		OCTISALATE	2.94 g in 60 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)		AVOBENZONE	1.74 g in 60 mL
Inactive Ingredients			

Ingredient Name				Strength
PROPYLENE GLYCOL MONOLAURATE (UNII: 668Z5835Z3)				
WATER (UNII: 059QF0KO0R)				
ALCOHOL (UNII: 3K9958V90M)				
BHT (UNII: 1P9D0Z171K)				
POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87283-005-01	60 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/08/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	01/08/2026	

Labeler - Aopline Biotechnology (Guangzhou) Co., Ltd. (514879104)

Registrant - Aopline Biotechnology (Guangzhou) Co., Ltd. (514879104)

Revised: 1/2026

Aopline Biotechnology (Guangzhou) Co., Ltd.