

**ANTACID FLAVOR CHEW- calcium carbonate tablet, chewable  
Walgreen Co.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**Calcium Carbonate 750 mg**

**Acitvie ingredient (in each chewable tablet)**

Calcium Carbonate 750 mg

**Purpose**

Antacid

Uses: Relieves

Heartburn

Sour Stomach

Acid indigestion

Upset stomach due to these symptoms

**Warnings**

Do no use if you have ever had an allergic reaction to this product or any of its ingredients

**Ask a doctor or pharmacist before use if you are** now taking a prescription drug. Antacids may interact with certain prescription drugs.

**Do not use** the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.

**When using this product** constipation may occur

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. Children under 12 years consult a doctor.

**Other information**

- **Each chewable tablet contains:** calcium 300 mg, magnesium 1mg
- Contains soy
- Contains FD&C yellow no. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients:**

Beeswax, carmine, carnauba wax, citric acid, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lectithin, soybean oil, sucrose, and titanium dioxide.

**Questions?** Call 1-800-245-2898 Monday - Friday, 9AM to 4PM EST

**Drug Facts (continued)**  
**Other information** ■ Each chewable tablet contains: calcium 300mg ■ Contains soy ■ Contains FD&C yellow No.5 (tartrazine) as a color additive  
 ■ Store between 20° to 25°C (68° to 77°F) in a dry place

**Inactive ingredients** Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, dextrin, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

**Questions?** Call 1-800-245-2898

Compare to the active ingredient in Alka-Seltzer® ReliefChews™

**Walgreens** PHARMACIST RECOMMENDS

**Antacid Flavor Chews®**  
 750 mg CALCIUM CARBONATE  
 Extra Strength  
 • Fast-acting relief of heartburn, sour stomach & acid indigestion

36 CHEWABLE TABLETS

Assorted Fruit flavors

**Drug Facts**  
**Active ingredient (in each chewable tablet)** Purpose  
 Calcium carbonate 750 mg.....Antacid

**Uses** Relieves  
 ■ Heartburn ■ Sour stomach ■ Acid indigestion  
 ■ Upset stomach due to these symptoms

**Warnings**  
**Do not use** if you have ever had an allergic reaction to this product or any of its ingredients  
**Ask a doctor or pharmacist before use** if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.  
**Do not use** the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.  
**When using this product** constipation may occur  
**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.**

**Directions** Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

LIMITED EVIDENCE: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

ITEM 902435 W10016-0322-F

PN 60001836 WSDRG1021-F  
 3 11917 17608 6

## ANTACID FLAVOR CHEW

calcium carbonate tablet, chewable

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0363-1082
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	orange, yellow, pink	<b>Score</b>	score with uneven pieces
<b>Shape</b>	ROUND	<b>Size</b>	22mm
<b>Flavor</b>	LEMON, ORANGE, STRAWBERRY	<b>Imprint Code</b>	FC
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1082-36	36 in 1 BOTTLE; Type 0: Not a Combination Product	06/15/2015	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part331	06/15/2015	

**Labeler** - Walgreen Co. (008965063)

**Registrant** - BestCo Inc. (002149136)

### Establishment

Name	Address	ID/FEI	Business Operations
BestCo Inc.		002149136	manufacture(0363-1082)

Revised: 10/2023

Walgreen Co.