

**ANTACID FLAVOR CHEWS- calcium carbonate tablet, chewable
Walgreen Co.**

Calcium carbonate 750 mg

Active ingredient (in each chewable tablet)

Calcium Carbonate 750 mg

Purpose

Antacid

Uses Relieves:

Heartburn

Sour Stomach

Acid indigestion

Upset stomach due to these symptoms

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.

Do not use the maximum dosage for more than 2 weeks except under the advice and supervision of a physician.

When using this product constipation may occur.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

Adults and children 12 years and older chew and swallow 1 to 2 chews every 2-4 hours as needed. Do not exceed 5 chews in 24 hours. children under 12 years consult a doctor.

Other information

- Each chewable tablet contains: calcium 300 mg, magnesium 1 mg
- Contains Soy
- Contains yellow no. 5 (tartrazine) as a color additive
- Store between 20° to 25°C (68° to 77°F) in a dry place

Inactive ingredients: Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified

water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose, and titanium dioxide.

Questions? Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

Drug Facts (continued)
Inactive ingredients
 Beeswax, carmine, carnauba wax, citric acid, corn starch, corn syrup, dextrin, DL-alpha tocopherol, ethyl acetate, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, FD&C yellow no. 5 lake (tartrazine), FD&C yellow no. 6, FD&C yellow no. 6 aluminum lake, gum arabic, hydrogenated coconut oil, maltodextrin, medium chain triglycerides, methyl paraben, modified corn starch, natural and artificial flavors, phosphoric acid, pregelatinized corn starch, propyl paraben, propylene glycol, purified water, shellac, sodium benzoate, sorbic acid, sorbitol, soy lecithin, soybean oil, sucrose and titanium dioxide.

Questions? Or to report an adverse event call 1-800-245-2898 Monday - Friday, 9AM - 4PM EST

Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.
 This product is not manufactured or distributed by the owner of the registered trademarks Alka-Seltzer® and ReliefChews®, Flavor Chews® is a registered trademark of BestCo LLC.

ITEM 261933 W10016-1021-F
 PN-60001835
 Gluten Free
 W30RG1021-F

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
 100% SATISFACTION GUARANTEED
 walgreens.com ©2021 Walgreen Co.
 MADE IN U.S.A. WITH U.S. AND IMPORTED INGREDIENTS

Walgreens
 Compare to the active ingredient in Alka-Seltzer® ReliefChews™

Antacid Flavor Chews®
 750 mg CALCIUM CARBONATE

Extra Strength
 • Fast-acting relief of heartburn, sour stomach & acid indigestion

90 CHEWABLE TABLETS

Assorted Fruit flavors

Drug Facts
Active ingredient (in each chewable tablet) Purpose
 Calcium carbonate 750 mg.....Antacid

Uses Relieves
 ■ Heartburn ■ Sour stomach ■ Acid indigestion
 ■ Upset stomach due to these symptoms

Warnings
Do not use if you have ever had an allergic reaction to this product or any of its ingredients.
Ask a doctor or pharmacist before use if you are now taking a prescription drug. Antacids may interact with certain prescription drugs.
Do not use the maximum dosage for more than 2 weeks, except under the advice and supervision of a physician.
When using this product constipation may occur.
If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children.

Directions
 Adults and children 12 years and older chew and swallow 1 to 2 chewable tablets every 2-4 hours as needed. Do not exceed 5 chewable tablets in 24 hours. Children under 12 years consult a doctor.

Other information
 ■ Each chewable tablet contains: calcium 300mg
 ■ Contains soy ■ Contains FD&C yellow No.5 (tartrazine) as a color additive ■ Store between 20° to 25°C (68° to 77°F) in a dry place

TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

ANTACID FLAVOR CHEWS

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1083
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	750 mg

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	orange, pink, yellow	Score	score with uneven pieces
Shape	ROUND	Size	22mm
Flavor	STRAWBERRY, LEMON, ORANGE	Imprint Code	FC
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1083-90	90 in 1 BOTTLE; Type 0: Not a Combination Product	11/30/2015	



Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	11/30/2015	

Labeler - Walgreen Co. (008965063)

Registrant - BestCo Inc. (002149136)

Establishment

Name	Address	ID/FEI	Business Operations
BestCo Inc.		002149136	manufacture(0363-1083)

Revised: 12/2025

Walgreen Co.