

**MGC HEALTH CALCIUM CARBONATE ANTACID ASSORTED FRUITS- calcium carbonate tablet**  
**Medical Group Care LLC**

---

**MGC-Xiamen Antacid (1000 mg) Assorted Fruits**

**Active ingredient (in each tablet)**

Calcium carbonate 1000 mg

**Purpose**

Antacid

**Uses**

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

**Warnings**

**Ask a doctor or pharmacist before use if you are**

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

**When using this product**

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor
- if pregnant do not take more than 5 tablets in 24 hours.

**If pregnant or breast-feeding,**

ask a health professional before use

**Keep out of reach of children.**

**Directions**

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a

doctor.

#### **Other information**

- **each tablet contains:**calcium 200 mg
- store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed.
- do not use if printed seal under cap is torn or missing
- Contains FD&C Yellow No. 5 (tartrazine) as a color additive

#### **Inactive ingredients**

Corn starch, FD&C Blue No.1, FD&C Red No. 40, FD&C Yellow No. 5 (tartrazine), flavors, magnesium stearate, maltitol, sucralose, sucrose

#### **Questions or comments?**

**+1-866-306-9136**

**You may also report serious side effects to this phone number.**Mon-Fri 9:00 AM - 5:00 PM Eastern Time.



**MGC  
HEALTH**

\*COMPARE TO THE ACTIVE INGREDIENT IN  
ULTRA STRENGTH TUMS®

# Calcium Carbonate Antacid

Chewable Tablets  
**1000mg**

**Chew or crush tablets completely before swallowing**



**ASSORTED  
FRUITS  
FLAVOR**



**160  
TABLETS**

## Drug Facts

Active ingredient (in each tablet)	Purpose
Calcium carbonate 1000 mg	Antacid

Uses	relieves	heartburn
■ acid indigestion	■ sour stomach	
■ upset stomach associated with these symptoms		

### Warnings

Ask a doctor or pharmacist before use if you are  
■ presently taking a prescription drug. Antacids may  
interact with certain prescription drugs.

### When using this product

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor.
- if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

### Directions

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

**Other information** ■ each tablet contains: calcium 400 mg  
■ store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed. ■ do not use if printed seal under cap is torn or missing.  
■ Contains FD&C Yellow No. 5 (tartrazine) as a color additive

**Inactive ingredients** corn starch, FD&C Blue No.1, FD&C Red No. 40, FD&C Yellow No. 5, FD&C Yellow No.6, flavors, magnesium stearate, maltitol, sucralose, sucrose

**Questions or comments?** +1-866-306-9136  
You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM Eastern Time.

IT000132-4-160/V662



Distributed by:  
MEDICAL GROUP  
CARE, LLC,  
1035 COLLIER CENTER  
WAY STEE,  
NAPLES, FL 34110  
MADE IN CHINA

3 83173 00163 1

\* THIS PRODUCT IS NOT MANUFACTURED OR  
DISTRIBUTED BY HALEON US IP LLC, OWNER OF THE  
REGISTERED TRADEMARK TUMS®




**MGC**  
HEALTH

<sup>†</sup>COMPARE TO THE ACTIVE INGREDIENT IN  
ULTRA STRENGTH TUMS®

# Calcium Carbonate Antacid

Chewable Tablets  
1000mg

Chew or crush tablets completely before swallowing



**ASSORTED  
FRUITS  
FLAVOR**



**72**  
TABLETS

## Drug Facts

**Active ingredient** (in each tablet) Calcium carbonate 1000 mg.....Antacid

**Uses** relieves heartburn  
acid indigestion sour stomach  
upset stomach associated with these symptoms

### Warnings

Ask a doctor or pharmacist before use if you are  
presently taking a prescription drug. Antacids may  
interact with certain prescription drugs.

### When using this product

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor.
- if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

### Directions

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

**Other information** ■ each tablet contains: calcium 400 mg  
■ store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed. ■ do not use if printed seal under cap is torn or missing.  
■ Contains FD&C Yellow No. 5 (tartrazine) as a color additive

**Inactive ingredients** corn starch, FD&C Blue No.1, FD&C Red No. 40, FD&C Yellow No. 5, FD&C Yellow No.6, flavors, magnesium stearate, maltitol, sucralose, sucrose

**Questions or comments?** +1-866-306-9136  
You may also report serious side effects to this phone number. Mon-Fri 9:00 AM - 5:00 PM Eastern Time.

Distributed by:  
MEDICAL GROUP  
CARE, LLC,  
1035 COLLIER CENTER  
WAY, STE. 5,  
NAPLES, FL 34110

MADE IN CHINA 3



IT00032-4-72/N462  
\* THIS PRODUCT IS NOT MANUFACTURED OR  
DISTRIBUTED BY HALEON US IP LLC, OWNER OF  
THE REGISTERED TRADEMARK TUMS®

## MGC HEALTH CALCIUM CARBONATE ANTACID ASSORTED FRUITS

calcium carbonate tablet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83173-136
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	1000 mg

## Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTITOL (UNII: D65DG142WK)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	

## Product Characteristics

Color	red, orange, yellow, green	Score	no score
Shape	ROUND	Size	20mm
Flavor	FRUIT	Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83173-136-16	160 in 1 PACKAGE; Type 0: Not a Combination Product	08/12/2025	
2	NDC:83173-136-72	72 in 1 PACKAGE; Type 0: Not a Combination Product	08/12/2025	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/12/2025	

**Labeler** - Medical Group Care LLC (085137089)

**Registrant** - Medical Group Care LLC (085137089)

Revised: 1/2026

Medical Group Care LLC