

**MGC HEALTH CALCIUM CARBONATE ANTACID TROPICAL FRUIT- calcium carbonate tablet
Medical Group Care LLC**

MGC-Xiamen Ultra Strength Antacid (1000 mg) Tropical Fruit

Active ingredient (in each tablet)

Calcium carbonate 1000 mg

Purpose

Antacid

Uses

relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are

- presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product

- do not take more than 8 tablets in 24 hours.
- do not use the maximum dosage of this product for more than 2 weeks except under advice and supervision of a doctor
- if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding,

ask a health professional before use

Keep out of reach of children.

Directions

- adults and children 12 years of age and over: chew 2-4 tablets, completely as symptoms occur, 2 times daily or as directed by a doctor. Do not swallow tablets whole.
- do not take for symptoms that persist for more than 2 weeks unless advised by a

doctor.

Other information

- **each tablet contains:**calcium 400 mg
- store at room temperature (20-25°C (68-75°F)). Keep the container tightly closed.
- do not use if printed seal under cap is torn or missing
- Contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients

Corn starch, FD&C Red No. 40, FD&C Yellow No. 5, FD&C Yellow No. 6, flavors, magnesium stearate, maltitol, sucralose, sucrose

Questions or comments?

+1-866-306-9136

You may also report serious side effects to this phone number.Mon-Fri 9:00 AM - 5:00 PM Eastern Time.



¹COMPARE TO THE ACTIVE INGREDIENT IN
ULTRA STRENGTH TUMS®

Calcium Carbonate Antacid

Chewable Tablets
1000mg

Chew or crush tablets completely before swallowing



TROPICAL
FRUIT
FLAVOR



160
TABLETS

Drug Facts

Active ingredient
(in each tablet)
Calcium carbonate 1000 mg

Purpose
Antacid

Uses relieves
■ heartburn
■ acid indigestion ■ sour stomach
■ upset stomach associated with these symptoms

Warnings

Ask a doctor or pharmacist before use if you are
■ presently taking a prescription drug. Antacids may
interact with certain prescription drugs.

When using this product

■ do not take more than 8 tablets in 24 hours.
■ do not use the maximum dosage of this product for more
than 2 weeks except under advice and supervision of a doctor.
■ if pregnant do not take more than 5 tablets in 24 hours.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Directions

■ adults and children 12 years of age and over: chew 2-4 tablets,
completely as symptoms occur, 2 times daily or as directed by
a doctor. Do not swallow tablets whole.
■ do not take for symptoms that persist for more than 2 weeks
unless advised by a doctor.

Other information ■ each tablet contains: calcium 400 mg
■ store at room temperature (20-25°C (68-75°F)). Keep the container
tightly closed. ■ do not use if printed seal under cap is torn or missing.
■ Contains FD&C Yellow No. 5 (tartrazine) as a color additive

Inactive ingredients corn starch, FD&C Red No. 40,
FD&C Yellow No. 5, FD&C Yellow No. 6, flavors,
magnesium stearate, maltitol, sucralose, sucrose

Questions or comments? +1-866-306-9136
You may also report serious side effects to this phone
number. Mon-Fri 9:00 AM - 5:00 PM Eastern Time.

Distributed by:
MEDICAL GROUP
CARE, LLC,
1035 COLLIER CENTER
WAY, STE. 5,
NAPLES, FL 34110
MADE IN CHINA

IT00132-7-160-V662



3 83173 00164 8
* THIS PRODUCT IS NOT MANUFACTURED OR
DISTRIBUTED BY HALEON US IP LLC, OWNER OF THE
REGISTERED TRADEMARK TUMS®

MGC HEALTH CALCIUM CARBONATE ANTACID TROPICAL FRUIT

calcium carbonate tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:83173-138
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	1000 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: 08232NY3SJ)	
FD&C YELLOW NO. 5 (UNII: I753WB2F1M)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MALTITOL (UNII: D65DG142WK)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Product Characteristics

Color	orange, red, yellow, white	Score	no score
Shape	ROUND	Size	20mm
Flavor	TROPICAL FRUIT PUNCH	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:83173-138-16	160 in 1 PACKAGE; Type 0: Not a Combination Product	08/12/2025	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	08/12/2025	

Labeler - Medical Group Care LLC (085137089)

Registrant - Medical Group Care LLC (085137089)

Revised: 1/2026

Medical Group Care LLC