

**PROCURE ANTISEPTIC WOUND CLEANSER- benzethonium chloride  
0.13% spray  
Twin Med LLC**

-----

**Active Ingredient**

Benzathonium Chloride 0.13%

**Purpose**

First Aid Antiseptic

**Uses**

**Uses**

First aid to help prevent skin infection in minor cuts, scrapes or burns

**Warnings**

**Warnings**

**For External Use Only**

**Do Not Use**

**Do not use**

- In the eyes or over large areas of the body
- Longer than 1 week unless directed by a doctor

**Ask a doctor before use if you have**

**Ask a doctor before use if you have**

- deep or puncture wounds
- animal bites
- serious burns

**Stop use and ask a doctor**

**Stop use and ask a doctor if** condition persists or gets worse

**Keep out of reach of children**

**Keep out of reach of children.** In case of accidental ingestion, contact a physician or Poison Control Center right away.

**Directions**

**Directions**

- Cleanse affected area
- Spray a small mount of this product on the area 1 to 3 times daily
- May be covered with a sterile bandage
- If bandaged, let dry first

## Inactive Ingredients

**Inactive Ingredients:** Benzyl Alcohol, Edetate Disodium, Glycerin, Polyquaternium-10, Polysorbate 20, Purified Water, Sodium Citrate


**PROCURE<sup>®</sup>**  
HEALTHCARE PRODUCTS

**Antiseptic**

# WOUND CLEANSER

**Benzethonium Chloride 0.13%**

- Antiseptic/Antimicrobial formulation helps prevent skin infections in wounds and burns
- Gentle cleanser
- Excellent for removing exudates and debris
- pH balanced



**FIRST AID ANTISEPTIC SPRAY**

NDC 55681-052-08


NET WT. 8 FL OZ (236mL)

<b>Drug Facts</b>	
<b>Active Ingredient</b>	<b>Purpose</b>
Benzethonium Chloride 0.13% .....	First Aid Antiseptic
<b>Uses</b> First aid to help prevent skin infection in minor ■ cuts ■ scrapes ■ burns	
<b>Warnings</b> For external use only <b>Do not use</b> ■ In the eyes or over large areas of the body ■ Longer than 1 week unless directed by a doctor <b>Ask doctor before use if you have</b> ■ deep or puncture wounds ■ animal bites ■ serious burns <b>Stop use and ask a doctor</b> if condition persists or gets worse <b>Keep out of reach of children.</b> In case of accidental ingestion contact a physician or Poison Control Center right away.	
<b>Directions</b> ■ Cleanse affected area ■ Spray a small amount of this product on the area 1 to 3 times daily ■ May be covered with a sterile bandage ■ If bandaged, let dry first	
<b>Other Information</b> ■ Store at room temperature	
<b>Inactive Ingredients</b> Benzyl Alcohol, Edetate Disodium, Glycerin, Polyquaternium-10, Polysorbate 20, Purified Water, Sodium Citrate	
<b>Questions</b> Call 1-877-894-6633 8 am – 6 pm EST M-F	

Made in India

Item# PCBCWC08

Manufactured for:  
**TwinMed LLC.**  
 11333 Greenstone Ave  
 Santa Fe Springs, CA 90670  
[ProCureProducts.com](http://ProCureProducts.com)



(01)10840330706602

## PROCURE ANTISEPTIC WOUND CLEANSER

benzethonium chloride 0.13% spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:55681-052
<b>Route of Administration</b>	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
<b>BENZETHONIUM CHLORIDE</b> (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)			BENZETHONIUM CHLORIDE	0.13 g in 100 mL
Inactive Ingredients				
Ingredient Name				Strength
<b>BENZYL ALCOHOL</b> (UNII: LKG8494WBH)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)				
<b>POLYSORBATE 20</b> (UNII: 7T1F30V5YH)				
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)				
<b>POLYQUATERNIUM-10 (125 MPA.S AT 2%)</b> (UNII: L45WU8S981)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55681-052-08	236 mL in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/08/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M003	01/08/2026	

**Labeler -** Twin Med LLC (009579330)