

**SKIN METAL STEALTH- zinc oxide lotion**  
**Skin Metal**

-----

**Skin Metal Stealth**

**Skin Metal Stealth**

A LIFE OUTSIDE

Drug Facts	Purpose(s)	Drug Facts (continued)
<p><b>Active ingredient</b> Zinc Oxide (19%)</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• Help prevent sunburn</li> <li>• If used as directed with other sun protection measures like <b>Directions</b>, decreasing the risk of skin cancer and early skin aging.</li> </ul> <p><b>Warnings</b></p> <p>For external use only.</p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Flush with water thoroughly.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Shake well before use.</li> <li>• Apply liberally 15 minutes before sun exposure.</li> <li>• Reapply:             <ul style="list-style-type: none"> <li>- After 50 minutes of swimming or sweating</li> <li>- Immediately after towel drying</li> <li>- At least every 2 hours</li> </ul> </li> <li>• Check skin if it stings. Ask a doctor.</li> </ul> <p><b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:</p> <ul style="list-style-type: none"> <li>- Limit time in the sun, especially from 10 a.m. to 4 p.m.</li> <li>- Wear long-sleeved shirts, pants, hats, and sunglasses.</li> </ul> <p><b>Inactive ingredients</b> Water, C12-15 Alkyl Dodecane, Isodecane, Niacinamide, Triethyl Salicylate</p>	<p><b>Purpose(s)</b> Sunscreen</p>	<p><b>Drug Facts (continued)</b></p> <p><b>Inactive ingredients (continued)</b> Lauric PEG-9 Dimethicone, Calcium Sulfate Dodecahydrate, Propylene Glycol, Ethylhexyl Stearate, Octyl Salicylate, Hexyl Salicylate, Polyethylene Glycol, Hydroxyphenylpropane, Polybutylacrylate, Polymethylsiloxane, Chloride, Distyrene/Styrene Maleic Anhydride, Bisphenol A, Lactides, Caprylyl Glycol, Alcohol Denat., Hexylene Glycol, Ethylhexylglycerin, Tetrahydrocannabinol, Cyclopentasiloxane, Dimethylsiloxane, Hydroxide</p> <p><b>Questions or Comments?</b> Great. info@skinmetal.com</p> <p><b>SEEK SKIN METAL, INC.</b> WOODBRIDGE, VA 22191 www.skinmetal.com</p> <p>MADE IN THE USA OF COMPLETELY RECYCLED MATERIALS</p>

**DRILY METAL**

Stealth SPF 51

**32**

**125**

**skinmetal**

8840 SPECTRUM SPF 51 SUNSCREEN  
WATER RESISTANT (80 MINUTES)  
NET WT. 1.9 FL. OZ. 55 mL

**Skin Metal Stealth**





# Skin Metal Stealth

A LIFE OUTSIDE

Drug Facts	Drug Facts (Continued)
<p><b>Active Ingredient</b> Zinc Oxide (12%)</p> <p><b>Purpose</b> Sunscreen</p> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• Helps prevent sunburn</li> <li>• If used as directed with other sun protection measures (see <b>Directions</b>), decreasing the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p><b>For external use only.</b></p> <p>Do not use on damaged or broken skin.</p> <p>When using this product keep out of eyes. Rinse with water to remove.</p> <p>Stop use and ask a doctor if rash occurs.</p> <p>Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <ul style="list-style-type: none"> <li>• Shake well before use</li> <li>• Apply liberally 15 minutes before sun exposure</li> <li>• Reapply             <ul style="list-style-type: none"> <li>- After 80 minutes of swimming or sweating</li> <li>- Immediately after towel drying</li> <li>- At least every 2 hours</li> </ul> </li> <li>• Children under 6 months: Ask a doctor</li> <li>• <b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures, including:             <ul style="list-style-type: none"> <li>- Limit time in the sun, especially from 10 a.m. to 2 p.m.</li> <li>- Wear long-sleeved shirts, pants, hats, and sunglasses.</li> </ul> </li> </ul> <p><b>Inactive Ingredients</b> Benzyl Triethylammonium Chloride, Butylbenzyl Dimethylammonium Chloride, Hydroxyethyl Methacrylate, Isobutyl Methacrylate, Methyl Methacrylate, Polymethyl Methacrylate, Polyvinylpyrrolidone, Titanium Dioxide, Zinc Oxide</p>	<p><b>Inactive Ingredients (Continued)</b> Lauric PEG-8 Dimethylacrylate, Cellulose Gels, Glycerin, Hexyl Methacrylate, Isobutyl Methacrylate, Methyl Methacrylate, Polymethyl Methacrylate, Polyvinylpyrrolidone, Titanium Dioxide, Zinc Oxide</p> <p><b>Questions or Comments?</b> Email: info@skintel.com</p> <p><b>DEET SKIN METAL, INC.</b> 10000 W. 10th Ave. Denver, CO 80202</p>

**DAILY METAL**

STEALTH SPF 32

**125/SPF**

**skinmetal**

BRGAD SPECTRUM SPF 32 SUNSCREEN  
WATER RESISTANT 100 MINUTES  
NET WT. 1.6 FL. OZ. 50 ML





# Skin Metal Stealth

A LIFE OUTSIDE

Drug Facts	Purpose
<b>Active Ingredients</b> Zinc Oxide (12%) Titanium Dioxide (3%)	Sunscreen
<b>Uses</b> • Helps prevent sunburn • If used as directed with other sun-protection measures (see <b>Directions</b> ), decreasing the risk of skin cancer and early skin aging caused by the sun.	
<b>Warnings</b> For external use only. Do not use on damaged or broken skin. When using this product, keep out of eyes. Rinse with water if necessary. Stop use and ask a doctor if rash occurs. Keep out of reach of children. If product is swallowed, get medical help or contact Poison Control Center right away.	
<b>Directions</b> • Before use, shake well. • Apply liberally 15 minutes before sun exposure. • Reapply: - After 80 minutes of swimming or sweating - Immediately after towel drying - At least every 2 hours. • Children under 6 months: Ask a doctor. • <b>Sun Protection Measures</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with broad spectrum SPF of 15 or higher and other sun-protection measures including: - Limit time in the sun, especially from 10 a.m. to 4 p.m. - Wear long-sleeved shirts, pants, hats, and sunglasses.	
<b>Inactive Ingredients</b> Aqua, C12-15 Alkyl Benzoate, Isodecane, Hexamethyl Trimethyl Silylate.	

**Drug Facts (Continued)**

**Inactive Ingredients (Continued)**  
 Lauryl PEG-9 Dimethacrylate, Calcium Sodium Borosilicate, Propylene Glycol, Polybutyl Methacrylate, C12-15 Alkyl Benzoate, Octyl Methacrylate, Polybutyl Methacrylate, Polyethylene Glycol, Polymethylsilsesquioxane, Calcium Stearate, Dimethylsiloxane, Dimethyl Methacrylate, Phenoxyethanol, Isodecane, Lecithin, Caprylyl Glycol, Arginine, Helianthus Annuus Seed Oil, Polyethylene Glycol, Tetrahydrofuran, Octyl Methacrylate, Hydroquinone.

**Questions or Comments?**  
 Email: [info@skintel.com](mailto:info@skintel.com)

**DEET, SKIN METAL, INC.**  
 10000 W. 10th Ave.  
 Aurora, CO 80045

**DAILY METAL**  
 Stealth SPF 51

32

125/30

skintel

ROAD SPECTRUM SPF 51 SUNSCREEN  
 WATER RESISTANT (80 MINUTES)  
 NET WT. 1.9 FL. OZ. 55 ML.



# SKIN METAL STEALTH

zinc oxide lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:87098-236
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	132 mg in 1 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>LECITHIN, SOYBEAN</b> (UNII: 1DI56QDM62)	
<b>DIMETHICONE 200</b> (UNII: RGS4T2AS00)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>.ALPHA.-BISABOLOL, (+)-</b> (UNII: 105S6I733Z)	
<b>LAURYL PEG-8 DIMETHICONE (300 CPS)</b> (UNII: ELL2U7K8T8)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>OCTYLDODECYL NEOPENTANOATE</b> (UNII: X8725R883T)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>HEXYLENE GLYCOL</b> (UNII: KEH0A3F75J)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>TETRASODIUM GLUTAMATE DIACETATE</b> (UNII: 5EHL50I4MY)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>ALLANTOIN</b> (UNII: 344S277G0Z)	
<b>TRIDECYL SALICYLATE</b> (UNII: AZQ08K38Z1)	
<b>CAPRYLYL METHICONE</b> (UNII: Q95M2P1KJL)	
<b>SODIUM HYDROXIDE</b> (UNII: 55X04QC32I)	
<b>CALCIUM SODIUM BOROSILICATE</b> (UNII: 4MM76N4VMY)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CAPRYLYL GLYCOL</b> (UNII: 00YIU5438U)	
<b>C13-15 ALKANE</b> (UNII: 114P5I43UJ)	

## Product Characteristics

<b>Color</b>	white	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>		<b>Imprint Code</b>	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87098-236-02	1 in 1 CARTON	10/24/2025	
1	NDC:87098-236-01	55 mL in 1 BOTTLE; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	10/24/2025	

**Labeler** - Skin Metal (119577227)

Revised: 1/2026

Skin Metal