

**ST MORIZ SUNCARE BODY SUNSCREEN SPF50- suncare body sunscreen
spf50 lotion
Aopline Biotechnology (Guangzhou) Co., Ltd.**

87283-010-01 ST MORIZ SUNCARE BODY SUNSCREEN SPF30

HOMOSALATE
OCTOCRYLENE
OCTISALATE
AVOBENZONE

Keep out of reach of children, If product is swallowed, get medical help or contact a Poison Control Center right away

Helps prevent sunburn, if used as directed with other sun protection measures it can decrease the risk of skin cancer and early aging caused by the sun,


For external use only. Do not use on damaged or broken skin. When using this product keep out of eyes, rinse with water to remove. Stop use and ask a doctor if rash occurs. Keep out of reach of children, If product is swallowed, get medical help or contact a Poison Control Center right away

Apply liberally 15 minutes before sun exposure, Reapply: After 80 minutes of swimming or sweating, " Immediately after towel drying," At least every 2 hours


Directions: * Apply liberally 15 minutes before sun exposure, Reapply: After 80 minutes of swimming or sweating, " Immediately after towel drying," At least every 2 hours, * Children under 6 months: Ask a doctor. Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging, To decrease this risk, regularly use a sunscreen with a broad spectrum SPF value of 15 or higher and other sun protection measure including, limit time in the sun, especially from 10a.m, to 2p.m, Wear long-sleeved shirts/pants, hats, and sunglasses

PROPYLENE GLYCOL
WATER
C14-22 ALCOHOLS
C12-20 ALKYL GLUCOSIDE
BUTYLOCTYL SALICYLATE
STEARETH-21
TREHALOSE
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER
SILICA
PHENOXYETHANOL
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER
TRIETHANOLAMINE
CHLORPHENESIN
DIPOTASSIUM GLYCYRRHIZATE
FRAGRANCE
DISODIUM EDTA
TOCOPHERYL ACETATE
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL

80mm x 50mm (1mm Rads)



80mm x 50mm (1mm Rads)



ST MORIZ SUNCARE BODY SUNSCREEN SPF50

suncare body sunscreen spf50 lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87283-009
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	18 g in 180 mL
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	5.4 g in 180 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	7.2 g in 180 mL
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	18 g in 180 mL

Inactive Ingredients

Ingredient Name	Strength
STEARETH-21 (UNII: 53J3F32P58)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
C14-22 ALCOHOLS (UNII: B1K89384RJ)	

ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
DIPOTASSIUM GLYCYRRHIZATE (UNII: CA2Y0FE3FX)	
TREHALOSE (UNII: B8WCK70T7I)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TROLAMINE (UNII: 9O3K93S3TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
ALPHA-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
SILICA (UNII: ETJ7Z6XBU4)	
SIMMONDSIA CHINENSIS (JOJOBA) SEED OIL (UNII: 724GKU717M)	
CHLORPHENESIN (UNII: I670DAL4SZ)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87283-009-01	180 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/10/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/10/2026	

Labeler - Aopline Biotechnology (Guangzhou) Co., Ltd. (514879104)

Revised: 1/2026

Aopline Biotechnology (Guangzhou) Co., Ltd.