

**WISH HYDROGEN PEROXIDE- wish hydrogen peroxide 3% liquid  
CLICK PRODUCTS LLC**

---

**DOSAGE AND ADMINISTRATION**

Directions

First aid antiseptic

clean the affected area

apply a small amount of product on the affected area 1 to 3 times a day

may be covered with a sterile bandalge

if bandaged, let dry first

Oral debriding agent

adults, children over 2 years of age

mix with an equal amount of water

swish around in the mouth over the affected area for at least 1 minute, then spit out

use up to 4 times daily after meals and at bedtime

children under 12 years of age should be supervised in the use

**WARNINGS**

For external use only

Do not use

in the eyes or apply over large areas of the body

longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

the condition persists or gets worse

sore mouth symptoms do not improve in 7 days

irritation, pain or redness persists or worsens

swelling, rash or fever develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

**INACTIVE INGREDIENT**

Inactive ingredients purified water

## **USES**

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Aids in the removal of the phlegm, mucus, or other secretions associated with occasional sore mouth

## **KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children

## **PURPOSE**

First aid antiseptic oral debriding agent

Active ingredient

Hydrogen peroxide (stabilized) 3%

Purpose

First aid antiseptic oral debriding agent

USes

First aid to help prevent the risk of infection in minor cuts, scrapes and burns

Aids in the removal of the phlegm, mucus, or other secretions associated with occasional sore mouth

Warnings

For external use only

Do not use

in the eyes or apply over large areas of the body

longer than 1 week

Ask a doctor before use if you have

deep or puncture wounds, animal bites or serious burns

Stop use and ask a doctor if

the condition persists or gets worse

sore mouth symptoms do not improve in 7 days

irritation, pain or redness persists or worsens

swelling, rash or fever develops

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away

## Directions

First aid antiseptic

clean the affected area

apply a small amount of product on the affected area 1 to 3 times a day

may be covered with a sterile bandage

if bandaged, let dry first

Oral debriding agent

adults, children over 2 years of age

mix with an equal amount of water

swish around in the mouth over the affected area for at least 1 minute, then spit out

use up to 4 times daily after meals and at bedtime

children under 12 years of age should be supervised in the use

children under 2 years of age: consult a dentist, doctor

Other information keep tightly closed and at controlled room temperature. Do not shake bottle

Hold away from face when opening

Inactive ingredients purified water

## Drug Facts

### Active ingredient

Hydrogen peroxide (stabilized) 3% ..... Purpose  
First aid antiseptic  
Oral debriding agent

**Uses** ■ first aid to help prevent the risk of infection in minor cuts, scrapes and burns ■ aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth

**Warnings** For external use only.

**Do not use** ■ in the eyes or apply over large areas of the body ■ longer than 1 week

**Ask a doctor before use if you have**  
deep or puncture wounds, animal bites or serious burns

**Stop use and ask a doctor if** ■ the condition persists or gets worse ■ sore mouth symptoms do not improve in 7 days ■ irritation, pain, or redness persists or worsens ■ swelling, rash, or fever develops

**Keep out of reach of children** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** First aid antiseptic ■ clean the affected area ■ apply a small amount of product on the affected area 1 to 3 times a day ■ may be covered with a sterile bandage ■ if bandaged, let dry first

**Oral debriding agent:** adults, children over 2 years of age: ■ mix with an equal amount of water ■ swish around in the mouth over the affected area for at least 1 minute, then spit out ■ use up to 4 times daily after meals and at bedtime ■ children under 12 years of age should be supervised in the use. ■ children under 2 years of age: consult a dentist, doctor

**Other information** keep tightly closed and at controlled room temperature. Do not shake bottle. Hold away from face when opening.

**Inactive ingredients** purified water

ITEM#61322



1 91554 61322 5  
DISTRIBUTED BY: CLICK PRODUCTS LLC  
Edison N.J. 08817 / Made in Turkey  
WWW.WISH-CARE.COM  
Questions? 1-888-402-0184

# wish®



# 3% USP HYDROGEN PEROXIDE

TOPICAL SOLUTION/  
FIRST AID ANTISEPTIC  
ORAL DEBRIDING AGENT

For treatment of  
Minor Cuts, Scrapes  
& Abrasions

32 FL OZ (1QT) 946mL

## WISH HYDROGEN PEROXIDE

wish hydrogen peroxide 3% liquid

### Product Information

Product Type

HUMAN OTC DRUG

Item Code (Source)

NDC:71611-081

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>HYDROGEN PEROXIDE</b> (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	283.8 mL in 946 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	917.62 mL in 946 mL

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71611-081-01	946 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/15/2026	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/15/2026	

**Labeler** - CLICK PRODUCTS LLC (080766174)**Registrant** - TSM BRANDS LLC (079777521)**Establishment**

Name	Address	ID/FEI	Business Operations
TSM BRANDS KIMYA SANAYI VE DIS TICARET ANONIM SIRKETI		533120570	manufacture(71611-081)

Revised: 1/2026

CLICK PRODUCTS LLC