

**ACID REDUCER COMPLETE- famotidine, calcium carbonate and magnesium hydroxide tablet, chewable**  
**Safeway**

-----

**Better Living Brands LLC Acid Reducer Complete Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains Phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, artificial berry flavor, aspartame, D&C red no. 7 calcium lake, dextrates, FD&C blue no. 1 aluminum lake, FD&C red no. 40 aluminum lake, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

COMPARE TO Pepcid Complete® active ingredients

Signature SELECT®

SEE NEW WARNINGS

DUAL ACTION

ACID REDUCER COMPLETE

Actual Size

FAMOTIDINE 10mg, CALCIUM CARBONATE 800 mg, MAGNESIUM HYDROXIDE 165 mg  
TABLETS (CHEWABLE)

ACID REDUCER + ANTACID

BERRY FLAVOR

25 CHEWABLE TABLETS

Just One Tablet!

Relieves Heartburn Due to Acid Indigestion



| ACID REDUCER COMPLETE                                                  |                |                    |               |
|------------------------------------------------------------------------|----------------|--------------------|---------------|
| famotidine, calcium carbonate and magnesium hydroxide tablet, chewable |                |                    |               |
| Product Information                                                    |                |                    |               |
| Product Type                                                           | HUMAN OTC DRUG | Item Code (Source) | NDC:21130-614 |
| Route of Administration                                                | ORAL           |                    |               |
| Active Ingredient/Active Moiety                                        |                |                    |               |
|                                                                        |                |                    |               |

| Ingredient Name                                                                                                     | Basis of Strength   | Strength |
|---------------------------------------------------------------------------------------------------------------------|---------------------|----------|
| <b>FAMOTIDINE</b> (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)                                                 | FAMOTIDINE          | 10 mg    |
| <b>CALCIUM CARBONATE</b> (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)     | CALCIUM CARBONATE   | 800 mg   |
| <b>MAGNESIUM HYDROXIDE</b> (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P) | MAGNESIUM HYDROXIDE | 165 mg   |

### Inactive Ingredients

| Ingredient Name                                             | Strength |
|-------------------------------------------------------------|----------|
| <b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)                 |          |
| <b>ASPARTAME</b> (UNII: Z0H242BBR1)                         |          |
| <b>D&amp;C RED NO. 7</b> (UNII: ECW0LZ41X8)                 |          |
| <b>DEXTRATES</b> (UNII: G263MI44RU)                         |          |
| <b>FD&amp;C BLUE NO. 1 ALUMINUM LAKE</b> (UNII: J9EQA3S2JM) |          |
| <b>FD&amp;C RED NO. 40 ALUMINUM LAKE</b> (UNII: 6T47AS764T) |          |
| <b>GLYCERYL MONOSTEARATE</b> (UNII: 230OU9XXE4)             |          |
| <b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)               |          |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)                |          |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)        |          |
| <b>POLYSORBATE 80</b> (UNII: 6OZP39ZG8H)                    |          |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)             |          |
| <b>SODIUM STARCH GLYCOLATE TYPE A</b> (UNII: H8AV0SQX4D)    |          |
| <b>TALC</b> (UNII: 7SEV7J4R1U)                              |          |

### Product Characteristics

|                 |                    |                     |          |
|-----------------|--------------------|---------------------|----------|
| <b>Color</b>    | PINK (mottled)     | <b>Score</b>        | no score |
| <b>Shape</b>    | ROUND (bi-layered) | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   | BERRY              | <b>Imprint Code</b> | L321     |
| <b>Contains</b> |                    |                     |          |

### Packaging

| # | Item Code        | Package Description                               | Marketing Start Date | Marketing End Date |
|---|------------------|---------------------------------------------------|----------------------|--------------------|
| 1 | NDC:21130-614-63 | 25 in 1 BOTTLE; Type 0: Not a Combination Product | 08/26/2025           |                    |
| 2 | NDC:21130-614-71 | 50 in 1 BOTTLE; Type 0: Not a Combination Product | 08/22/2025           |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|------------------------------------------|----------------------|--------------------|
| ANDA               | ANDA077355                               | 08/22/2025           |                    |

**Labeler** - Safeway (009137209)

