

**DIMETANE- diphenhydramine hydrochloride capsule, liquid filled
Rising Pharma Holdings, Inc.**

Dimetane™ Allergy Relief -25mg

Dimetane™ Allergy Relief Extra Strength -50mg

Drug Facts

Active Ingredient (in each softgel)

Diphenhydramine HCl 25 mg & 50 mg

Purpose

Antihistamine

Uses

Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product

- marked drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery
- excitability may occur, especially in children

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- take every 4 to 6 hours, or as directed by a doctor
- do not take more than 6 doses in 24 hours

| | |
|---------------------------------------|------------|
| adults and children 12 years and over | 1 softgel |
| children under 12 years | do not use |

Other Information

- Store between 20-25°C (68-77°F), excursions permitted between 15°C and 30°C (between 59°F and 86°F)
- Protect from moisture and light.
- **Tamper Evident:** do not use if foil seal under cap is broken or missing.

Inactive Ingredients

25mg:- Gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, sorbitol sorbitan solution

50mg:- FD&C Blue No. 1, gelatin, glycerin, polyethylene glycol 400, purified water, sorbitol sorbitan solution

Questions or comments

Call 1-877-474-7464

[†]This product is neither manufactured nor distributed by the owner of the registered trademark Benadryl® and Liqui-Gels®

DIMETANE™ is a trademark owned by Rising Pharma Holdings, Inc.

Distributed by:

Rising Pharma Holdings, Inc.

East Brunswick, NJ 08816

Made in India

Mfg. Lic. No.: 10/UA/2016

PRINCIPAL DISPLAY PANEL

NDC 57237-367-99

Dimetane™

Diphenhydramine HCl 25 mg

Allergy Relief

Antihistamine

Compare to the active ingredient in Benadryl® Allergy Liqui-Gels®†

For the Temporary Relief of

Runny Nose Itchy, watery eyes, Sneezing, Itchy throat or nose

NDC 57237-367-99

Dimetane™
Diphenhydramine HCl 25 mg
Allergy Relief
Antihistamine

Compare to the active ingredient in Benadryl® Allergy Liqui-Gels*†

For The Temporary Relief Of

R Unny nose I tchy, watery eyes
 S neezing I tchy throat or nose

1,000 softgels Dye-Free

Drug Facts

Active Ingredient (in each softgel).....Purpose
Diphenhydramine HCl 25 mg.....Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat

Warnings
Do not use
■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
■ glaucoma
■ trouble urinating due to an enlarged prostate gland
■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product
■ marked drowsiness may occur
■ avoid alcohol drinks
■ alcohol, sedatives and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
■ excitability may occur, especially in children

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 doses in 24 hours
adults and children 12 years and over 1 softgel
children under 12 years do not use

Other Information
■ Store between 20-25°C (68-77°F); excursions permitted between 15°C and 30°C (between 59°F and 86°F)
■ Protect from moisture and light
■ Tamper Evident: do not use if foil seal under cap is broken or missing.

Inactive Ingredients
Gelatin, glycerin, polyethylene glycol 400, propylene glycol, purified water, sorbitol sorbitan solution

Questions or comments
Call 1-844-474-7464

[†]This product is neither manufactured nor distributed by the owner of the registered trademark Benadryl® and Liqui-Gels®.

DIMETANE™ is a trademark owned by Rising Pharma Holdings, Inc.

Rising®
Distributed by:
Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816
Made in India
Mfg. Lic. No.: 1010A/2016
Issued: 01/2026

3 57237-367-99 5

NDC 57237-368-99

Dimetane™

Diphenhydramine HCl 50 mg

Allergy Relief Extra Strength

Antihistamine

Compare to the active ingredient in Benadryl® Allergy Liqui-Gels®* Extra Strength®†

For the Temporary Relief of

Runny Nose Itchy, watery eyes, Sneezing, Itchy throat or nose

NDC 57237-368-99

Dimetane™
Diphenhydramine HCl 50 mg
Allergy Relief Extra Strength
Antihistamine

Compare to the active ingredient in Benadryl® Allergy Liqui-Gels* Extra Strength†

For The Temporary Relief Of

R Unny nose I tchy, watery eyes
 S neezing I tchy throat or nose

1,000 softgels

Drug Facts

Active Ingredient (in each softgel).....Purpose
Diphenhydramine HCl 50 mg.....Antihistamine

Uses
Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
■ runny nose
■ sneezing
■ itchy, watery eyes
■ itching of the nose or throat

Warnings
Do not use
■ to make a child sleepy
■ with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have
■ glaucoma
■ trouble urinating due to an enlarged prostate gland
■ a breathing problem such as emphysema or chronic bronchitis

Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

When using this product
■ marked drowsiness may occur
■ avoid alcohol drinks
■ alcohol, sedatives and tranquilizers may increase drowsiness
■ be careful when driving a motor vehicle or operating machinery
■ excitability may occur, especially in children

Drug Facts (continued)

If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions
■ take every 4 to 6 hours, or as directed by a doctor
■ do not take more than 6 doses in 24 hours
adults and children 12 years and over 1 softgel
children under 12 years do not use

Other Information
■ Store between 20-25°C (68-77°F); excursions permitted between 15°C and 30°C (between 59°F and 86°F)
■ Protect from moisture and light
■ Tamper Evident: do not use if foil seal under cap is broken or missing.

Inactive Ingredients
FD&C Blue No.1, gelatin, glycerin, polyethylene glycol 400, purified water, sorbitol sorbitan solution

Questions or comments
Call 1-844-474-7464

[†]This product is neither manufactured nor distributed by the owner of the registered trademark Benadryl® and Liqui-Gels®.

DIMETANE™ is a trademark owned by Rising Pharma Holdings, Inc.

Rising®
Distributed by:
Rising Pharma Holdings, Inc.
East Brunswick, NJ 08816
Made in India
Mfg. Lic. No.: 1010A/2016
Issued: 01/2026

3 57237-368-99 2

DIMETANE

diphenhydramine hydrochloride capsule, liquid filled

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57237-367 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|---|-------------------------------|----------|
| DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE HYDROCHLORIDE | 25 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| GELATIN, UNSPECIFIED (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |
| WATER (UNII: 059QF0KOOR) | |
| SORBITOL (UNII: 506T60A25R) | |

Product Characteristics

| | | | |
|----------|---------------------|--------------|----------|
| Color | white (Transparent) | Score | no score |
| Shape | OVAL (Oblong) | Size | 15mm |
| Flavor | | Imprint Code | BZ3 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57237-367-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 01/27/2026 | |
| 2 | NDC:57237-367-99 | 1000 in 1 BOTTLE; Type 0: Not a Combination Product | 01/27/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 01/27/2026 | |

DIMETANE

diphenhydramine hydrochloride capsule, liquid filled

Product Information

| | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:57237-368 |
| Route of Administration | ORAL | | |

Active Ingredient/Active Moiety

| Ingredient Name | Basis of Strength | Strength |
|--|-------------------|----------|
| DIPHENHYDRAMINE (UNII: 8GTS82S83M) (DIPHENHYDRAMINE - UNII:8GTS82S83M) | DIPHENHYDRAMINE | 50 mg |

Inactive Ingredients

| Ingredient Name | Strength |
|--|----------|
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | |
| GELATIN (UNII: 2G86QN327L) | |
| GLYCERIN (UNII: PDC6A3C00X) | |
| POLYETHYLENE GLYCOL 400 (UNII: B697894SGQ) | |
| WATER (UNII: 059QF0KO0R) | |
| SORBITAN (UNII: 6O92ICV9RU) | |

Product Characteristics

| | | | |
|----------|------|--------------|----------|
| Color | blue | Score | no score |
| Shape | OVAL | Size | 13mm |
| Flavor | | Imprint Code | BZ9 |
| Contains | | | |

Packaging

| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
|---|------------------|---|----------------------|--------------------|
| 1 | NDC:57237-368-01 | 100 in 1 BOTTLE; Type 0: Not a Combination Product | 01/27/2026 | |
| 2 | NDC:57237-368-99 | 1000 in 1 BOTTLE; Type 0: Not a Combination Product | 01/27/2026 | |

Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M012 | 01/27/2026 | |

Labeler - Rising Pharma Holdings, Inc. (116880195)