

**BENZALKONIUM CHLORIDE ANTISEPTIC- benzalkonium chloride swab**  
**Tongzhou Deqi Medical Products Factory**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Active Ingredients**

Benzalkonium Chloride 0.13%

**Purpose**

Antiseptic

**Use**

Prevent infection in minor scrapes

**Warnings**

For external use only

Flammable,keep away for fire or flame

Do not use:

- \* In large quantities
- \* over large areas of the body
- \* in eyes
- \* over raw or blistered areas

Stop use and ask a doctor if conditions worsen or persist for more than 7 days or clear up and occur again within a few days.

Keep out of reach of children.if swallowed get medical help or contact Poison control Center right away.

**Directions**

Adults and Children 2 year and older; Apply to cleaned affected area not more than 3 times daily.  
Children under 2 years of age ; Consult a doctor

**Inactive Ingredient**

Purified Water

The logo for STRICT features the word "STRICT" in a bold, blue, sans-serif font. The letters are flanked by horizontal lines: two lines on the left and two lines on the right. A registered trademark symbol (®) is positioned to the upper right of the letter "T".

NDC: 71222-004-01

**Benzalkonium Chloride**  
**Antiseptic Towelette**

**Drug Facts**

<b>Active Ingredients</b>	<b>Purpose</b>
Benzalkonium chloride 0.13% .....	Antiseptic

**Use** prevent infection in minor scrapes

Non-sterile Solution  
Applicator is sterile if package is intact

**Drug Facts (continued)**

**Warnings**

■ For external use only. ■ Flammable, keep away from fire or flame.

**Do not use:** ■ in large quantities ■ over large areas of the body  
■ in eyes ■ over raw or blistered areas.

**Stop use and ask a doctor** if conditions worsen or persist for more than 7 day or clear up and occur again within a few days.

**Keep out of reach of children.**

If swallowed get medical help or contact Poison Control Center right away.

**Directions** ■ Adults and Children 2 year and older: Apply to cleaned affected area not more than 3 times daily.  
■ Children under 2 years of age: Consult a doctor.

**Inactive Ingredient** purified water

**Tongzhou Deqi Medical Products Factory**  
No.1, Qibei Village, Tongzhou District, Nantong, Jiangsu, China

----- TEAR HERE -----

## BENZALKONIUM CHLORIDE ANTISEPTIC

benzalkonium chloride swab

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:71222-004
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII:7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	0.0013 mg

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:71222-004-01	1 in 1 POUCH; Type 0: Not a Combination Product	05/01/2017	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC monograph not final	part333A	01/20/2017	
-------------------------	----------	------------	--

**Labeler** - Tongzhou Deqi Medical Products Factory (544464252)

**Establishment**

Name	Address	ID/FEI	Business Operations
Tongzhou Deqi Medical Products Factory		544464252	manufacture(71222-004)

Revised: 2/2017

Tongzhou Deqi Medical Products Factory