

**ALCOHOL PREP PAD- isopropyl alcohol swab
McKesson**

Alcohol Prep Pads

Drug Facts

Active ingredient

Isopropyl Alcohol 70% v/v

Purpose

Antiseptic

Uses

For preparation of the skin prior to an Injection

Warnings

- For external use only
- Flammable, keep away from fire or flame
- Do not use with electrocautery procedures
- Do not use in the eyes
- Stop use if pain, irritation, redness, or swelling occurs, discontinue use and consult a physician
- If swallowed, get medical help or contact a poison Control Center right away

Keep out of reach of children.

Directions

Open packet - Remove pad - Apply topically as needed to cleanse intended area - Discard after single use

Other information

Store at room temperature 59-68F (15-30C). Contents STERILE in unopened, undamaged inner package.

Inactive ingredient

Purified water

Questions? Call 1-800-777-4908

NDC 68599-5805-5

Alcohol Prep Pad

STERILE

SATURATED WITH 70% ISOPROPYL ALCOHOL

Large 1.75 in x 3 in (4.4 cm x 7.6 cm)

MFR # 58-EAPPLG4000

NDC 68599-5805-5

Alcohol Prep Pad

STERILE

SATURATED WITH 70% ISOPROPYL ALCOHOL

L
LARGE

1.75 in x 3 in | 

(4.4 cm x 7.6 cm)

DO NOT
REUSE

MFR # 58-EAPPLG4000

Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner package.

Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 01
Made in Taiwan

STERILE R

MFR # 58-EAPPLG4000



6 12479 28166 0

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% v/v ... First Aid Antiseptic

Purpose

For preparation of the skin prior to an injection

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame

■ Do not use with electrocautery procedures

or in the eyes ■ Stop use if redness or irritation

develops and consult a physician

■ Do not apply to irritated skin

■ Stop use if pain, irritation, redness, or

swelling occurs, discontinue use and consult a physician

■ Keep out of reach of children.

Drug Facts

Active ingredient

Isopropyl Alcohol 70% v/v First Aid Antiseptic

Purpose

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame

■ Do not use with electrocautery procedures

or in the eyes ■ Stop use if redness or irritation

develops and consult a physician

Keep out of reach of children.

Directions

■ Open packet ■ Remove pad

■ Apply topically as needed to cleanse

intended area ■ Discard after single use

See box for full Drug Facts information.

Not for individual sale

Store at room temperature 59-86°F (15-30°C).

Contents STERILE in unopened, undamaged inner package.

Distributed by McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN A0126 AVN 01 Made in Taiwan

scissors icon

LOT

EXP



Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner package.

Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 01
Made in Taiwan

STERILE R

MFR # 58-EAPPLG4000



6 12479 28166 0

Drug Facts

Active Ingredient

Isopropyl Alcohol 70% v/v ... First Aid Antiseptic

Purpose

For preparation of the skin prior to an injection

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame

■ Do not use with electrocautery procedures

or in the eyes ■ Stop use if redness or irritation

develops and consult a physician

■ Do not apply to irritated skin

■ Stop use if pain, irritation, redness, or

swelling occurs, discontinue use and consult a physician

■ Keep out of reach of children.

Drug Facts (continued)

Active Ingredient

Isopropyl Alcohol 70% v/v ... First Aid Antiseptic

Purpose

For preparation of the skin prior to an injection

Uses

For preparation of the skin prior to an injection

Warnings (continued)

If swallowed, get medical help or contact a Poison Control Center right away.

■ Directions ■ Open packet ■ Remove pad

■ Apply topically as needed to cleanse

intended area ■ Discard after single use

■ Other information Store at room

temperature 59-86°F (15-30°C). Contents

STERILE in unopened, undamaged inner

package.

■ Inactive Ingredient Purified Water

■ Questions? Call 1-800-777-9908

NDC 68599-5805-5

Alcohol Prep Pads

STERILE

SATURATED WITH 70% ISOPROPYL ALCOHOL

L 1.75 in x 3 in | 200 | 

200

PADS PER

BOX

DO NOT

REUSE

200

PADS PER

BOX

DO NOT

NDC 68599-5805-5

58-EAPPLG4000

Alcohol Prep Pads

STERILE | SATURATED WITH 70% ISOPROPYL ALCOHOL

L LARGE	1.75 in x 3 in (4.4 cm x 7.6 cm)	200	20	
		PADS PER BOX	BOXES PER CASE	DO NOT REUSE

STERILE R

Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner package.
Not made with natural rubber latex.

MFR # 58-EAPPLG4000



NDC 68599-5805-4

Alcohol Prep Pad

STERILE
SATURATED WITH 70% ISOPROPYL ALCOHOL

Large 1.75 in x 3 in (4.4 cm x 7.6 cm)

MFR # 58-EAPPLG1000

NDC 68599-5805-4

Alcohol Prep Pad

STERILE
SATURATED WITH 70% ISOPROPYL ALCOHOL



1.75 in x 3 in
(4.4 cm x 7.6 cm)



DO NOT
REUSE

MFR # 58-EAPPLG1000

Drug Facts

Active ingredient Isopropyl Alcohol 70% v/v... **Purpose** First Aid Antiseptic

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame
■ Do not use with electrocautery procedures or in the eyes ■ Stop use if redness or irritation develops and consult a physician

Keep out of reach of children.

Directions ■ Open packet ■ Remove pad
■ Apply topically as needed to cleanse intended area ■ Discard after single use

See box for full Drug Facts information.

Not for individual sale

Store at room temperature 59-86°F (15-30°C).

Contents STERILE in unopened, undamaged inner package.

Distributed by McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN A0126 AVN 01 Made in Taiwan



LOT

EXP

MFR # 58-EAPPLG1000



STERILE
SATURATED WITH 70% ISOPROPYL ALCOHOL

Alcohol Prep Pads

NDC 68599-5805-4

Drug Facts

Active ingredient Isopropyl Alcohol 70% v/v... **Purpose** First Aid Antiseptic

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame
■ Do not use with electrocautery procedures
■ Do not use in the eyes
■ Do not apply to irritated skin
■ Stop use if pain, irritation, redness, or swelling occurs, discontinue use and consult a physician

Keep out of reach of children.

Drug Facts (continued)

Warnings (continued)
If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Open packet ■ Remove pad ■ Apply topically as needed to cleanse intended area ■ Discard after single use

Other information Store at room temperature 59-86°F (15-30°C). Contents STERILE in unopened, undamaged inner package.

Inactive ingredient Purified Water

Questions? Call 1-800-777-4908

STERILE R

MFR # 58-EAPPLG1000



Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN A0126 AVN 01

NDC 68599-5805-4

Alcohol Prep Pads

STERILE

SATURATED WITH 70% ISOPROPYL ALCOHOL



NDC 68599-5805-4

58-EAPPLG1000

Alcohol Prep Pads

STERILE | SATURATED WITH 70% ISOPROPYL ALCOHOL

L LARGE	1.75 in x 3 in (4.4 cm x 7.6 cm)	100 PADS PER BOX	10 BOXES PER CASE	 DO NOT REUSE	STERILE 
-------------------	--	-------------------------------	--------------------------------	--	--

Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner packages.

MFR # 58-EAPPLG1000

NDC 68599-5805-3

Alcohol Prep Pad

STERILE
SATURATED WITH 70% ISOPROPYL ALCOHOL

Medium 1.2 in x 2.4 in (3 cm x 6.1 cm)

MFR # 58-EAPPM3000

NDC 68599-5805-3

Alcohol Prep Pad

STERILE

SATURATED WITH 70% ISOPROPYL ALCOHOL



1.2 in x 2.4 in

(3 cm x 6.1 cm)



DO NOT
REUSE

MFR # 58-EAPPM3000



LOT

EXP

Drug Facts

Active ingredient Isopropyl Alcohol 70% v/v **Purpose** First Aid Antiseptic

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame
■ Do not use with electrocautery procedures or in the eyes ■ Stop use if redness or irritation develops and consult a physician

Keep out of reach of children.

Directions ■ Open packet ■ Remove pad
■ Apply topically as needed to cleanse intended area ■ Discard after single use

See box for full Drug Facts information.

Not for individual sale

Store at room temperature 59-86°F (15-30°C).

Contents STERILE in unopened, undamaged inner package.

Distributed by McKesson Medical-Surgical Inc.

Richmond, VA 23233

PVN A0126 AVN 01 Made in Taiwan

Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner package.

Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 01
Made in Taiwan

LOT
EXP

STERILE R

MFR # 58-EAPPM3000



6 12479 28160 8

Drug Facts

Active ingredient Isopropyl Alcohol 70% v/v **Purpose** First Aid Antiseptic

Uses

For preparation of the skin prior to an injection

Warnings For external use only.

■ Flammable, keep away from fire or flame
■ Do not use with electrocautery procedures or in the eyes
■ Do not apply to damaged skin
■ Stop use if irritation, redness, or swelling occurs, discontinue use and consult a physician

Keep out of reach of children.

Drug Facts (continued)

Warnings (continued)
If swallowed, get medical help or contact a Poison Control Center right away.

Directions ■ Open packet ■ Remove pad
■ Apply topically as needed to cleanse intended area ■ Discard after single use

Other information Store at room temperature 59-86°F (15-30°C). Contents STERILE in unopened, undamaged inner package.

Inactive Ingredient Purified Water

Questions? Call 1-800-777-4808

NDC 68599-5805-3

Alcohol Prep Pads

STERILE SATURATED WITH 70% ISOPROPYL ALCOHOL



1.2 in x 2.4 in | 200 |

(3 cm x 6.1 cm) PAWS PER BOX

DO NOT REUSE

MFR # 58-EAPPM3000

NDC 68599-5805-3

58-EAPPM3000

Alcohol Prep Pads

STERILE | SATURATED WITH 70% ISOPROPYL ALCOHOL

M MEDIUM	1.2 in x 2.4 in (3 cm x 6.1 cm)	200	15	
		PADS PER BOX	BOXES PER CASE	DO NOT REUSE

STERILE R

MFR # 58-EAPPM3000



6 12479 28161 5

Store at room temperature 59-86°F (15-30°C).
Contents STERILE in unopened, undamaged inner package.

Not made with natural rubber latex.

Distributed by McKesson Medical-Surgical Inc.
Richmond, VA 23233
PVN A0126 AVN 01
Made in Taiwan

LOT
EXP

ALCOHOL PREP PAD

isopropyl alcohol swab

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:68599-5805
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ISOPROPYL ALCOHOL (UNII: ND2M416302) (ISOPROPYL ALCOHOL - UNII:ND2M416302)	ISOPROPYL ALCOHOL	70 mL in 100 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:68599-5805-5	200 mL in 1 BOX; Type 0: Not a Combination Product	01/14/2026	

2	NDC:68599-5805-4	200 mL in 1 BOX; Type 0: Not a Combination Product	01/14/2026	
3	NDC:68599-5805-3	200 mL in 1 BOX; Type 0: Not a Combination Product	01/14/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M003	01/14/2026	

Labeler - McKesson (023904428)

Establishment

Name	Address	ID/FEI	Business Operations
Jianerkang Medical Co., Ltd		530968767	manufacture(68599-5805)

Establishment

Name	Address	ID/FEI	Business Operations
Lights Medical Manufacture Co., Ltd.		529128649	manufacture(68599-5805)

Revised: 1/2026

McKesson