

NOVA ANTACID- calcium carbonate tablet, chewable
Blueberri Inc.

Active ingredient (in each tablet)

Active Ingredient (in each tablet)

Calcium Carbonate USP 1500 mg

Drug Facts	
Active ingredient (in each tablet)	Purpose
Calcium Carbonate USP 1500 mg.....	Antacid

Purpose

Purpose

Antacid

Drug Facts	
Active ingredient (in each tablet)	Purpose
Calcium Carbonate USP 1500 mg.....	Antacid

Uses

Uses relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms.

Uses relieves	■ heartburn	■ acid indigestion	■ sour stomach
■ upset stomach due to these symptoms.			

Warnings

Warnings

Ask a doctor before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 4 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

If pregnant or breastfeeding, ask a health professional before use. **Keep out of the reach of children.**

Warnings - Ask Doctor Section

Ask a doctor before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

Warnings

Ask a doctor before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using section

When using this product do not take more than 4 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

When using this product do not take more than 4 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

Pregnancy or breast feeding section

If pregnant or breastfeeding, ask a health care professional before use.

If pregnant or breastfeeding, ask a health professional before use. **Keep out of the reach of children.**

Keep out of reach of children section

Keep out of the reach of children.

If pregnant or breastfeeding, ask a health professional before use. Keep out of the reach of children.

Directions

Directions

- chew or crush tablets completely before swallowing. Do not swallow tablets whole.
- adults and children 12 years of age and older: chew 1-2 tablets as symptoms occur, or as directed by a doctor.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

Directions

- chew or crush tablets completely before swallowing. Do not swallow tablets whole.
- adults and children 12 years of age and older: chew 1-2 tablets as symptoms occur, or as directed by a doctor.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

Other information

Other information

- each tablet contains: calcium 600 mg
- store at 20-25°C (68-77°F)
- use immediately after pushing tablet through blistercard foil
- **do not use if blistercard foil is torn or missing**

Other information

- each tablet contains: **calcium 600 mg**
- store at 20-25°C (68-77°F)
- use immediately after pushing tablet through blistercard foil
- **do not use if blistercard foil is torn or missing**

Inactive ingredients

Inactive ingredients

flavor, magnesium stearate, povidone, sucralose, xylitol

Inactive ingredients
povidone, sucralose, xylitol

flavor, magnesium stearate,

Questions or comments?

Questions or comments?

Email hello@shopmilky.com

Nova Antacid (PDP Artwork to be finalized prior to marketing start date)

Nova Antacid

1500mg calcium carbonate per tablet

Strawberry-Watermelon Flavor

Sugar Free

Contains 64 chewable tablets

Drug Facts:

Drug Facts

Active ingredient (in each tablet)	Purpose
Calcium Carbonate USP 1500 mg.....	Antacid

Uses relieves

- heartburn
- acid indigestion
- sour stomach
- upset stomach due to these symptoms.

Warnings

Ask a doctor before use if you are presently taking a prescription drug. Antacids may interact with certain prescription drugs.

When using this product do not take more than 4 tablets in a 24-hour period, or use the maximum dosage of this product for more than 2 weeks, except under the advice and supervision of a doctor.

If pregnant or breastfeeding, ask a health professional before

use. **Keep out of the reach of children.**

Directions

- chew or crush tablets completely before swallowing. Do not swallow tablets whole.
- adults and children 12 years of age and older: chew 1-2 tablets as symptoms occur, or as directed by a doctor.
- do not take for symptoms that persist for more than 2 weeks unless advised by a doctor.

Other information

- each tablet contains: **calcium 600 mg**
- store at 20-25°C (68-77°F)
- use immediately after pushing tablet through blistercard foil
- **do not use if blistercard foil is torn or missing**

Inactive ingredients flavor, magnesium stearate, povidone, sucralose, xylitol

NOVA ANTACID

calcium carbonate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87355-100
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK) (CALCIUM CATION - UNII:2M83C4R6ZB, CARBONATE ION - UNII:7UJQ5OPE7D)	CALCIUM CARBONATE	1500 mg

Inactive Ingredients

Ingredient Name	Strength
POVIDONE K30 (UNII: U725QWY32X)	
XYLITOL (UNII: VCQ006KQ1E)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	17mm
Flavor	STRAWBERRY (Strawberry-Watermelon Flavored) , WATERMELON (Strawberry-Watermelon Flavored)	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87355-100-01	6 in 1 BOX	02/24/2026	
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:87355-100-02	12 in 1 BOX	02/24/2026	
2		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		



Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M001	02/24/2026	

Labeler - Blueberri Inc. (118840793)

Revised: 3/2026

Blueberri Inc.