

DR. COCOA FOR CHILDREN PAIN AND FEVER- acetaminophen liquid
Infirfirst Healthcare Inc.

Dr. Cocoa for Children, Pain & Fever

Drug Facts

Active ingredient

(in each 5 mL)

Acetaminophen 160 mg

Purpose

Pain reliever/fever reducer

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to:
 - the common cold •flu •headache
 - sore throat •toothache

Warnings

Liver warning: This product contains acetaminophen.

Severe liver damage may occur if your child takes

- more than 5 doses in 24 hours, which is the maximum daily amount
- with other drugs containing acetaminophen

Allergy alert: acetaminophen may cause severe skin reactions.

Symptoms may include:

- skin reddening •blisters •rash

If a skin reaction occurs, stop use and seek medical help right away

Sore throat warning: if sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin

When using this product do not exceed recommended dose (see overdose warning)

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur • redness or swelling is present

These could be signs of a serious condition

Keep out of reach of children.**Overdose warning**

In case of overdose, get medical help or contact a Poison Control Center right away at (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- **shake well before using**
- mL = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and pour your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

*or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information

- **each 5 mL contains:** sodium 4.0 mg
- store between 20-25°C (68-77°F)
- **do not use if printed inner seal under cap is torn or missing.**

Inactive ingredients

anhydrous citric acid, benzyl alcohol, caramel, carboxymethylcellulose sodium, cocoa powder, flavors, glycerin, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol solution, sucralose, xanthan gum

Questions or comments?

Call **1-855-848-3284** toll free (English and Spanish)

infirst +

HEALTHCARE

Manufactured for: Infirst Healthcare Inc., Westport, CT 06880

©2025 Infirst Healthcare Inc.

FLAVORED WITH REAL COCOA

No Parabens.

Free from Synthetic Dyes.

Please visit our website at:

www.DrCocoa.com

4 oz label

Dr. Cocoa ®

for Children

Pain + Fever

Acetaminophen (160 mg per 5 ml)

Oral Suspension

Pain Reliever-Fever Reducer

FLAVORED WITH REAL COCOA

Great Chocolate Flavor

Ages 2-11

4 FL OZ (120 mL)

160 mg per 5 mL



8 oz label

Dr. Cocoa®

for Children

Pain + Fever

Acetaminophen (160 mg per 5 ml)

Oral Suspension

Pain Reliever-Fever Reducer

Dr.
Cocoa®
for Children

Drug Facts

Active ingredient
(in each 5 mL)

Purpose

Acetaminophen 160 mg Pain reliever/fever reducer

Uses temporarily:

- reduces fever
- relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes more than 5 doses in 24 hours, which is the maximum daily amount.

With other drugs: Do not give more than directed (see overdose warning).

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use:

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dose (see overdose warning).

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Drug Facts (continued)

Keep out of reach of children.

Overdose warning:

In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions:

- this product does not contain directions or complete warnings for adult use.
- do not give more than directed (see overdose warning)
- shake well before using
- ml = milliliter
- find right dose on chart below. If possible, use weight to dose; otherwise, use age.
- remove the child protective cap and pour your child's dose into the dosing cup
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (mL)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	5 mL
36-47	4-5 years	7.5 mL
48-59	6-8 years	10 mL
60-71	9-10 years	12.5 mL
72-95	11 years	15 mL

*or as directed by a doctor

Attention: use only enclosed dosing cup specifically designed for use with this product. Do not use any other dosing device.

Other information:

- each 5 mL contains: sodium 4.0 mg
- store between 20-25°C (68-77°F)
- do not use if printed inner seal under cap is torn or missing.

Inactive ingredients:

anhydrous citric acid, benzyl alcohol, caramel, carboxymethylcellulose sodium, cocoa powder, flavors, glycerin, microcrystalline cellulose, purified water, sodium benzoate, sodium citrate dihydrate, sorbitol solution, sucrose, xanthan gum

Questions or comments?

Call 1-855-848-3284 toll free (English and Spanish)

infir⁺
HEALTHCARE

Manufactured for: Infir⁺ Healthcare Inc., Westport, CT 06880
©2025 Infir⁺ Healthcare Inc.

Dr.
Cocoa®
for Children

Pain + Fever

Dr.
Cocoa®
for Children

Dr.
Cocoa®
for Children

Relief with a Smile!®

Kids hate feeling sick. But they also hate taking medicine that doesn't taste good. That's why there's Dr. Cocoa.®

Dr. Cocoa Pain + Fever is made with Acetaminophen, a trusted, effective ingredient that relieves minor aches and pains and reduces fevers.

Dr. Cocoa is flavored with real cocoa for a rich, soothing real chocolate taste your kids will love.

Dr. Cocoa will make your kids smile, and the effective relief will make you smile.



No Parabens.

Free from Synthetic Dyes.

Please visit our website at:
www.DrCocoa.com



4 FL OZ (120 mL)

160 mg per 5 mL

Ages 2-11



8 19903 01097 5

FLAVORED WITH REAL COCOA

Great Chocolate Flavor

Ages 2-11

8 FL OZ (240 mL)

160 mg per 5 mL



DR. COCOA FOR CHILDREN PAIN AND FEVER

acetaminophen liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:62372-200
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 36209ITL9D) (ACETAMINOPHEN - UNII:36209ITL9D)	ACETAMINOPHEN	160 mg in 5 mL

Inactive Ingredients

Ingredient Name	Strength
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K679OBS311)	
THEOBROMA CACAO (COCOA) SEED POWDER (UNII: D9108TZ9KG)	
GLYCERIN (UNII: PDC6A3C00X)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)	
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SORBITOL SOLUTION (UNII: 8KW3E20702)	
XANTHAN GUM (UNII: TTV12P4NEE)	

Product Characteristics

Color	brown	Score	
Shape		Size	
Flavor	CHOCOLATE	Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:62372-200-04	1 in 1 CARTON	12/20/2025	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:62372-200-08	1 in 1 CARTON	12/20/2025	
2		240 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/20/2025	

Labeler - Infirst Healthcare Inc. (079159739)

Revised: 1/2026

Infirst Healthcare Inc.