

**STRIVECTIN TL ADVANCED TIGHTENING NECK AND CHEST BROAD SPECTRUM
SPF 35 SUNSCREEN- octocrylene, homosalate, octisalate, avobenzone cream
StriVectin Operating Company, Inc.**

**StriVectin TL Advanced Tightening Neck and Chest Lotion Broad Spectrum
SPF 35 Sunscreen**

Active Ingredients

Avobenzone 3.0%
Homosalate 7.0%
Octisalate 4.5%
Octocrylene 10.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use

- on damaged or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

- rash occurs

Keep out of reach of children.

- If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures

including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients

Water (Aqua), Propanediol, Glycereth-7 Triacetate, Dicaprylyl Carbonate, Coconut Alkanes, Capryloyl Glycerin/Sebacic Acid Copolymer, Glycerin, Hydrolyzed Rice Protein, C14-22 Alcohols, Myristyl Nicotinate, Heptapeptide-68 Amide Acetate, Pentapeptide-84 Amide Acetate, Collagen Amino Acids, Glutathione, Chlorella Vulgaris Extract, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, Prunus Amygdalus Dulcis (Sweet Almond) Seed Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Oryza Sativa (Rice) Bran Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Beta-Glucan, Coco-Caprylate/Caprate, Potassium Cetyl Phosphate, 1,2-Hexanediol, Glycine Soja (Soybean) Oil, Brassica Campestris (Rapeseed) Seed Oil, Helianthus Annuus (Sunflower) Seed Wax, C12-20 Alkyl Glucoside, Polyacrylate Crosspolymer-6, Polyglyceryl-3 Diisostearate, Polyglyceryl-3 Methylglucose Distearate, Caprylhydroxamic Acid, Helianthus Annuus (Sunflower) Extract, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Pentylene Glycol, Tocopherol, Cetyl Alcohol, Aminomethyl Propanol, Althaea Officinalis Root Extract, Dipotassium Phosphate, Caprylyl Glycol, t-Butyl Alcohol, Sodium Benzoate, Glucose, Citric Acid, Alcohol, Tetrasodium EDTA, Phenoxyethanol, Fragrance (Parfum) [ILN 25612]

Other Information

- protect the product in this container from excessive heat and direct sun.

Questions?

Call **1 (800) 272-2376**

PDP Tube

StriVectin

TL Advanced Tightening Neck & Chest Lotion

Broad Spectrum SPF 35 Sunscreen

45 ml / 1.5 oz

Distributed by: StriVectin Operating Company, Inc., Johnson City, TN

5031410101

NIA114™
TECHNOLOGY

StriVectin®

TL ADVANCED™
TIGHTENING NECK
& CHEST LOTION

Broad Spectrum
SPF 35 Sunscreen

e 45 ml / 1.5 fl oz

PDP Carton

StriVectin

TL Advanced Tightening Neck & Chest Lotion

Broad Spectrum SPF 35 Sunscreen

45 ml / 1.5 oz

Distributed by: StriVectin Operating Company, Inc., Johnson City, TN

5031413401

Drug Facts

Active ingredients	Purpose
Avobenzone 3.00%.....	Sunscreen
Homosalate 7.00%	Sunscreen
Octisalate 4.5%.....	Sunscreen
Octocrylene 10.00%	Sunscreen

Uses • helps prevent sunburn

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

• rash occurs

Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.

Directions • apply generously 15 minutes before sun exposure • children under 6 months of age: Ask a doctor • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. to 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

• protect the product in this container from excessive heat and direct sun.

Questions? Call 1(800) 272-2376

Distributed by: StriVectin Operating Company, Inc., Johnson City, TN 5031410101

This silky, ultra-hydrating lotion visibly tightens sagging skin and restores radiance for a firmer, more even-toned neck and chest.

Formulated with **Alpha-3 Peptide™** and Polypeptides to smooth neck lines and Glutathione for brightening, plus the added benefit of sun and blue light protection.

Skin is left more youthful-looking with a healthy, non-greasy glow.

Drug Facts

Active Ingredients	Purpose
Avobenzone 3.0%.....	Sunscreen
Homosalate 7.0%.....	Sunscreen
Octisalate 4.5%.....	Sunscreen
Octocrylene 10.0%.....	Sunscreen

Uses

- helps prevent sunburn

Warnings

For external use only

Do not use • on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if • rash occurs

Keep out of reach of children. • If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply generously 15 minutes before sun exposure
- children under 6 months of age: Ask a doctor
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. to 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Inactive Ingredients Water (Aqua), Propanediol, Glycereth-7 Triacetate, Dicaprylyl Carbonate, Coconut Alkanes, Capryloyl Glycerin/Sebacic Acid Copolymer, Glycerin, Hydrolyzed Rice Protein, C14-22 Alcohols, Myristyl Nicotinate, Heptapeptide-68 Amide Acetate, Pentapeptide-84 Amide Acetate, Collagen Amino Acids, Glutathione, Chlorella Vulgaris Extract, Oryza Sativa (Rice) Extract, Oryza Sativa (Rice) Germ Extract, Prunus Amygdalus Dulcis (Sweet Almond) Seed Extract, Glycyrrhiza Glabra (Licorice) Root Extract, Oryza Sativa (Rice) Bran Extract, Rosmarinus Officinalis (Rosemary) Leaf Extract, Beta- Glucan, Coco-Caprylate/ Caprate, Potassium Cetyl Phosphate, 1,2-Hexanediol, Glycine Soja (Soybean) Oil, Brassica Campestris (Rapeseed) Seed Oil, Helianthus Annuus (Sunflower) Seed Wax, C12-20 Alkyl Glucoside, Polyacrylate

NIA114™
TECHNOLOGY

StriVectin®



Drug Facts (cont)

Crosspolymer-6, Polyglyceryl-3 Disostearate, Polyglyceryl-3 Methylglucose Distearate, Caprylhydroxamic Acid, Helianthus Annuus (Sunflower) Extract, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Trisodium Ethylenediamine Disuccinate, Pentylene Glycol, Tocopherol, Cetyl Alcohol, Aminomethyl Propanol, Althaea Officinalis Root Extract, Dipotassium Phosphate, Caprylyl Glycol, t-Butyl Alcohol, Sodium Benzoate, Glucose, Citric Acid, Alcohol, Tetrasodium EDTA, Phenoxyethanol, Fragrance (Parfum) [ILN 25612]

Other Information

- protect the product in this container from excessive heat and direct sun.

Questions?

Call 1 (800) 272-2376

TL ADVANCED™
TIGHTENING NECK
& CHEST LOTION

Broad Spectrum
SPF 35 Sunscreen

Improves the appearance of fine lines and age spots on the chest and neck

e 45 ml / 1.5 fl oz

STRIVECTIN TL ADVANCED TIGHTENING NECK AND CHEST BROAD SPECTRUM SPF 35 SUNSCREEN

octocrylene, homosalate, octisalate, avobenzone cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:76147-400
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	3 g in 100 mL

OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	10 g in 100 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	7 g in 100 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	4.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
COCONUT ALKANES (UNII: 1E5KJY107T)	
POLYACRYLATE CROSSPOLYMER-6 (UNII: Q7UI015FF9)	
PRUNUS AMYGDALUS DULCIS (SWEET ALMOND) SEED (UNII: 3Z252A2K9G)	
ALTHAEA OFFICINALIS ROOT (UNII: TRW2FUF47H)	
CAPRYLHYDROXAMIC ACID (UNII: UPY805K99W)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
BRASSICA CAMPESTRIS (RAPESEED) SEED OIL (UNII: N4G8379626)	
CHLORELLA VULGARIS (UNII: RYQ4R60M02)	
HYDROLYZED RICE PROTEIN (ENZYMATIC; 2000 MW) (UNII: J9JP2XE45M)	
CITRIC ACID (UNII: 2968PHW8QP)	
YEAST .BETA.-D-GLUCAN (UNII: 44FQ49X6UN)	
GLYCERETH-7 TRIACETATE (UNII: S9W6Z48HUP)	
AMINO ACIDS, SOURCE UNSPECIFIED (UNII: 0072R8RF8A)	
WATER (UNII: 059QF0KO0R)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
DICAPRYLYL CARBONATE (UNII: 609A3V1SUA)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLYGLYCERYL-3 METHYLGLUCOSE DISTEARATE (UNII: W19EIO0DBE)	
RICE GERM (UNII: 7N2B70SFEZ)	
ALCOHOL (UNII: 3K9958V90M)	
TOCOPHEROL (UNII: R0ZB2556P8)	
POTASSIUM PHOSPHATE, DIBASIC (UNII: CI71S98N1Z)	
GLUTATHIONE (UNII: GAN16C9B8O)	
TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
T-BUTYL ALCOHOL (UNII: MD83SFE959)	
GLUCOSE (UNII: 5SL0G7R0OK)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
GLYCYRRHIZA GLABRA (LICORICE) ROOT (UNII: 2788Z9758H)	
ORYZA SATIVA (RICE) BRAN (UNII: R60QEP13IC)	
C12-20 ALKYL GLUCOSIDE (UNII: K67N5Z1RUA)	
CAPRYLOYL GLYCERIN/SEBACIC ACID COPOLYMER (2000 MPA.S) (UNII: N7YC58165T)	
MYRISTYL NICOTINATE (UNII: 8QWM6I035C)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
ROSMARINUS OFFICINALIS (ROSEMARY) LEAF OIL (UNII: 8LGU7VM393)	
GLYCERIN (UNII: PDC6A3C0OX)	
POTASSIUM CETYL PHOSPHATE (UNII: 03KCY6P7UT)	
HELIANTHUS ANNUUS (SUNFLOWER) SEED (UNII: R9N3379M4Z)	
C14-22 ALCOHOLS (UNII: B1K89384RJ)	
COCO-CAPRYLATE/CAPRATE (UNII: 8D9H4QU99H)	
ACRYLATES/C10-30 ALKYL ACRYLATE CROSSPOLYMER (60000 MPA.S) (UNII: 8Z5ZAL5H3V)	
TETRASODIUM EDTA (UNII: MP1J8420LU)	

GLYCINE SOJA (SOYBEAN) OIL UNSAPONIFIABLES (UNII: WZ7DY7GBV6)

HELIANTHUS ANNUUS (SUNFLOWER) SEED WAX (UNII: 42DG15CHXV)

POLYGLYCERYL-3 DIISOSTEARATE (UNII: 46P231IQV8)

AMINOMETHYL PROPANOL (UNII: LU49E6626Q)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:76147-400-45	1 in 1 CARTON	01/15/2026	
1		45 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:76147-400-10	1 in 1 CARTON	01/15/2026	
2		10 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/15/2026	

Labeler - StriVectin Operating Company, Inc. (832343722)

Registrant - StriVectin Operating Company, Inc. (832343722)

Revised: 1/2026

StriVectin Operating Company, Inc.