

LAXATIVE MAXIMUM STRENGTH- sennosides tablet
Better Living Brands, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Signature Care 44-348

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product,

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and over	2 tablets once or twice daily
children 6 to under 12 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- **each tablet contains:** calcium 40 mg, magnesium 5 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-800-426-9391

Principal Display Panel

Signature™

care

Quality Guaranteed

Compare to ex•lax® Maximum Strength
active ingredient*

NDC 21130-348-08

Maximum Strength

Laxative

SENNOSIDES USP, 25 mg

Stimulant laxative

- Gentle, dependable
- Overnight relief

Actual Size

24 TABLETS

**TAMPER EVIDENT: DO NOT
USE IF PACKAGE IS
OPENED OR IF BLISTER
UNIT IS TORN, BROKEN
OR SHOWS ANY SIGNS
OF TAMPERING**

*This product is not manufactured or distributed by GSK group of companies, distributors of ex•lax®
Maximum Strength.

50844 REV0317B34808

DISTRIBUTED BY BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

1-888-723-3929

www.betterlivingbrandsLLC.com

OUR PROMISE

QUALITY & SATISFACTION

100%

GUARANTEED

OR YOUR MONEY BACK.



RD 17191

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

COMPARE TO ex•lax® Maximum Strength active ingredient*

NDC 21130-348-08



Quality Guaranteed

Maximum Strength Laxative

SENNOSIDES USP, 25 mg
Stimulant laxative

Actual Size



- Gentle, dependable
- Overnight relief

24 TABLETS

KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Drug Facts (continued)

Active ingredient (in each tablet) Sennosides USP, 25 mg

Purpose Stimulant laxative

Uses relieves occasional constipation (irregularly) generally produces bowel movement in 6 to 12 hours

DISTRIBUTED BY BETTER LIVING BRANDS LLC
 P.O. BOX 99, PLEASANTON, CA 94566-0099
 1-888-723-3929
 www.betterlivingbrandsllc.com

No print/No varnish Area
 Lot & Exp. Date

OUR PROMISE
 QUALITY & SATISFACTION
 100% GUARANTEED
 OR YOUR MONEY BACK.

Drug Facts (continued)

Warnings Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product, do not use for a period longer than 1 week.

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get help.

Drug Facts (continued)

Other information

each tablet contains: calcium 40 mg, magnesium 5 mg

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

see end flap for expiration date and lot number

Inactive ingredients acacia, calcium carbonate, camauha wax, corn starch, dibasic calcium phosphate

Directions

swallow tablet(s) with a glass of water

swallow tablet(s) whole; do not crush, break, or chew

adults and children 2 tablets once or twice daily

children 6 to under 12 years 1 tablet once or twice daily

children under 6 years ask a doctor

Drug Facts (continued)

medical help or contact a Poison Control Center (1-800-222-1222) night away.

Drug Facts (continued)

Warnings Do not use laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are taking a prescription drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product, do not use for a period longer than 1 week.

Stop use and ask a doctor if rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get help.

Drug Facts (continued)

Other information

each tablet contains: calcium 40 mg, magnesium 5 mg

TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN

store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

see end flap for expiration date and lot number

Inactive ingredients acacia, calcium carbonate, camauha wax, corn starch, dibasic calcium phosphate

Directions

swallow tablet(s) with a glass of water

swallow tablet(s) whole; do not crush, break, or chew

adults and children 2 tablets once or twice daily

children 6 to under 12 years 1 tablet once or twice daily

children under 6 years ask a doctor

Drug Facts (continued)

medical help or contact a Poison Control Center (1-800-222-1222) night away.

B-1817-348-08-S
 REV0317B34808

Signature Care 44-348

sennosides tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-348
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients

Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
FD&C BLUE NO. 1--ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FERROSO FERRIC OXIDE (UNII: XM0M87F357)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYL PARABEN (UNII: A2I8C7HI9T)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYL PARABEN (UNII: Z8IX2SC1OH)	
SHELLAC (UNII: 46N107B71O)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics

Color	BLUE	Score	no score
Shape	ROUND	Size	10 mm
Flavor		Imprint Code	44;348
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-348-08	2 in 1 CARTON	01/02/2003	

1	12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC MONOGRAPH NOT FINAL	part334	01/02/2003	

Labeler - Better Living Brands, LLC (009137209)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	PACK(21130-348)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	MANUFACTURE(21130-348)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	PACK(21130-348)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	PACK(21130-348)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	PACK(21130-348)