

**NEUTROGENA SKINCLEARING MINERAL - BUFF- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - CLASSIC IVORY- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - NATURAL BEIGE- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - NATURAL IVORY- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - NUDE- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - SOFT BEIGE- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - TAN- salicylic acid powder**  
**NEUTROGENA SKINCLEARING MINERAL - HONEY BEIGE- salicylic acid powder**  
**Johnson & Johnson Consumer Inc.**

-----

**Neutrogena<sup>®</sup> SkinClearing<sup>®</sup> mineral powder (All 8 shades\*)**

### ***Drug Facts***

#### **Active ingredients**

Salicylic Acid (0.5%)

#### **Purpose**

Acne medication

#### **Use**

For the treatment of acne.

#### **Warnings**

**For external use only.**

#### **When using this product**

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.
- if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

#### **Directions**

- cleanse skin thoroughly before applying this product
- cover the entire affected area with a thin layer one to three times daily
- because excessive drying of the skin may occur, start with one application daily, then

- gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day.

### **Other information**

Protect from Excessive Heat (40°C/104°F).

### **Inactive ingredients**

Dimethicone, Zinc Stearate, Polyethylene, Octyldodecyl Stearoyl Stearate, C12-15 Alkyl Benzoate, Polysilicone-11, Nylon-12, Petrolatum, Ethylene/Acrylic Acid Copolymer, Calcium Silicate, Methylparaben, Sodium Dehydroacetate, Tocopheryl Acetate, Retinyl Palmitate, Propylparaben, Panthenol, Polymethyl Methacrylate, Ascorbyl Palmitate, C12-15 Alkyl Lactate, Cetyl Lactate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Ascorbic Acid, Pantothenic Acid, Talc, Iron Oxides, Mica, Zinc Oxide.

**May Contain:** Titanium Dioxide, Carmine.

### **Questions?**

Call toll-free 800-480-4812 or 215-273-8755 (collect) or visit [www.neutrogena.com](http://www.neutrogena.com)



Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**

Skillman, NJ 08558

### **PRINCIPAL DISPLAY PANEL - 11 g Container Label - Buff 30**

Neutrogena  
SkinClearing<sup>®</sup>  
mineral  
powder

**MICRO CLEAR<sup>®</sup>**  
**- technology -**








**PRINCIPAL DISPLAY PANEL - 11 g Container Label - Classic Ivory 10**

Neutrogena  
SkinClearing®  
mineral  
powder

**MICRO CLEAR®**  
**- technology -**






## **PRINCIPAL DISPLAY PANEL - 11 g Container Label - Natural Beige 60**

Neutrogena  
SkinClearing®  
mineral  
powder

**MICRO CLEAR®**  
**- technology -**





**Application Tips:** Wear alone or over SkinClearing oil-free makeup to control shine, even skin tone and hide blemishes while treating them. Use the puff to customize your look.

**Orange Side:** Gently pat in t-zone to instantly mattify  
**White Side:** Smooth all over face, starting from the center and blending outwards for a fresh, natural look.

**Drug Facts** (continued)

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application ▶



Neutrogena  
SkinClearing®  
mineral powder  
**Natural Beige 60**

▲  
PEEL  
HERE

2 ways in 1 to cover, treat and help prevent breakouts!

- Blemish treatment with salicylic acid
- Formula with MicroClear® technology treats and helps prevent breakouts
- Oil-absorbing powders instantly control shine
- Mineral formula is gentle on skin
- Mirror included
- Two-sided applicator for a fresh, shine-free look:
  - Orange side for sheer coverage
  - White side for fuller coverage

**Drug Facts**

**Active ingredients**  
Salicylic Acid (0.5%)

**Purpose** Acne medication

**Use** For the treatment of acne.


**Warnings** ▶  
For external use only.

NET WT 0.38 OZ. (11g)



0 86800 00596 4  
30037302

09  
NATURAL  
BEIGE



**Drug Facts** (continued)

to once a day or every other day.

**Other information** Protect from Excessive Heat (40°C/104°F).

**Inactive ingredients** Dimethicone, Zinc Stearate, Polyethylene, Octyldodecyl Stearoyl Stearate, C12-15 Alkyl Benzoate, Polysilicone-11, Nylon-12, Petrolatum, Ethylene/Acrylic Acid Copolymer, Calcium Silicate, Methylparaben, Sodium Dehydroacetate, Tocopheryl Acetate, Retinyl Palmitate, Propylparaben, Panthenol, Polymethyl Methacrylate, Ascorbyl Palmitate, C12-15 Alkyl Lactate, Cetyl Lactate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Cocamidopropyl PG-Dimonium Chloride Phosphate, Cocamidopropyl PG-Dimonium Chloride Phosphate, Cocamidopropyl PG-Dimonium Chloride Phosphate



## **PRINCIPAL DISPLAY PANEL - 11 g Container Label - Natural Ivory 20**

Neutrogena  
SkinClearing®  
mineral  
powder


**MICRO CLEAR®**  
**- technology -**





Neutrogena  
SkinClearing®  
mineral  
powder

**MICROCLEAR®**  
— technology —



**Application Tips:** Wear alone or over SkinClearing oil-free makeup to control shine, even skin tone and hide blemishes while treating them. Use the puff to customize your look.

**Orange Side:** Gently pat in t-zone to instantly mattify  
**White Side:** Smooth all over face, starting from the center and blending outwards for a fresh, natural look

**Drug Facts** (continued)

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application ▶



Neutrogena  
SkinClearing®  
mineral powder  
**Natural Ivory 20** ▲  
PEEL  
HERE

2 ways in 1 to cover, treat and help prevent breakouts!

- Blemish treatment with salicylic acid
- Formula with MicroClear® technology treats and helps prevent breakouts
- Oil-absorbing powders instantly control shine
- Mineral formula is gentle on skin
- Mirror included
- Two-sided applicator for a fresh, shine-free look:
  - Orange side for sheer coverage
  - White side for fuller coverage

**Drug Facts**

**Active ingredients**

Salicylic Acid (0.5%)

**Purpose** Acne medication

**Use** For the treatment of acne.

**Warnings**  
For external use only. ▶


NET WT 0.38 OZ. (11 g)



0 86800 00592 6

30036511

20  
NATURAL  
IVORY



**Drug Facts** (continued)

to once a day or every other day.

**Other information** Protect from Excessive Heat (40°C/104°F).




**Inactive ingredients** Dimethicone, Zinc Stearate, Polyethylene, Octyldodecyl Stearoyl Stearate, C12-15 Alkyl Benzoate, Polysilicone-11, Nylon-12, Petrolatum, Ethylene/Acrylic Acid Copolymer, Calcium Silicate, Methylparaben, Sodium Dehydroacetate, Tocopheryl Acetate, Retinyl Palmitate, Propylparaben, Panthenol, Polymethyl Methacrylate, Ascorbyl Palmitate, C12-15 Alkyl Lactate, Cetyl Lactate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Ascorbic Acid, Pantothenic Acid, Talc, Iron Oxides, Mica,



## PRINCIPAL DISPLAY PANEL - 11 g Container Label - Nude 40

Neutrogena  
SkinClearing®  
mineral  
powder

MICRO CLEAR®  
- technology -







**PRINCIPAL DISPLAY PANEL - 11 g Container Label - Soft Beige 50**

Neutrogena  
SkinClearing®  
mineral  
powder

**MICRO CLEAR®**  
**- technology -**







**PRINCIPAL DISPLAY PANEL - 11 g Container Label - Tan 80**

Neutrogena  
SkinClearing®  
mineral  
powder

**MICRO CLEAR®**  
**- technology -**





Neutrogena  
SkinClearing®  
mineral  
powder

**MICROCLEAR®**  
—technology—

**Application Tips:** Wear **alone** or over SkinClearing oil-free makeup to control shine, even skin tone and hide blemishes while treating them. Use the puff to customize your look:

**Orange Side:** Gently pat in t-zone to instantly mattify  
**White Side:** Smooth all over face, starting from the center and blending outwards for a fresh, natural look

**Drug Facts** (continued)

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application ▶



Neutrogena  
SkinClearing®  
mineral powder  
Tan 80

▲  
PEEL  
HERE

2 ways in 1 to cover, treat and help prevent breakouts!

- Blemish treatment with salicylic acid
- Formula with MicroClear® technology treats and helps prevent breakouts
- Oil-absorbing powders instantly control shine
- Mineral formula is gentle on skin
- Mirror included
- Two-sided applicator for a fresh, shine-free look:
  - Orange side for sheer coverage
  - White side for fuller coverage

**Drug Facts**

**Active ingredients**

Salicylic Acid (0.5%)

**Purpose** Acne medication

**Use** For the treatment of acne.

**Warnings** For external use only. ▶

NET WT 0.38 OZ. (11g)



0 86800 00598 8

30037304

08  
TAN

**Drug Facts** (continued)

to once a day or every other day.

**Other information** Protect from Excessive Heat (40°C/104°F).

**Inactive ingredients** Dimethicone, Zinc Stearate, Polyethylene, Octyldecyl Stearoyl Stearate, C12-15 Alkyl Benzoate, Polysilicone-11, Nylon-12, Petrolatum, Ethylene/Acrylic Acid Copolymer, Calcium Silicate, Methylparaben, Sodium Dehydroacetate, Tocopheryl Acetate, Retinyl Palmitate, Propylparaben, Panthenol, Polymethyl Methacrylate, Ascorbyl Palmitate, C12-15 Alkyl Lactate, Cetyl Lactate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Ascorbic Acid, Benzoic Acid, Talc, Iron Oxides, Micro



## **PRINCIPAL DISPLAY PANEL - 11 g Container Label - Honey Beige 70**


Neutrogena  
SkinClearing®  
mineral  
powder

**MICRO CLEAR®**  
**- technology -**



Neutrogena  
SkinClearing®  
mineral  
powder

**MICROCLEAR®**  
—technology—



**Application Tips:** Wear alone or over SkinClearing oil-free makeup to control shine, even skin tone and hide blemishes while treating them. Use the puff to customize your look.

**Orange Side:** Gently pat in t-zone to instantly mattify  
**White Side:** Smooth all over face, starting from the center and blending outwards for a fresh, natural look

**Drug Facts** (continued)

**When using this product** • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • if eye contact occurs, flush thoroughly with water.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions** • cleanse skin thoroughly before applying this product • cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occurs, reduce application ▶



Neutrogena  
SkinClearing®  
mineral powder  
**Honey Beige 70**

▲  
PEEL  
HERE

2 ways in 1 to cover, treat and help prevent breakouts!

- Blemish treatment with salicylic acid
- Formula with MicroClear® technology treats and helps prevent breakouts
- Oil-absorbing powders instantly control shine
- Mineral formula is gentle on skin
- Mirror included
- Two-sided applicator for a fresh, shine-free look:
  - Orange side for sheer coverage
  - White side for fuller coverage

**Drug Facts**

**Active ingredients**  
Salicylic Acid (0.5%)

**Purpose** Acne medication

**Use** For the treatment of acne.


**Warnings**  
For external use only. ▶

NET WT 0.38 OZ. (11 g)



0 86800 00597 1  
30036552

**70**  
HONEY  
BEIGE



**Drug Facts** (continued)

to once a day or every other day.

**Other information** Protect from Excessive Heat (40°C/104°F).

**Inactive ingredients** Dimethicone, Zinc Stearate, Polyethylene, Octyldodecyl Stearoyl Stearate, C12-15 Alkyl Benzoate, Polysilicone-11, Nylon-12, Petrolatum, Ethylene/Acrylic Acid Copolymer, Calcium Silicate, Methylparaben, Sodium Dehydroacetate, Tocopheryl Acetate, Retinyl Palmitate, Propylparaben, Panthenol, Polymethyl Methacrylate, Ascorbyl Palmitate, C12-15 Alkyl Lactate, Cetyl Lactate, Benzalkonium Chloride, Cocamidopropyl PG-Dimonium Chloride Phosphate, Ascorbic Acid, Pantothenic Acid, Talc, Iron Oxides, Mica

Contains: Titanium Dioxide, Zinc Oxide.  
**May Contain:** Titanium Dioxide, Carmine.  
**Questions?** Call toll-free 800-480-4812 or 215-273-8755  
 (collect) or www.neutrogena.com

Dist. by: **JOHNSON & JOHNSON CONSUMER INC.**  
 Skillman, NJ 08558 © J&JCI 2017

## NEUTROGENA SKINCLEARING MINERAL - BUFF

salicylic acid powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0267
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S)</b> (UNII: 1PEZ3NLY6I)	
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	

**ASCORBIC ACID** (UNII: PQ6CK8PD0R)

**TITANIUM DIOXIDE** (UNII: 15FIX9V2JP)

**FERRIC OXIDE RED** (UNII: 1K09F3G675)

**ZINC OXIDE** (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0267-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

## NEUTROGENA SKINCLEARING MINERAL - CLASSIC IVORY

salicylic acid powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0309
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S)</b> (UNII: 1PEZ3NLY6I)	
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	

<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0309-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC Monograph Drug	M006	11/30/2009		

NEUTROGENA SKINCLEARING MINERAL - NATURAL BEIGE				
salicylic acid powder				
Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0310	
Route of Administration	TOPICAL			
Active Ingredient/Active Moiety				
	Ingredient Name	Basis of Strength	Strength	
	<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g	
Inactive Ingredients				
	Ingredient Name	Strength		
	<b>TALC</b> (UNII: 7SEV7J4R1U)			



<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)
<b>MICA</b> (UNII: V8A1AW0880)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>NYLON-12</b> (UNII: 446U8J075B)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S)</b> (UNII: 1PEZ3NLY6I)
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0310-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

## NEUTROGENA SKINCLEARING MINERAL - NATURAL IVORY

salicylic acid powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0268
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
NYLON-12 (UNII: 446U8J075B)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PETROLATUM (UNII: 4T6H12BN9U)	
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	
CALCIUM SILICATE (UNII: S4255P4G5M)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PANTHENOL (UNII: WW9CM0O67Z)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
ZINC OXIDE (UNII: SOI2LOH54Z)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0268-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

## NEUTROGENA SKINCLEARING MINERAL - NUDE

salicylic acid powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0266
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
NYLON-12 (UNII: 446U8J075B)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PETROLATUM (UNII: 4T6H12BN9U)	
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	
CALCIUM SILICATE (UNII: S4255P4G5M)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
PANTHENOL (UNII: WW9CM0O67Z)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE (UNII: H2KVQ74JM4)	
CETYL LACTATE (UNII: A7EVH2RK4O)	
C12-15 ALKYL LACTATE (UNII: GC844VRD7E)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
ASCORBYL PALMITATE (UNII: QN83US2B0N)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

ZINC OXIDE (UNII: SOI2LOH54Z)

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0266-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

## NEUTROGENA SKINCLEARING MINERAL - SOFT BEIGE

salicylic acid powder

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0265
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
TALC (UNII: 7SEV7J4R1U)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
ZINC STEARATE (UNII: H92E6QA4FV)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
OCTYLDODECYL STEAROYL STEARATE (UNII: 3D47Q6D93C)	
MICA (UNII: V8A1AW0880)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
NYLON-12 (UNII: 446U8J075B)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
PETROLATUM (UNII: 4T6H12BN9U)	
ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S) (UNII: 1PEZ3NLY6I)	
CALCIUM SILICATE (UNII: S4255P4G5M)	
SODIUM DEHYDROACETATE (UNII: 8W46YN971G)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	

<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>PANTHENOL</b> (UNII: WW9CM0067Z)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0265-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

## NEUTROGENA SKINCLEARING MINERAL - TAN

salicylic acid powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0311
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	

<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)
<b>MICA</b> (UNII: V8A1AW0880)
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)
<b>NYLON-12</b> (UNII: 446U8J075B)
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)
<b>ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S)</b> (UNII: 1PEZ3NLY6I)
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)
<b>PANTHENOL</b> (UNII: WW9CM0O67Z)
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0311-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	01/31/2020

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	01/31/2020

## NEUTROGENA SKINCLEARING MINERAL - HONEY BEIGE

salicylic acid powder

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69968-0264
<b>Route of Administration</b>	TOPICAL		



**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	5 mg in 1 g

**Inactive Ingredients**

Ingredient Name	Strength
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>POLY(METHYL METHACRYLATE; 450000 MW)</b> (UNII: Z47NNT4J11)	
<b>COCAMIDOPROPYL PROPYLENE GLYCOL-DIMONIUM CHLORIDE PHOSPHATE</b> (UNII: H2KVQ74JM4)	
<b>CETYL LACTATE</b> (UNII: A7EVH2RK4O)	
<b>C12-15 ALKYL LACTATE</b> (UNII: GC844VRD7E)	
<b>BENZALKONIUM CHLORIDE</b> (UNII: F5UM2KM3W7)	
<b>ASCORBYL PALMITATE</b> (UNII: QN83US2B0N)	
<b>PANTOTHENIC ACID</b> (UNII: 19F5HK2737)	
<b>ASCORBIC ACID</b> (UNII: PQ6CK8PD0R)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>ZINC STEARATE</b> (UNII: H92E6QA4FV)	
<b>HIGH DENSITY POLYETHYLENE</b> (UNII: UG00KM4WR7)	
<b>OCTYLDODECYL STEAROYL STEARATE</b> (UNII: 3D47Q6D93C)	
<b>MICA</b> (UNII: V8A1AW0880)	
<b>ALKYL (C12-15) BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>NYLON-12</b> (UNII: 446U8J075B)	
<b>DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE)</b> (UNII: 9E4CO0W6C5)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>ACRYLIC ACID/ETHYLENE COPOLYMER (600 MPA.S)</b> (UNII: 1PEZ3NLY6I)	
<b>CALCIUM SILICATE</b> (UNII: S4255P4G5M)	
<b>SODIUM DEHYDROACETATE</b> (UNII: 8W46YN971G)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>VITAMIN A PALMITATE</b> (UNII: 1D1K0N0VVC)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0264-1	11 g in 1 CONTAINER; Type 0: Not a Combination Product	11/30/2009	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	11/30/2009	

---

**Labeler** - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2024

Johnson & Johnson Consumer Inc.