# LORATADINE AND PSEUDOEPHEDRINE SULFATE- loratadine and pseudoephedrine sulfate tablet, film coated, extended release Strategic Sourcing Services LLC

-----

#### **Drug Facts**

#### **ACTIVE INGREDIENTS (IN EACH TABLET)**

Loratadine, USP 10 mg

Pseudoephedrine sulfate, USP 240 mg

#### PURPOSE

Antihistamine

Nasal decongestant

#### USES

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - sneezing
  - itchy, watery eyes
  - runny nose
  - itching of the nose or throat
- reduces swelling of nasal passages
- temporarily relieves sinus congestion and pressure
- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily restores freer breathing through the nose

#### WARNINGS

#### Do not use

- if you have ever had an allergic reaction to this product or any of its ingredients
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

#### Ask a doctor before use if you have

- heart disease
- thyroid disease
- high blood pressure
- diabetes
- trouble urinating due to an enlarged prostate gland
- liver or kidney disease. Your doctor should determine if you need a different dose.

#### When using this product do not take more than directed.

Taking more than directed may cause drowsiness.

#### Stop use and ask a doctor if

- an allergic reaction to this product occurs. Seek medical help right away.
- symptoms do not improve within 7 days or are accompanied by a fever
- nervousness, dizziness or sleeplessness occurs

#### If pregnant or breast-feeding,

ask a health professional before use.

#### Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### DIRECTIONS

• do not divide, crush, chew or dissolve the tablet

	1 tablet daily with a full glass of water; not more than 1 tablet in 24 hours
children under 12 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

### **OTHER INFORMATION**

- **sodium:** contains 10 mg/tablet
- **calcium:** contains 25 mg/tablet
- TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING. (for blister cartons only)
- store between 20° C to 25° C (68° F to 77° F).
- protect from light and store in a dry place

### **INACTIVE INGREDIENTS**

calcium carbonate, colloidal silicon dioxide, hydroxypropyl cellulose, hypromellose, iron oxide black, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, povidone, pregelatinized starch, propylene glycol, shellac glaze, sodium alginate, sodium citrate, talc and titanium dioxide

### **QUESTIONS?**

call **1-800-406-7984** 

Keep the carton. It contains important information.

### See end panel for expiration date.

Distributed by McKesson

One Post Street, San Francisco, CA 94104

www.healthmart.com/healthmartbrand

### PRINCIPAL DISPLAY PANEL - 10 Tablet Blister Pack Carton

NDC 62011-0071-1 Health  $Mart_{\mathbb{R}}$ 

Compare to Claritin- $D^{\mathbb{R}}$  24 Hour active ingredients<sup>†</sup>

## ORIGINAL PRESCRIPTION STRENGTH • NON-DROWSY\*

Allergy Relief & Nasal Decongestant

Loratadine, USP 10 mg/Antihistamine Pseudoephedrine Sulfate, USP 240 mg/Nasal Decongestant

Indoor & Outdoor Allergies

24 Hour Relief Of: Nasal & Sinus Congestion Due to Colds or Allergies Sneezing/Runny Nose/Itchy, Watery Eyes/ Itchy Throat or Nose Due to Allergies

ACTUAL SIZE

10 Extended-Release Tablets

\*When Taken as Directed. See Drug Facts Panel.



Interfive my provide a provide the provided and a provided and a provide provide provide provide provide provide a provide provide

ani eedlemotand eedullee kantavarbud ekiveik andiio lekiolloo etem	and a straibarner avitarel
	Drug Facts (continued)

LORATADIN	E AND PSE	<b>UDOEPHEDRINE</b> S	SULFATE			
loratadine and pseu	idoephedrine su	lfate tablet, film coated, ext	ended release			
Product Informa	ation					
Product T ype		HUMAN OTC DRUG	Item Code (Sou	ırce)	NDC:62011-0	0071
Route of Administr	ration	ORAL				
Active Ingredie		5				
	-	redient Name		Basis of	Strength	Strength
		ORATADINE - UNII:7AJO3BO7		LORATADINI		10 mg
PSEUDO EPHEDRINE UNII:7CUC9DDI9F)	E <b>SULFATE</b> (UNII:	Y9DL7QPE6B) (PSEUDOEPHE)	DRINE -	PSEUDOEPHI SULFATE	EDRINE	240 mg
				00211112		
Inactive Ingredi	ients					
		Ingredient Name			:	Strength
CALCIUM CARBON	ATE (UNII: H0G93	79FGK)				
SILICON DIO XIDE (	UNII: ETJ7Z6XBU	4)				
HYDRO XYPRO PYL	CELLULOSE (16	00000 WAMW) (UNII: RFW2ET	[671P)			
HYPROMELLOSE, U	UNSPECIFIED (UN	II: 3NXW29V3WO)				
FERROSOFERRIC OXIDE (UNII: XM0M87F357)						
LACTOSE MONOHY						
MAGNESIUM STEAF						
MICROCRYSTALLI						
		IFIED (UNII: 3WJQ0SDW1A)				
POVIDONE, UNSPEC		39GH94E)				
PROPYLENE GLYC		1671/2)				
SHELLAC (UNII: 46 N		[07 ¥ 3]				
SODIUM ALGINATE		70)				
		<b>RM</b> (UNII: 1Q73Q2JULR)				
TALC (UNII: 7SEV7J4						
TITANIUM DIO XIDE		P)				
<b>Product Charac</b>	teristics					
Color w	white (White to Off-	White)	S	core	no	score
Shape R	ROUND (flat faced	beveled edge)	S	ize	10 r	nm
<b>Flavor</b> S	TRAWBERRY, TU	ITI FRUTTI, MINT	I	mprint Code	RC	17
Contains						
Packaging						

# Item Code	Package Description	Marketing Start Date	Marketing End Date		
<b>1</b> NDC:62011-0071-1	10 in 1 BLISTER PACK; Type 0: Not a Combination Product	11/17/2004			
Marketing Information					
Marketing Information					
Marketing Categor	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
Marketing Categor		Marketing Start Date 11/17/2004	Marketing End Date		

Labeler - Strategic Sourcing Services LLC (116956644)

**Registrant** - Sun Pharmaceutical Industries Inc. (146974886)

# Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories Inc.		051565745	manufacture(62011-0071)

Revised: 12/2019

Strategic Sourcing Services LLC