

**BELLA S FRIENDS SPF50 SUNSCREEN- zinc oxide spray  
PANERGYTEK USA INC**

---

Active Ingredient  
Zinc Oxide 24%.....

..  
PurposeSunscreen

Uses

Helps prevent sunburn.If used as directed with other sun protection measures(SeeDirections), decreases the risk of skin cancer and early skin aging caused by the sun.


Keep out of reach of children, if swallowed, get medical help or contact a Poison Control center right away.

WarningsFor external use only. FLAMMABLE.Don't use near heat, flame or while smoking.Do not use on damaged or broken skin.When using this product .keep out of eye. Rinse with water to remove. Keep away form face to avoid breathing it. .Use only as directed. .Don't puncture or incinerate. Contents underpressure..Don't store at temperatures above 120F(49C).

Sun protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other protection measures including:.. Limit time in the sun,especially from 10 a.m. - 2 p.m..Wear long-sleeve shirts,pants, hats, and sunglasses.

shake well before use. .Hold container 4 to 6 inches from the skin to apply.-Don't spray directly into face. Spray into hands then apply to face. .Apply liberally to exposed areas 15 minutes before sun exposure. Reapply at least every two hours, after 80 minutes of swimming or sweating, or immediately after towel-drying

Inactive Ingredients: Water (Aqua), Chrysanthellum Indicum Extract, Isobutane, Triethoxycaprylylsilane, Dimethicone, Ethylhexyl Palmitate, Gentiana Scabra Root Extract, Isododecane, Glycerin, C9-12 Alkane, Acrylates Copolymer, Butyloctyl Salicylate, PEG-9 Polydimethylsiloxyethyl Dimethicone, Sodium Chloride, Phenoxyethanol, Ethylhexylglycerin, Bisabolol, ButyleneGlycol, Hydroxyacetophenone.



## BELLA S FRIENDS SPF50 SUNSCREEN

zinc oxide spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85950-005
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	24 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>HYDROXYACETOPHENONE</b> (UNII: G1L3HT4CMH)	
<b>BUTYL ACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID COPOLYMER (18000 MW)</b> (UNII: JZ1374NL9E)	
<b>DIMETHICONE</b> (UNII: 92RU3N3Y1O)	
<b>C9-12 ALKANE</b> (UNII: 7J5R5W72QM)	
<b>ISODODECANE</b> (UNII: A8289P68Y2)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE</b> (UNII: TYP81E471F)	
<b>ISOBUTANE</b> (UNII: BXR49TP611)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	
<b>BISABOLOL</b> (UNII: 24WE03BX2T)	
<b>ETHYLHEXYL PALMITATE</b> (UNII: 2865993309)	
<b>GLYCERIN</b> (UNII: PDC6A3C00X)	
<b>BUTYLOCTYL SALICYLATE</b> (UNII: 2EH13UN8D3)	
<b>CHRYSANTHELLUM INDICUM TOP</b> (UNII: STJ856D1Z0)	
<b>GENTIANA SCABRA ROOT</b> (UNII: GXZ33VNT92)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85950-005-01	150 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/20/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/20/2026	

**Labeler** - PANERGYTEK USA INC (122142088)

**Registrant** - PANERGYTEK USA INC (122142088)

Revised: 1/2026

PANERGYTEK USA INC