

**WELMEDIX HOMECARE PRO FRAGILE SKIN DUAL MINERAL SUNSCREEN-
titanium dioxide, zinc oxide lotion
Welmedix LLC**

Welmedix ® HomeCare PRO Fragile Skin Dual Mineral Sunscreen

Active ingredients

Titanium Dioxide 6%
Zinc Oxide 5%

Purpose

Sunscreen

Uses

- Helps prevent sunburn

Warnings

For external use only

When using this product

When using this product, avoid contact with eyes. Rinse with water to remove.

Stop use and ask doctor if

- rash occurs

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- Shake well before use
- Apply liberally 15 minutes before sun exposure and as needed
- Re-apply:
 - After 40 minutes of swimming or sweating
 - Immediately after towel drying
 - At least every 2 hours

Other Information:

Protect the product from excessive heat and direct sun.

Inactive ingredients

Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Alumina, Sodium Chloride, Benzyl Alcohol, Sorbitan Olivat, Hydrogen Dimethicone, Aluminum Starch Octenylsuccinate, Ethylhexylglycerin, Silica, Disodium EDTA, Aloe Barbadensis Leaf Extract, Propanediol, Niacinamide, Cucumis Sativus (Cucumber) Fruit Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Punica Granatum Fruit Juice, Calendula Officinalis Extract

Principal Display Panel Tube

Welmedix® HomeCare PRO

Fragile Skin Dual Mineral Sunscreen

Protects + Hydrates

Net Wt 1.7 fl oz (50mL)

Drug Facts

Active ingredients	Purpose
Titanium Dioxide 6%	Sunscreen
Zinc Oxide 5%	Sunscreen

Uses • Helps prevent sunburn • If used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only.
Do not use • on damaged or broken skin.
When using this product • avoid contact with eyes. Rinse with water to remove.
Stop use and ask a doctor if • rash occurs.
Keep out of the reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions For sunscreen use: • Shake well before use • Apply liberally 15 minutes before sun exposure and as needed • Re-apply • After 40 minutes of swimming or sweating • Immediately after towel drying • At least every 2 hours
Sun Protection Measures Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
• Limit time in the sun, especially from 10 a.m.-2 p.m.
• Wear long-sleeved shirts, pants, hats, and sunglasses
• Children under 6 months of age: Ask a doctor

Other information • Protect the product in this container from excessive heat and direct sun

Inactive ingredients Water, Ethylhexyl Palmitate, C12-15 Alkyl Benzoate, Styrene/Acrylates Copolymer, Glycerin, Cetyl PEG/PPG-10/1 Dimethicone, Dimethicone, Alumina, Sodium Chloride, Benzyl Alcohol, Sorbitan Oleate, Hydrogen Dimethicone, Aluminum Starch Octenylsuccinate, Ethylhexylglycerin, Silica, Disodium EDTA, Aloe Barbadensis Leaf Extract, Propargediol, Niacinamide, Cucumis Sativus (Cucumber) Fruit Extract, Vitis Vinifera (Grape) Seed Extract, Camellia Sinensis Leaf Extract, Punica Granatum Fruit Juice, Calendula Officinalis Extract

*Survey data on file (see www.Welmedix.com/rst5)


www.Welmedix.com
THE FRAGILE SKIN EXPERTS®

Questions or Comments? 1-800-733-0142
Monday through Friday, 9am-5pm EST


Dist by: Welmedix LLC Boca Raton, FL 33496
120225
©2025 Welmedix LLC



Modern Protection With DermGard™ Technology
Older sunscreens don't do a good job of protecting the skin from UVA, the more damaging radiation. UVA penetrates deeper into the skin, reaching the dermis, where it can damage collagen and generate free radicals. The resulting DNA damage can increase skin cancer risk.



Older Chemical Sunscreens
DermGard™ technology not only filters out UVA, its powerful antioxidants help fight free radicals, while delivering hydration to maintain moisture and to reduce dryness.



Welmedix® Dual Mineral Sunscreen
Welmedix® is committed to providing its customers with premium hospital grade skin care solutions to help protect and manage Fragile Skin on a daily and proactive basis.



Fragile Skin Dual Mineral Sunscreen

PROTECTS + HYDRATES

Broad Spectrum SPF 50
50 FACE



- Water resistant (40 minutes)
- Delivers antioxidants and hydration
- Matte finish, avoids white cast
- Beyond Fragile Skin, suitable for all skin types

No Added Chemical Filters, Parabens, or Fragrances

SHAKE WELL BEFORE USE

1.7 fl oz (50mL)



Fragile Skin Dual Mineral Sunscreen

For all skin types, including Fragile Skin and for those who want sunscreens without chemical UV filters.

Light weight, easy spreading matte finish. Leaves skin feeling protected and hydrated while avoiding a white cast.

DermGard™ Technology delivers protection from the sun in three ways:

1. Dual mineral filters help protect from UVB and dermis damaging UVA rays.
2. Powerful antioxidants to help combat free radical damage and premature aging.
3. Essential hydration to manage dry, flaky skin.

Water resistant (40 minutes)

No Added Chemical Filters, Parabens, or Fragrances
Dermatologist Tested



SUNSCREEN

titanium dioxide, zinc oxide lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:24330-415
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	60 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	50 mg in 1 mL

Inactive Ingredients	
Ingredient Name	Strength
ALOE BARBADENSIS LEAF (UNII: ZY81Z83H0X)	
MAGNESIUM DISODIUM EDTA (UNII: NDT563S5VZ)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
WATER (UNII: 059QF0KO0R)	
ETHYLHEXYL PALMITATE (UNII: 2865993309)	
C12-15 ALKYL BENZOATE (UNII: A9EJ3J61HQ)	
STYRENE/ACRYLAMIDE COPOLYMER (MW 500000) (UNII: 5Z4DPO246A)	
GLYCERIN (UNII: PDC6A3C0OX)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)	
DIMETHICONE 100 (UNII: RO266O364U)	
ALUMINA (UNII: LMI26O6933)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
SORBITAN OLIVATE (UNII: MDL271E3GR)	
HYDROGEN DIMETHICONE (13 CST) (UNII: 4QGR4P2YOI)	
NIACINAMIDE (UNII: 25X51I8RD4)	
CUCUMIS SATIVUS (CUCUMBER) FRUIT (UNII: YY7C30VXJT)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
ALUMINUM STARCH OCTENYLSUCCINATE (UNII: I9PJ0O6294)	
PUNICA GRANATUM FRUIT JUICE (UNII: 99S671U9KB)	
CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
VITIS VINIFERA (GRAPE) SEED OIL (UNII: 930MLC8XGG)	
CAMELLIA SINENSIS LEAF (UNII: W2ZU1RY8B0)	
PROPANEDIOL (UNII: 5965N8W85T)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24330-415-02	1 in 1 BOX	01/20/2026	
1	NDC:24330-415-	50 mL in 1 TUBE; Type 0: Not a Combination		

1	01	Product		
2	NDC:24330-415-03	2 in 1 BOX	01/20/2026	
2	NDC:24330-415-01	50 mL in 1 TUBE; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M020	01/20/2026	

Labeler - Welmedix LLC (118665984)

Establishment				
Name		Address	ID/FEI	Business Operations
DERMA CARE RESEARCH LABS, LLC			116817470	manufacture(24330-415)