

**ACETAMINOPHEN EXTRA STRENGTH- acetaminophen 500mg/15ml solution**  
**Aldama Pharmaceuticals, Inc**

---

**Acetaminophen Extra Strength**

**Active ingredient (in each 15 mL-teaspoonful)**

Acetaminophen 500 mg

**Purpose**

Pain reliever/fever reducer

**Uses**

- Temporarily relieves minor aches and pains
  - temporarily reduces fever

**Warnings**

**Liver warning**

This product contains acetaminophen. The maximum daily dose of this product is 6 tablespoons in 24 hours. Severe liver damage may occur if you take

- more than 8 tablespoons (4,000mg of acetaminophen) in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks everyday while using the product.
- 

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are allergic to acetaminophen or any of the inactive ingredients in this product.

**Ask a doctor before use if your child has liver disease**

**Ask a doctor before use if you have** taking the blood thinning drug warfarin.

**When using this product do not exceed recommended dose**

**Stop use and ask a doctor if**

- pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults/children even if you do not notice any signs or symptoms

### **If pregnant or breast-feeding**

ask a health professional before use

### **Directions**

- do not take more than directed

<b>Age</b>	<b>DOSE</b>
Adults and children 12 years of age and older	Take 1 to 2 tablespoonfuls every 4 to 6 hours as needed, not more than 6 Tablespoonfuls in 24 hours
Children under 12 years	Do not use

### **Other information**

- store at room temperature between 15-30°C (59-86°F)
- protect from freezing
- protect from light
- **TAMPER EVIDENT** do not use if foil seal over bottle opening is torn, broken or missing

### **Inactive Ingredient**

artificial and natural cherry flavor, citric acid, methylparaben, polyethylene glycol, propylene glycol, propylparaben, purified water, sodium citrate, sucralose

### **Question or Comments?**

call **305-592-9216** or **info@aldamapharm.com**



## ACETAMINOPHEN EXTRA STRENGTH

acetaminophen 500mg/15ml solution

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:73564-817
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg in 15 mL

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
POLYETHYLENE GLYCOL 350 (UNII: ZBR3T82M2V)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
METHYLPARABEN (UNII: A2I8C7HI9T)	

**PROPYLPARABEN** (UNII: Z8IX2SC1OH)

**SODIUM CITRATE** (UNII: 1Q73Q2JULR)

### Product Characteristics

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:73564-817-08	1 in 1 BOX	01/01/2026	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	01/01/2026	

**Labeler** - Aldama Pharmaceuticals, Inc (119484030)

### Establishment

Name	Address	ID/FEI	Business Operations
Aldama Pharmaceuticals, Inc		119484030	manufacture(73564-817)

Revised: 1/2026

Aldama Pharmaceuticals, Inc