

DRAMAMINE FOR KIDS- dimenhydrinate tablet, chewable
Medtech Products Inc.

Dramamine Tablets Chewable for Kids

Drug Facts

Active Ingredient

(in each tablet)

Dimenhydrinate 25 mg

Purpose

Antiemetic

Use

for prevention and treatment of these symptoms associated with motion sickness:

nausea dizziness vomiting

Warnings

Do not use for

children under 2 years of age unless directed by a doctor

Ask a doctor before use if the child has

- A breathing problem such as emphysema or chronic bronchitis
- Glaucoma

Ask a doctor before use if the child is

taking sedatives or tranquilizers

When using this product

- Marked drowsiness may occur
- Avoid alcoholic drinks
- Alcohol, sedatives, and tranquilizers may increase drowsiness
- Be careful when driving a motor vehicle or operating machinery

If pregnant or breast-feeding,

ask a doctor before use

Keep out of reach of children.

In case of accidental overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- To prevent motion sickness, the first dose should be taken $\frac{1}{2}$ to 1 hour before starting activity
- To prevent or treat motion sickness see below:

Children 2 to under 6 years

- **Give $\frac{1}{2}$ to 1 chewable tablet every 6-8 hours**
- **Do not** give more than 3 chewable tablets in 24 hours or as directed by a doctor

Children 6 to 12 years

- Give 1 to 2 chewable tablets every 6-8 hours
- Do not give more than 6 chewable tablets in 24 hours, or as directed by a doctor

Other information

- **Phenylketonurics: contains phenylalanine 0.38 mg per tablet**
- **Store at room temperature 20°-25°C (68°-77°F)**
- **Do not use if blister is broken or torn**

Inactive ingredients

aspartame, citric acid, flavors, magnesium stearate, methacrylic acid copolymer, sorbitol

Questions?

1-800-382-7219 Dramamine.com

Principal display panel

Children's Chewable Formula

Dramamine®

8 Chewable Tablets

Travel case



DRAMAMINE FOR KIDS

dimenhydrinate tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63029-910
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIMENHYDRINATE (UNII: JB937PER5C) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIMENHYDRINATE	25 mg

Inactive Ingredients

Ingredient Name	Strength
ASPARTAME (UNII: Z0H242BBR1)	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
GRAPE (UNII: 6X543N684K)	
MAGNESIUM STEARATE (UNII: 70097M6130)	
METHACRYLIC ACID - METHYL METHACRYLATE COPOLYMER (1:1) (UNII: 74G4R6TH13)	
SORBITOL (UNII: 506T60A25R)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	10mm
Flavor	GRAPE	Imprint Code	DRA
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63029-910-01	1 in 1 CASE	02/15/2012	05/01/2028
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M009	02/15/2012	05/01/2028

Labeler - Medtech Products Inc. (122715688)

Revised: 5/2025

Medtech Products Inc.