

**ANEW SOLAIRE ACTIVE FACE AND BODY PROTECTION BROAD SPECTRUM SPF 50 SUNSCREEN- avobenzone, homosalate, octisalate, octocrylene lotion**  
**THE AVON COMPANY**

-----  
**ANEW SOLAIRE ACTIVE FACE AND BODY PROTECTION LOTION BROAD SPECTRUM SPF 50**

**ACTIVE INGREDIENTS**

AVOBENZONE 2.7%

HOMOSALATE 9.0%

OCTISALATE 4.5%

OCTOCRYLENE 9.0%

**Purpose**

Sunscreen

**Uses**

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

**Warnings**

**For external use only**

**Do not use**

**Do not use** on damaged or broken skin

**When using**

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor**

**Stop use and ask a doctor if** rash occurs

**Keep out of reach of children**

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

### For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

### **Other information**


- protect the product in this container from excessive heat and direct sun
- the product may stain certain types of fabrics

### **Inactive ingredients:**

WATER, METHYL TRIMETHICONE, TRIETHYLHEXANOIN, BUTYLENE GLYCOL, GLYCERIN, C12-15 ALKYL BENZOATE, VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER, CAPRYLIC/CAPRIC TRIGLYCERIDE, POLYGLYCERYL-6 POLYRICINOLEATE, SORBITAN SESQUIOLEATE, 1,2-HEXANEDIOL, PANTHENOL, NIACINAMIDE, DISTEARDIMONIUM HECTORITE, DIPROPYLENE GLYCOL, MYRISTICA FRAGRANS (NUTMEG) EXTRACT, DISTEARYLDIMONIUM CHLORIDE, TRISODIUM EDTA, PAEONOL, PAEONIA SUFFRUTICOSA BRANCH/FLOWER/LEAF EXTRACT, FRAGRANCE, CITRAL, CITRONELLOL, LIMONENE, GERANIOL, LINALOOL, TERPINOLENE, METHYL SALICYLATE, BETA-CARYOPHYLLENE, LINALYL ACETATE, SANTALOL, TERPINEOL, CANANGA ODORATA OIL/EXTRACT, CITRUS AURANTIUM BERGAMIA PEEL OIL, JUNIPERUS VIRGINIANA OIL, PELARGONIUM GRAVEOLENS FLOWER OIL, SANTALUM ALBUM OIL, GERANYL ACETATE.

### **Questions?**

1-800-FOR-AVON



# ANEW SOLAIRE



ACTIVE FACE & BODY  
PROTECTION LOTION  
BROAD SPECTRUM SPF 50  
SUNSCREEN

80 ml / 2.7 fl. oz.

- + Hypoallergenic
- + Dermatologist-tested
- + PABA-Free
- + Alcohol-Free
- + Suitable for Sensitive Skin

To order, contact your Avon Independent Sales Representative or call: **1-800-FOR-AVON**  
[www.avon.com](http://www.avon.com)

MADE IN KOREA  
DISTR. THE AVON COMPANY, NEW YORK, NY 10006  
©2025 THE AVON COMPANY  
F4792871

skin feeling soft and smooth throughout the day. Sheer, lightweight formula is absorbed quickly and blends without a trace.

## Drug Facts

Active ingredients	Purpose
Avobenzone 2.7%	Sunscreen
Homosalate 9.0%	Sunscreen
Octisalate 4.5%	Sunscreen
Octocrylene 9.0%	Sunscreen

## Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

## Warnings

For external use only

**Do not use** on damaged or broken skin

**When using this product** keep out of eyes. Rinse with water to remove.

**Stop use and ask a doctor** if rash occurs

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- children under 6 months of age: ask a doctor
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating

**Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m.–2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

## Other information



- protect the product in this container from excessive heat and direct sun
- the product may stain certain types of fabrics

## Inactive ingredients:

WATER, METHYL TRIMETHICONE, TRIETHYLHEXANOL, BUTYLENE GLYCOL, GLYCERIN, C12-15 ALKYL BENZOATE, VINYL DIMETHICONE/METHICONE, SILSESQUOXANE, CROSSPOLYMER, CAPRYLIC/CAPRIC TRIGLYCERIDE, POLYGLYCERYL-8 POLYRICINOLEATE, SORBITAN SESQUILATE, 1,2-HEXANEDIOL, PANTHENOL, MACNAMIDE, DISTEARDIMONIUM HECTORITE, DIPROPYLENE GLYCOL, MYRISTIC FRAGRANS (NUTMEG) EXTRACT, DISTEARDIMONIUM CHLORIDE, TRISODIUM EDTA, PAEONOL, PAEONIA SUFFRUTICOSA BRANCH/LEAF EXTRACT, CITRAL, CITRONELLOL, LIMONENE, GERANIOL, LINALOOL, TERPINOLENE, METHYL SALICYLATE, BETA-CARYOPHYLLENE, LINALYL ACETATE, SANTAL OIL, TERPENEOL, CANTHARA ODORATA OIL EXTRACT, CITRUS AURANTIUM BERGAMIA PEEL OIL, JUNPERUS VIRGINIANA OIL, PELARGONIUM GRAVEOLENS FLOWER OIL, SANTALUM ALBUM OIL, GERANYL ACETATE.

**Questions?** 1-800-FOR-AVON





**Active ingredients:** Avobenzone 2.7%, Homosalate 9.0%, Octisalate 4.5%, Octocrylene 9.0%.

**Directions:**

- Shake well before use.
- Apply liberally 15 minutes before sun exposure.
- Children under 6 months of age: ask a doctor.
- Reapply at least every two hours.
- Use a water resistant sunscreen if swimming or sweating.

**WARNING: FOR EXTERNAL USE ONLY. DO NOT USE ON DAMAGED OR BROKEN SKIN. WHEN USING THIS PRODUCT KEEP OUT OF EYES. RINSE WITH WATER TO REMOVE. STOP USE AND ASK A DOCTOR IF RASH OCCURS. KEEP OUT OF REACH OF CHILDREN. IF SWALLOWED, GET MEDICAL HELP OR CONTACT A POISON CONTROL CENTER RIGHT AWAY.**

**Questions?** 1-800-FOR-AVON  
[www.avon.com](http://www.avon.com)

MADE IN KOREA  
DISTR. THE AVON COMPANY,  
NEW YORK, NY 10006  
©2025 THE AVON COMPANY

**ANEW SOLAIRE ACTIVE FACE AND BODY PROTECTION BROAD SPECTRUM SPF 50 SUNSCREEN**

avobenzone, homosalate, octisalate, octocrylene lotion

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:10096-2020
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>HOMOSALATE</b> (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	90 mg in 1 mL
<b>AVOBENZONE</b> (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	27 mg in 1 mL
<b>OCTOCRYLENE</b> (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	90 mg in 1 mL
<b>OCTISALATE</b> (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	45 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>1,2-HEXANEDIOL</b> (UNII: TR046Y3K1G)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>DISTEARDIMONIUM HECTORITE</b> (UNII: X687XDK09L)	
<b>CITRAL</b> (UNII: T7EU009VPP)	
<b>PELARGONIUM GRAVEOLENS FLOWER OIL</b> (UNII: 3K0J1S7QGC)	
<b>TRIETHYLHEXANOIN</b> (UNII: 7K3W1BIU6K)	
<b>SORBITAN SESQUIOLEATE</b> (UNII: 0W8RRI5W5A)	
<b>TRISODIUM EDTA</b> (UNII: 420IP921MB)	
<b>PANTHENOL</b> (UNII: WW9CM0067Z)	
<b>PAEONOL</b> (UNII: 3R834EPI82)	
<b>TERPINOLENE</b> (UNII: N9830X5KSL)	
<b>METHYL SALICYLATE</b> (UNII: LAV5U5022Y)	
<b>LINALYL ACETATE</b> (UNII: 5K47SSQ51G)	
<b>BERGAMOT OIL</b> (UNII: 39W1PKE3JI)	
<b>BETA-CARYOPHYLLENE</b> (UNII: BHW853AU9H)	
<b>TERPINEOL</b> (UNII: R53Q4ZWC99)	
<b>DISTEARYLDIMONIUM CHLORIDE</b> (UNII: OM9573ZX3X)	
<b>GERANYL ACETATE</b> (UNII: 3W81YG7P9R)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>DIPROPYLENE GLYCOL</b> (UNII: E107L85C40)	
<b>NUTMEG</b> (UNII: AEE24M3MQ9)	
<b>GERANIOL</b> (UNII: L837108USY)	
<b>C12-15 ALKYL BENZOATE</b> (UNII: A9EJ3J61HQ)	
<b>VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER</b> (UNII: 9NH1UDD2RR)	
<b>SANTALOL</b> (UNII: 1DGG9VW8SA)	
<b>CANANGA ODORATA FLOWER OIL</b> (UNII: 8YOY78GNNX)	
<b>SANTALUM ALBUM (SANDALWOOD) OIL</b> (UNII: X7X01VMQ5F)	
<b>METHYL TRIMETHICONE</b> (UNII: S73ZQI0GXM)	
<b>LINALOOL</b> (UNII: D81QY6I88E)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>NIACINAMIDE</b> (UNII: 25X51I8RD4)	
<b>CITRONELLOL</b> (UNII: P01OUT964K)	
<b>JUNIPERUS VIRGINIANA OIL</b> (UNII: PAD4FN7P2G)	

<b>BUTYLENE GLYCOL</b> (UNII: 3XUS85K0RA)	
<b>POLYGLYCERYL-6 RICINOLEATE</b> (UNII: 8X57R183N7)	
<b>LIMONENE, (+)-</b> (UNII: GFD7C86Q1W)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:10096-2020-1	1 in 1 CARTON	01/25/2026	
1		80 mL in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/25/2026	

**Labeler** - THE AVON COMPANY (080143520)

### Establishment

Name	Address	ID/FEI	Business Operations
fmg Co.Ltd		690188305	manufacture(10096-2020)

Revised: 1/2026

THE AVON COMPANY