FORTICEPT UDDER WASH TEAT CLEANSER AND DISINFECTANT- benzalkonium chloride liquid LIDAN, INC.

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Forticept Udder Wash Teat Cleanser and Disinfectant

Active Ingredients

Benzalkonium Chloride 0.13%

Inactive Ingredients

Detergents, botanical extracts, and preservatives...99.87%

Uses

Udder wash is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and remove dirt and debris from the surface of the skin.

Warnings

IFor external use only

When using this product

avoid contact with eyes

Stop use and ask a doctor if

irritation occurs

Keep out of reach of children

Directions for use

FOR USE AS AN UDDER WASH ONLY!

For daily care: use solution diluted in the ratio of 1:4

1 part of the product is added to 4 parts of water.

Periodic use of undiluted product is allowed (in case of severe contamination).

NOTE: Frequent use of undiluted product may cause mild irritation.

NOTE: The laws in some states require that the sanitizing solution remain in contact with the surface for two minutes. Follow the recommendations of your health department.

- Do not use as a teat dip
- Always use fresh solution
- Wet a single paper or cloth towel with wash solution and wash teats to the base of the udder
- Dry teat with disposable paper or cloth towel before milking
- Use fresh solution if wash solution fades noticeably or becomes diluted or soiled

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water.

Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, call a poison control center immediately.

Questions

For questions, please call:

+1(212)709-8133

Label



UDDER WASH
TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

1 Gal. / 3.785L



UDDER WASH
TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

1.3 Gal. / 5L



UDDER WASH TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

2.64 Gal. / 10L



UDDER WASH
TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

5 Gal. / 20L



UDDER WASH
TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

33.5 Fl Oz. / 1L



UDDER WASH
TEAT CLEANSER & DISINFECTANT

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

Udder Wash is an aid in reducing the spread of microorganisms which may cause mastitis

For Veterinary Use Only

264 Gal. / 1000L

Active Ingredient

Inactive Ingredients

Detergents, botanical extracts, and preservatives...................................99.87%

Uses

Udder wash is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and remove dirt and debris from the surface of the skin.

Warnings

For external use only

When using this product avoid contact with eyes

Stop use and ask a doctor if irritation occurs

Keep out of reach of children

Directions for use

FOR USE AS AN UDDER WASH ONLY!

For daily care: use solution diluted in the ratio of 1:4. 1 part of the product is added to 4 parts of water.

Periodic use of undiluted product is allowed (in case of severe contamination).

NOTE: Frequent use of undiluted product may cause mild irritation.

NOTE: The laws in some states require that the sanitizing solution remain in contact with the surface for two minutes. Follow the recommendations of your health department.

- Do not use as a teat dip
- Always use fresh solution
- Wet a single paper or cloth towel with wash solution and wash teats to the base of the udder
- Dry teat with disposable paper or cloth towel before milking
- Use fresh solution if wash solution fades noticeably or becomes diluted or soiled

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

First Aid

Eye contact: In case of contact, immediately flush eyes with cool running water. Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

For questions, please call: +1(212)709-8133

MADE IN USA







Batch Nº Exp. Date

FORTICEPTTM is registered Trade Mark of Lidan, Inc. all rights reserved 2016

PATENT PENDING

FORTICEPT UDDER WASH TEAT CLEANSER AND DISINFECTANT

benzalkonium chloride liquid

Product Information Product Type OTC ANIMAL DRUG Item Code (Source) NDC:72127-0501 Route of Administration TOPICAL

l	Active Ingredient/Active Moiety					
	Ingredient Name	Basis of Strength	Strength			
	BENZALKO NIUM CHLO RIDE (UNII: F5UM2KM3W7) (BENZALKO NIUM - UNII:7N6 JUD5X6 Y)	BENZALKONIUM CHLORIDE	13 g in 1 L			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0501-0	1 L in 1 BOTTLE		
2	NDC:72127-0501-1	3.785 L in 1 BOTTLE		
3	NDC:72127-0501-2	5 L in 1 BOTTLE		
4	NDC:72127-0501-3	10 L in 1 BOTTLE		
5	NDC:72127-0501-4	20 L in 1 BOTTLE		
6	NDC:72127-0501-5	1000 L in 1 BOTTLE		

Marketing Information						
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
unapproved drug other		03/15/2018				

Labeler - LIDAN, INC. (014456716)

Registrant - LIDAN, INC. (014456716)

Establishment				
Name	Address	ID/FEI	Business Operations	
Cosco International, Inc.		0 16 433141	analysis, manufacture, pack	

Establishment				
Name	Address	ID/FEI	Business Operations	
DISHMAN CARBOGEN AMCIS LIMITED		9 156 28 142	api manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Univar USA Inc.		042953927	api manufacture	

Establishment				
Name	Address	ID/FEI	Business Operations	
Pharmex Group LLC		365309015	pack, repack	

Revised: 4/2018 LIDAN, INC.