

**FORTICEPT UDDER WASH TEAT CLEANSER AND DISINFECTANT- benzalkonium chloride liquid
LIDAN, INC.**

Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.

Forticept Udder Wash Teat Cleanser and Disinfectant

Active Ingredients

Benzalkonium Chloride 0.13%

Inactive Ingredients

Detergents, botanical extracts, and preservatives...99.87%

Uses

Udder wash is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and remove dirt and debris from the surface of the skin.

Warnings

For external use only

When using this product

avoid contact with eyes

Stop use and ask a doctor if

irritation occurs

Keep out of reach of children

Directions for use

FOR USE AS AN UDDER WASH ONLY!

For daily care: use solution diluted in the ratio of 1:4

1 part of the product is added to 4 parts of water.

Periodic use of undiluted product is allowed (in case of severe contamination).

NOTE: Frequent use of undiluted product may cause mild irritation.

NOTE: The laws in some states require that the sanitizing solution remain in contact with the surface for two minutes. Follow the recommendations of your health department.

- Do not use as a teat dip
- Always use fresh solution
- Wet a single paper or cloth towel with wash solution and wash teats to the base of the udder
- Dry teat with disposable paper or cloth towel before milking
- Use fresh solution if wash solution fades noticeably or becomes diluted or soiled

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

FIRST AID

Eye contact: In case of contact, immediately flush eyes with cool running water.

Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, call a poison control center immediately.

Questions

For questions, please call:

+1(212)709-8133

Label



FORTICEPT™

*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

1 Gal. / 3.785L



*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

1.3 Gal. / 5L



FORTICEPT™

*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

2.64 Gal. / 10L



*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

5 Gal. / 20L



FORTICEPT™

*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

33.5 Fl Oz. / 1L



FORTICEPT™

*UDDER WASH
TEAT CLEANSER & DISINFECTANT*

(Benzalkonium Chloride 0.13%)

With natural extracts of

Chamomile & Yarrow

*Udder Wash is an aid in
reducing the spread of microorganisms which
may cause mastitis*

For Veterinary Use Only

264 Gal. / 1000L

LIDAN, INC 30 WALL STR. 8th FLOOR NEW YORK, NY 10005 USA WWW.FORTICEPT.COM

Active Ingredient

Benzalkonium Chloride..... 0.13%

Inactive Ingredients

Detergents, botanical extracts, and preservatives.....99.87%

Uses

Udder wash is an aid in reducing the spread of microorganisms which may cause mastitis. Helps maintain udder hygiene and remove dirt and debris from the surface of the skin.

Warnings

For external use only

When using this product avoid contact with eyes

Stop use and ask a doctor if irritation occurs

Keep out of reach of children

Directions for use

FOR USE AS AN UDDER WASH ONLY!

For daily care: use solution diluted in the ratio of 1:4.

1 part of the product is added to 4 parts of water.

Periodic use of undiluted product is allowed (in case of severe contamination).

NOTE: Frequent use of undiluted product may cause mild irritation.

NOTE: The laws in some states require that the sanitizing solution remain in contact with the surface for two minutes. Follow the recommendations of your health department.

- Do not use as a teat dip
- Always use fresh solution
- Wet a single paper or cloth towel with wash solution and wash teats to the base of the udder
- Dry teat with disposable paper or cloth towel before milking
- Use fresh solution if wash solution fades noticeably or becomes diluted or soiled

Storage and handling

Keep container closed when not in use. Do not store below 32F/0°C or above 95F/35°C for extended periods. In case of spill, flood area with water.

First Aid

Eye contact: In case of contact, immediately flush eyes with cool running water.

Remove contact lenses and continue flushing with plenty of water for at least 15 minutes. Get medical attention if irritation persists.

Skin contact: Wash the skin with water and soap. Wash clothing before reuse.

Ingestion: If large quantities of this material are swallowed, contact poison control center immediately!

For questions, please call:
+1(212)709-8133

MADE IN USA



FORTICEPT™ is registered Trade Mark of Lidan, Inc. all rights reserved 2016

PATENT PENDING



Batch No
Exp. Date

FORTICEPT UDDER WASH TEAT CLEANSER AND DISINFECTANT

benzalkonium chloride liquid

Product Information

Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:72127-0501
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7) (BENZALKONIUM - UNII: 7N6JUD5X6Y)	BENZALKONIUM CHLORIDE	13 g in 1 L

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0501-0	1 L in 1 BOTTLE		
2	NDC:72127-0501-1	3.785 L in 1 BOTTLE		
3	NDC:72127-0501-2	5 L in 1 BOTTLE		
4	NDC:72127-0501-3	10 L in 1 BOTTLE		
5	NDC:72127-0501-4	20 L in 1 BOTTLE		
6	NDC:72127-0501-5	1000 L in 1 BOTTLE		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		03/15/2018	

Labeler - LIDAN, INC. (014456716)

Registrant - LIDAN, INC. (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	analysis, manufacture, pack, api manufacture

Revised: 9/2024

LIDAN, INC.