

QUIT SMOKING 14MG- quit smoking 14mg patch
Shenzhen Hengdasheng Technology Co., Ltd

87308-005
14mg

Active Ingredient(s)

Nicotine, 14 mg delivered over 24 hours

Purpose

Stop smoking aid

Use

Use reduces withdrawal symptoms, including nicotine craving, associated with quitting smoking

Warnings

If you are pregnant or breast-feeding, only use this medicine on the advice of your health care provider.

Smoking can seriously harm your child. Try to stop smoking without using any nicotine replacement medicine.

This medicine is believed to be safer than smoking. However, the risks to your child from this medicine are not fully known.

Do not use

* heart disease, recent heart attack, or irregular heartbeat. Nicotine can increase your heart rate.

* high blood pressure not controlled with medication. Nicotine can increase your blood pressure.

* an allergy to adhesive tape or have skin problems, because you are more likely to get rashes

* stomach ulcer or diabetes history of seizures

* using a non-nicotine stop smoking drug

* taking a prescription medicine for depression or asthma. Your prescription dose may need to be adjusted.

If you have vivid dreams or other sleep disturbances, remove this patch at bedtime

Stop use and ask a doctor if skin redness caused by the patch does not go away after four days,
or if your skin swells, or you get a rash. irregular heartbeat or palpitations occur you get symptoms

of nicotine overdose such as nausea, vomiting, dizziness, weakness and rapid heartbeat,
you have symptoms of an allergic reaction (Such as difficulty breathing or rash)

Used patches have enough nicotine to poison children and pets. if swallowed.

get medical help or contact a Poison Control Center right away. Dispose of the used patches by folding sticky ends together. Replace in pouch and discard.

Directions

If you are under 18 years of age, ask a doctor before use. If you smoke more than 10 cigarettes per day,

use the following schedule below:

STEP1: Use one 21 mg patch/day---Weeks 1-4

STEP2: Use one 14 mg patch/day---Weeks 5-6

STEP3: Use one 7 mg patch/day---Weeks 7-8

* if you smoke 10 or less cigarettes per day, start with Step2 for 6 weeks, then Step 3 for 2 weeks.

* remove backing from patch and immediately press onto skin. Hold for 10 seconds

wash hands after applying or removing patch. Throw away the patch by folding sticky ends together.

Replace in its pouch and discard.

* you may wear the patch for 16 or 24 hours

* if you crave cigarettes when you wake up, wear the patch for 24 hours

* if you have vivid dreams or other sleep disturbances, you may remove the patch at bedtime and apply a new one

in the morning

* the used patch should be removed and a new one applied to a different skin site at the same time each day

* Avoid wearing the patch on the same area more than once a week.

* do not wear more than one patch at a time

* do not cut patch in half or into smaller pieces

* do not leave patch on for more than 24 hours because it may irritate your skin and loses strength after 24 hours

* it is important to complete treatment. If you feel you need to use the patch for a longer period to keep from smoking, talk to your health care provider.

Other information

store at 20-25°C(68-77°F)

Inactive ingredients

ethylene/vinyl acetate copolymer, polyethylene(high density),polyisobutylene(pib), borneol.

Package Label - Principal Display Panel



QUIT SMOKING 14MG

quit smoking 14mg patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87308-005
Route of Administration	CUTANEOUS		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
NICOTINE (UNII: 6M3C89ZY6R) (NICOTINE - UNII:6M3C89ZY6R)	NICOTINE	1.6 mg in 100 mg

Inactive Ingredients

Ingredient Name	Strength
ETHYLENE-VINYL ACETATE COPOLYMER (15% VINYL ACETATE) (UNII: V9BQI51YUL)	
HIGH DENSITY POLYETHYLENE (UNII: UG00KM4WR7)	
POLYISOBUTYLENE (1000 MW) (UNII: 5XB3A63Y52)	
BORNEOL (UNII: M89NIB437X)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87308-005-02	30 in 1 BOX	01/22/2026	
1	NDC:87308-005-01	14 mg in 1 PATCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	505G(a)(3)	01/22/2026	

Labeler - Shenzhen Hengdasheng Technology Co., Ltd (544046466)

Establishment

Name	Address	ID/FEI	Business Operations
Shenzhen Hengdasheng Technology Co., Ltd		544046466	manufacture(87308-005)

Revised: 1/2026

Shenzhen Hengdasheng Technology Co., Ltd