

PANOXYL- salicylic acid soap
Crown Laboratories

Panoxy Acne Cleansing Bar

Active ingredient

Salicylic Acid 2%

Purpose

Acne medication

Use

- for the treatment of acne

Warnings

For external use only

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wet face and work product into a lather
- cover the entire affected area with a thin layer one to three times daily
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- Store at 20 °- 25 °C (68 °- 77 °F) [see USP Controlled Room Temperature].

Inactive ingredients

Aqua, Butyrospermum Parkii (Shea Butter), Cocamidopropyl Hydroxysultaine, Galactoarabinan, Glycerin, Mandelic Acid, Sodium Chloride, Sodium Cocoate*, Sodium Gluconate, Sodium Palm Kernelate*, Sodium Palmate, Tetrasodium EDTA, Tetrasodium Glutamate Diacetate, Titanium Dioxide (CI 77891), Zinc PCA *contains one or more of these ingredients

Questions?

call **1-833-279-6522**

Panoxyl Acne Treatment Bar Carton

PanOxyl

Acne Cleansing Bar

for Face & Body

2% SALICYLIC ACID

ACNE TREATMENT BAR

DAILY CONTROL

Clears and helps prevent acne

Gentle, hypoallergenic formula

Helps exfoliate for a clearer complexion

DERMATOLOGIST RECOMMENDED

Net wt. 4 oz (113 g)

Distributed by: Crown Laboratories, Inc.

Johnson City, TN 37604

panoxyl.com

P12961.00

Drug Facts

Active ingredient	Purpose
Salicylic Acid 2%	Acne medication

Use • for the treatment of acne

Warnings
For external use only

When using this product

- skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- wet face and work product into a lather
- cover the entire affected area with a thin layer one to three times daily
- rinse thoroughly and pat dry
- because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor
- if bothersome dryness or peeling occurs, reduce application to once a day or every other day

Other information

- store at 20°–25°C (68°–77°F) [see USP Controlled Room Temperature].

Distributed by: Crown Laboratories, Inc.
Johnson City, TN 37604
panoxyl.com
PI2961.00

CLEANSE



Zinc PCA targets excess oil



Mandelic Acid helps improve skin texture



Recyclable and biodegradable carton



Free from Parabens, Fragrances and Phthalates

PanOxyl®

Acne Cleansing Bar
for Face & Body

**2% SALICYLIC ACID
ACNE TREATMENT BAR
DAILY CONTROL**

Clears and helps prevent acne
Gentle, hypoallergenic formula
Helps exfoliate for a clearer complexion

DERMATOLOGIST RECOMMENDED

Net wt. 4 oz (113 g)

Drug Facts (continued)

Inactive ingredients

Aqua, Butyrospermum Parkii (Shea Butter), Cocamidopropyl Hydroxysultaine, Galactoarabinan, Glycerin, Mandelic Acid, Sodium Chloride, Sodium Cocoate*, Sodium Gluconate, Sodium Palm Kernelate*, Sodium Palmate, Tetrasodium EDTA, Tetrasdium Glutamate Diacetate, Titanium Dioxide (CI 77891), Zinc PCA
*contains one or more of these ingredients

Questions? call 1-833-279-6522

PANOXYL

salicylic acid soap

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-0288
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	20 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
GALACTOARABINAN (UNII: SL4SX1O487)	
TETRASODIUM EDTA (UNII: MP1J8420LU)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
BUTYROSPERMUM PARKII (SHEA) BUTTER (UNII: K49155WL9Y)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
ZINC PCA (UNII: C32PQ86DH4)	
GLYCERIN (UNII: PDC6A3C00X)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
COCAMIDOPROPYL HYDROXYSULTAINE (UNII: 62V75NI93W)	
MANDELIC ACID (UNII: NH496X0UJX)	
SODIUM COCOATE (UNII: R1TQH25F4I)	
SODIUM PALM KERNELATE (UNII: 6H91L1NXTW)	
SODIUM PALMATE (UNII: S0A6004K3Z)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0316-0288-01	113 g in 1 CARTON; Type 0: Not a Combination Product	01/05/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M006	01/05/2026	

Labeler - Crown Laboratories (119508400)

Revised: 1/2026

Crown Laboratories