

**LEBELAGE UV SUN ULTRA SHIELD SUN SCREEN LOTION 50G- avobenzene, homosalate, octinoxate, octocrylene, octisalate lotion
DONGDONGGURIMOO CO.,LTD.**

Active ingredients

avobenzene 3.0%

Homosalate 10.0%

Octinoxate 7.0%

Octocrylene 10.0%

Octisalate 5.0%

Purpose

SUNSCREEN

Uses

helps prevent sunburn • if used as directed with other sun protection measures (see Directions) decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

- on damaged skin or broken skin

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use

and ask a doctor if • rash occurs

Keep out of reach

of children If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ apply liberally 15 minutes before sun exposure.

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

■ children under 6 months of age: Ask a doctor

■ reapply at least every 2 hours

■ use a water-resistant sunscreen if swimming or sweating

Other information

■ protect the product from excessive heat and direct sun ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients

Water, Butyloctyl Salicylate, Butylene Glycol, Polyglyceryl-6 Stearate, Ethylhexyl Methoxycrylene, Silica, Niacinamide, Poly C10-30 Alkyl Acrylate, Sorbitan Sesquioleate, Behenyl Alcohol, 1,2-Hexanediol, Hydroxyacetophenone, Polysorbate 60, Sodium Polyacryloyldimethyl Taurate, Polyglyceryl-6 Behenate, Tocopheryl Acetate, Panthenol, Polyacrylate Crosspolymer-6, Sphingomonas Ferment Extract, Disodium EDTA, Adenosine, Centella Asiatica Extract, Monarda Didyma Leaf Extract, Mentha Piperita Leaf Extract, Lavandula Angustifolia Flower Extract, Freesia Refracta Extract, Rosmarinus Officinalis Leaf Extract, Chamomilla Recutita Flower Extract, Asiaticoside, Madecassoside, Madecassic Acid, Asiatic Acid

※ 전체무광
로얄아이보리

- CMYK
- PANTONE 1495 C
- 형압
- 부분실크



103.185



Drug Facts

Active ingredients	Purpose
Avobenzone 3.0%, Homosalate 10.0%, Octinoxate 7.0%, Octocrylene 10.0%, Octyl Salicylate 5.0%	Sunscreen

Uses
 ■ Helps prevent sunburn
 ■ If used as directed with other sun protection measures [see Directions] decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings
 For external use only
 Do not use - on damaged skin or broken skin.
 When using this product - keep out of eyes.
 Rinse with water to remove.
 Stop use and ask a doctor if - rash occurs.

Keep out of reach of children
 If swallowed, get medical help or contact Poison Control Center right away.

Directions
 ■ Apply liberally 15 minutes before sun exposure.
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 ■ Children under 6 months of age: Ask a doctor
 ■ Reapply at least every 2 hours.
 ■ Use a water-resistant sunscreen if swimming or sweating.

Other information
 ■ Protect the product in this container from excessive heat or direct sun. ■ Sun alert: Limiting sun exposure, wearing protective clothing, and using sunscreens may reduce the risks of skin aging, skin cancer, and other harmful effects of the sun.

Inactive ingredients
 Water, Butylene Glycol, Butylacetyl Salicylate, Polyglyceryl-6 Stearate, Ethylhexyl Methoxyphenyl Silica Nanoparticle, Poly C10-30 Alkyl Acrylate, Sorbitan Sesquioleate, Behenyl Alcohol, 1,2-Hexanediol, Hydroxyacetophenone, Polysorbate 80, Sodium Polyacryloyldimethyl Taurate, Polyglyceryl-6 Benzoate, Polyacrylate Copolymer-4, Sphingomonas Ferment Extract, Tocopheryl Acetate, Panthenol, Disodium EDTA, Adenosine, Centella Asiatica Extract, Monarda Didyma Leaf Extract, Mentha Piperita Leaf Extract, Lavandula Angustifolia Flower Extract, Foeniculum Vulgare Extract, Rosmarinus Officinalis Leaf Extract, Chamomilla Recutita Flower Extract, Asialbiciclope, Caprylyl Glycol, Methylacrylate, Methylacrylate Acid, Ascorbic Acid

Manufacturer & Distributor KOWA CO., LTD. 101, 1st Floor, Hanam-dong, Incheon City, 21697, KOREA

MADE IN KOREA

캡 : (샘플참조)

LEBELAGE UV SUN ULTRA SHIELD SUN SCREEN LOTION 50G
 avobenzene, homosalate, octinoxate, octocrylene, octisalate lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85948-251
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	1.5 g in 50 g
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	3.5 g in 50 g
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	5 g in 50 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	5 g in 50 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	2.5 g in 50 g

Inactive Ingredients

Ingredient Name	Strength
POLYGLYCERYL-6 BEHENATE (UNII: 4T2L7QI313)	
AMMONIUM ACRYLOYLDIMETHYLTAURATE, DIMETHYLACRYLAMIDE, LAURYL METHACRYLATE AND LAURETH-4 METHACRYLATE COPOLYMER, TRIMETHYLOLPROPANE TRIACRYLATE CROSSLINKED (45000 MPA.S) (UNII: Q7UI015FF9)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
ADENOSINE (UNII: K72T3FS567)	
CENTELLA ASIATICA TRITERPENOIDS (UNII: 4YS74Q4G4J)	
MONARDA DIDYMA LEAF (UNII: JY15982UBB)	
ROSEMARY (UNII: IJ67X351P9)	
ASIATICOSIDE (UNII: PKO39VY215)	
MADECASSIC ACID (UNII: M7O1N24J82)	
ETHYLHEXYL METHOXYCRYLENE (UNII: S3KFG6Q5X8)	
NIACINAMIDE (UNII: 25X51I8RD4)	
DOCOSANOL (UNII: 9G1OE216XY)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
POLYGLYCERYL-6 STEARATE (UNII: ETY9Q81E2T)	
SODIUM POLYACRYLOYLDIMETHYL TAURATE (UNII: NG5NG5733T)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
BUTYLENE GLYCOL (UNII: 3XUS85KORA)	
1,2-HEXANEDIOL (UNII: TR046Y3K1G)	
PANTHENOL (UNII: WW9CM0067Z)	
WATER (UNII: 059QF0K00R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)	
HYDROXYACETOPHENONE (UNII: G1L3HT4CMH)	
MADECASSOSIDE (UNII: CQ2F5O6YIY)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85948-	1 is 1 BOX	01/12/2026	

251-02	1 III 1 BUA	01/12/2026	
1 NDC:85948-251-01	50 g in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/12/2026	

Labeler - DONGDONGGURIMOO CO.,LTD. (690411575)

Establishment			
Name	Address	ID/FEI	Business Operations
KONAD CO.,LTD.		688329887	manufacture(85948-251)

Revised: 1/2026

DONGDONGGURIMOO CO.,LTD.