ROBITUSSIN COUGH PLUS CHEST CONGESTION DM- dextromethorphan hydrobromide and guaifenesin solution Haleon US Holdings LLC

Drug Facts

Active ingredients (in each 20 mL)

Dextromethorphan HBr, USP 20 mg

Guaifenesin, USP 200 mg

Purposes

Cough suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not useif you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor ifcough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- keep dosing cup with product
- mL = milliliter
- this adult product is not intended for use in children under 12 years of age

| age | dose |
|----------------------------------|---------------------|
| adults and children 12 years and | 20 mL every 4 hours |
| over | |
| children under 12 years | do not use |

Other information

- each 20 mL contains: sodium 20 mg
- store at 20-25°C (68-77°F). Do not refrigerate.

Inactive ingredients

anhydrous citric acid, carboxymethylcellulose sodium, FD&C blue no. 1, FD&C red no. 40, glycerin, liquid glucose, menthol, natural and artificial flavors, polyethylene glycol, propylene glycol, purified water, sodium benzoate, sodium citrate, sodium gluconate, sucralose, triacetin, xanthan gum

Questions or comments?

call weekdays from 9 AM to 5 PM EST at 1-800-245-1040

Additional Information

Do Not Use if foil is missing or broken.

PARENTS:

Learn about teen medicine abuse

www.StopMedicineAbuse.org

Use dosage cup included

Distributed by:

GSK Consumer Healthcare, Warren, NJ 07059

For most recent product information,

visit www.robitussin.com

Trademarks are owned by or licensed to the GSK group of companies.

@2023 GSK group of companies or its licensor.

202887 Front Carton

PRINCIPAL DISPLAY PANEL

ADULT

Robitussin

Cough+Chest Congestion DM

DEXTROMETHORPHAN HBr (Cough Suppressant) GUAIFENESIN (Expectorant)

- Controls Cough
- Relieves Chest Congestion
- Thins & Loosens Mucus

FAST, EFFECTIVE

cough relief

DM

For Ages 12 & Over 8 FL OZ (237 mL)

ADULT

Robitussin

Cough+Chest Congestion DM

DEXTROMETHORPHAN HBr (Cough Suppressant) GUAIFENESIN (Expectorant)

Controls Cough
Relieves Chest Congestion
Thins & Loosens Mucus



ROBITUSSIN COUGH PLUS CHEST CONGESTION DM

dextromethorphan hydrobromide and guaifenesin solution

| Ρ | roduct Info | rmation | | | | | | |
|---|----------------------|--|-----------------------------|------------------------|------------------------|--------|--------------------|--|
| Pı | roduct Type | | HUMAN OTC DRUG | Item Co | de (Source) | NDC:00 | 31-8757 | |
| | oute of Admin | ictration | ORAL | | | | | |
| R | oute of Admin | ilstration | UNAL | | | | | |
| A | ctive Ingred | lient/Active | Moiety | | | | | |
| | | Inare | dient Name | | Basis of St | renath | Strengt | |
| DE | EXTROMETHOR | - | BROMIDE (UNII: 9D2RTI9K | YH) | DEXTROMETHOR | | 20 mg | |
| | | THORPHAN - UNII:7355X3ROTS) HYDROBROMIDE | | | | | in 20 mL | |
| Gι | JAIFENESIN (UN | III: 495W7451VC |)) (GUAIFENESIN - UNII:495 | 5W7451VQ) GUAIFENES IN | | | 200 mg in 20 mL | |
| | | | | | | | | |
| In | nactive Ingro | edients | | | | | | |
| | | | Ingredient Nan | ne | | | Strength | |
| ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) | | | | | | | | |
| | | | SODIUM, UNSPECIFIED (| UNII: K6790 | BS311) | | | |
| FD&C BLUE NO. 1 (UNII: H3R47K3TBD) | | | | | | | | |
| FD&C RED NO. 40 (UNII: WZ B9127XOA) | | | | | | | | |
| GL | LYCERIN (UNII: P | DC6A3C0OX) | | | | | | |
| DE | EXTROSE, UNSF | PECIFIED FOR | 4 (UNII: IY9XDZ35W2) | | | | | |
| | | | I (UNII: L7T10EIP3A) | | | | | |
| PC | DLYETHYLENE (| GLYCOL, UNSP | ECIFIED (UNII: 3WJQ0SDV | VIA) | | | | |
| PR | ROPYLENE GLYC | COL (UNII: 6DC | 9Q167V3) | | | | | |
| W | ATER (UNII: 0590 | QF0KO0R) | | | | | | |
| SODIUM BENZOATE (UNII: OJ245FE5EU) | | | | | | | | |
| SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR) | | | | | | | | |
| SC | DDIUM GLUCON | ATE (UNII: R6Q | 3791576) | | | | | |
| รเ | JCRALOSE (UNII | : 96K6UQ3ZD4) | | | | | | |
| TR | RIACETIN (UNII:) | XHX3C3X673) | | | | | | |
| XA | ANTHAN GUM (U | INII: TTV12P4NE | E) | | | | | |
| Pı | roduct Char | acteristics | | | | | | |
| Сс | olor | re | ed | Score | | | | |
| | hape | | | Size | | | | |
| | Flavor RASPBERRY | | | nt Code | | | | |
| | ontains | | | | | | | |
| | | | | | | | | |
| Pa | ackaging | | | | | | | |
| # | ltem Code | Р | ackage Description | | Marketing Star Date | t Mark | ceting End Date | |
| 1 | NDC:0031- 8757-12 | 1 in 1 CARTON | 1 CARTON 06/01/2018 | | 06/01/2018 | | | |
| 1 | | 118 mL in 1 BOTTLE; Type 1: Convenience Kit of Co-Package | | | | | | |
| 2 | NDC:0031- 8757-18 | 1 in 1 CARTON | | 06/01/2018 | | | | |
| | | 1 | | | | | | |

| 4 Co | p-Package | | | | | | | |
|-----------------------|---|-------------------------|-----------------------|--|--|--|--|--|
| | | | | | | | | |
| Marketing Information | | | | | | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | | | | | |
| OTC Monograph Drug | M012 | 06/01/2018 | | | | | | |
| | | | | | | | | |

Labeler - Haleon US Holdings LLC (079944263)

Revised: 4/2024

Haleon US Holdings LLC