

**PHYSICIANS CARE IBUPROFEN- ibuprofen 200mg tablet, coated**  
**Acme United Corporation**

-----  
**Physicians Care Ibuprofen**

***Drug Facts***

***Active ingredient (in each tablet)***

Ibuprofen 200 mg (NSAID\*)

\*nonsteroidal anti-inflammatory drug

***Purpose***

Pain reliever/fever reducer

***Uses***

**Temporarily relieves minor aches and pains associated with**

- headache ■ toothache ■ backache ■ menstrual cramps
- common cold ■ muscular aches ■ minor arthritis pain

**Temporarily reduces fever.**

***Warnings***

**Allergy alert:**

Ibuprofen may cause a severe allergic reaction, especially in people allergic to aspirin. Symptoms may

include:

- hives ■ skin reddening ■ asthma (wheezing) ■ facial swelling ■ rash ■ shock ■ blisters

If an allergic reaction occurs, stop use and seek medical help right away.

**Stomach bleeding warning:**

This product contains an NSAID, which may cause severe stomach bleeding. The chance is higher if

you:

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product

- take more or for a longer time than directed

**Heart attack or stroke warning:** NSAIDS, except aspirin, increase the risk of heart attack, heart failure, and stroke. These can be fatal. The risk is higher if you use more than directed or for longer than directed.

### **Do not use**

- if you have ever had an allergic reaction to any other pain reliever/fever reducer
- right before or after heart surgery

### **Ask a doctor before use if**

- you have problems or serious side effects from taking pain relievers or fever reducers
- stomach bleeding warning applies to you
- you have a history of stomach problems such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, kidney disease, asthma or had a stroke
- you are taking a diuretic

### **Ask a doctor or pharmacist before use if you are**

- taking aspirin for heart attack or stroke, because ibuprofen may decrease this benefit of aspirin
- under a doctor' care for any serious condition
- taking any other drug

### **When using this product**

- take with food or milk if stomach upset occurs

### **Stop use and ask a doctor if**

- you experience any of the following signs of stomach bleeding:
  - feel faint
  - vomit blood
  - have bloody or black stools
  - have stomach pain that does not get better
- you have symptoms of heart problems or stroke
  - chest pain
  - trouble breathing
  - leg swelling
  - weakness in one part or side of body
  - slurred speech
- pain gets worse or lasts for more than 10 days
- fever gets worse or lasts for more than 3 days
- redness or swelling is present in the painful area
- any new or unexpected symptoms occur

**If pregnant or breast feeding,** ask a health professional before use. It is especially important not to use ibuprofen at 20 weeks or later in pregnancy unless specifically directed to do so by a doctor because it may cause problems in the unborn child or

complications during delivery.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away.

***Directions***

■ **do not use more than directed**

■ **the smallest effective dose should be used**

■ do not take longer than 10 days, unless directed by a doctor (see Warnings)

**Adults and children:(12 years and older)**

Take 1 tablet every 4 to 6 hours while symptoms persist. If pain or fever does not respond to 1 tablet, 2

tablets may be used.

Do not exceed 6 tablets in 24 hours, unless directed by a doctor.

**Children under 12 years :**

Do not give to children under 12 years of age.

***Other information***

■ read all product information before using

■ store at 20-25°C (68-77°F)

■ avoid excessive heat 40°C (above 104°F)

■ do not use any opened or torn packets

***Inactive ingredients***

carnauba wax\*, corn starch, hypromellose\*, iron oxide red, lactose\*, magnesium stearate\*,

microcrystalline cellulose\*, polydextrose\*, polyethylene glycol, polyvinyl alcohol\*, povidone K30\*,

silicon dioxide, sodium starch glycolate, stearic acid, talc\*, titanium dioxide

\*may contain

**Physicians Care Ibuprofen Label**

Physicians Care® 90015

Ibuprofen

Pain Reliever/Fever Reducer (NSAID)

Pull To Open

This Package for Households without Young Children.

Coated Tablets

Tamper-Evident Packets of 2 Tablets

Do not use if packet is open or torn.

Pill color may vary

Ibuprofen 200mg

100 Tablets (50 packets, 2 tablets each)



## PHYSICIANS CARE IBUPROFEN

ibuprofen 200mg tablet, coated

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0924-0075
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>IBUPROFEN</b> (UNII: WK2XY110QM) (IBUPROFEN - UNII:WK2XY110QM)	IBUPROFEN	200 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>CARNAUBA WAX</b> (UNII: R12CBM0EIZ)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6130)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>HYPROMELLOSES</b> (UNII: 3NXW29V3WO)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XB4U)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>LACTOSE</b> (UNII: J2B2A4N98G)	

<b>CELLULOSE, MICROCRYSTALLINE</b> (UNII: OP1R32D61U)	
<b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	

<b>Product Characteristics</b>			
<b>Color</b>	brown	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	10mm
<b>Flavor</b>		<b>Imprint Code</b>	44;291
<b>Contains</b>			

<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-0075-01	50 in 1 CARTON	02/01/2016	
1	NDC:0924-0075-00	2 in 1 PACKET; Type 0: Not a Combination Product		
2	NDC:0924-0075-03	10 in 1 CARTON	02/01/2016	
2	NDC:0924-0075-00	2 in 1 PACKET; Type 0: Not a Combination Product		
3	NDC:0924-0075-02	125 in 1 CARTON	02/01/2016	
3		2 in 1 PACKET; Type 0: Not a Combination Product		
4	NDC:0924-0075-00	2 in 1 PACKET; Type 0: Not a Combination Product	02/01/2016	
5	NDC:0924-0075-04	6 in 1 CARTON	02/01/2016	
5	NDC:0924-0075-00	2 in 1 PACKET; Type 0: Not a Combination Product		
6	NDC:0924-0075-05	20 in 1 CARTON	02/01/2016	
6	NDC:0924-0075-00	2 in 1 PACKET; Type 0: Not a Combination Product		

<b>Marketing Information</b>			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA075010	02/01/2016	

**Labeler** - Acme United Corporation (001180207)