

**GOOD NEIGHBOR PHARMACY FIBER-CAPS FIBER LAXATIVE STIMULANT FREE-calcium polycarbophil capsule**

**Amerisourcebergen Drug Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**Good Neighbor Pharmacy Fiber-Caps Fiber Laxative**

**Active ingredient (in each caplet)**

Calcium polycarbophil 625 mg equivalent to 500 mg polycarbophil

**Purpose**

Bulk-forming laxative

**Uses**

- relieves: occasional constipation
- this product generally produces bowel movement in 12 to 72 hours

**Warnings**

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

**Ask a doctor before use if you have**

- abdominal pain, nausea or vomiting
- difficulty in swallowing
- a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are**

taking any other drug. Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

**When using this product**

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

**Stop use and ask a doctor if**

- you experience chest pain, abdominal pain, nausea, vomiting, difficulty in breathing or swallowing
- you fail to have a bowel movement after use rectal bleeding occurs

These could be signs of serious condition.

**Keep out of the reach of children.**

In case of overdose, get medical help or contact a Poison Control Center immediately.

**Directions**

- take this product (child or adult dose) with a full glass of water (8oz.) or other fluid. Taking this product without enough liquid may cause choking. See choking warning.
- dosage will vary according to diet, exercise, previous laxative use or severity of constipation
- continued use for 1 to 3 days is normally required to provide full benefit

---

adults and children 12 years & over	2 caplets, 1 to 4 times a day
children under 12 years	ask a doctor

---

**Other information**

- **each caplet contains:** calcium 135 mg
- store at room temperature
- protect contents from moisture

**Inactive ingredients**

calcium carbonate, caramel, colloidal silicon dioxide, crospovidone, hydroxypropyl methylcellulose, magnesium stearate, microcrystalline cellulose, polyethylene glycol, sodium lauryl sulfate.

**principal display panel**

NDC 24385-125-76

Compare To Fibercon<sup>®</sup> active ingredient\*

GOOD NEIGHBOR PHARMACY

stimulant free

Fiber-Caps

Fiber Laxative

relieves constipation

helps restore & maintain regularity

90 caplets

NDC 24395-125/76

**GOOD  
NEIGHBOR  
PHARMACY®**

Compare To  
Fibercon®  
active ingredient\*

stimulant free  
**Fiber-Caps**

**Fiber Laxative**

relieves constipation  
helps restore  
& maintain regularity

**90** caplets

**WARNING:** Consuming this product can expose you to chemicals including lead, which is known to the State of California to cause cancer and birth defects or other reproductive harm. For more information go to [www.P65Warnings.ca.gov/food](http://www.P65Warnings.ca.gov/food).

DO NOT USE IF PRINTED SEAL UNDER CAP IS TORN OR MISSING.

## Drug Facts

### Active ingredient (in each caplet) Purpose

Cabutum polycarbophil 625 mg equivalent 500 mg polycarbophil... Bulk-forming laxative

### Uses ■ relieves occasional constipation

■ this product generally produces bowel movement in 12 to 72 hours

### Warnings

**Choking:** Taking this product without adequate fluid may cause it to swell and block your throat or esophagus and may cause choking. Do not take this product if you have difficulty in swallowing. If you experience chest pain, vomiting, or difficulty in swallowing or breathing after taking this product, seek immediate medical attention.

### Ask a doctor before use if you have

- abdominal pain, nausea or vomiting
- difficulty in swallowing

■ a sudden change in bowel habits that persists over a period of 2 weeks

**Ask a doctor or pharmacist before use if you are taking any other drug.** Take this product 2 or more hours before or after other drugs. All laxatives may affect how other drugs work.

### When using this product

- do not use for more than 7 days unless directed by a doctor
- do not take more than 8 caplets in a 24 hour period unless directed by a doctor

LOT

EXP.

ABCH 705-592

▼ Peel Here for Continuing Drug Facts

### Inactive Ingredients

Ingredient Name	Strength
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARAMEL (UNII: T9D99G2B1R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
CELLULOSE, MICROCRYSTALLINE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	

### Product Characteristics

Color	white (off-white)	Score	no score
Shape	capsule	Size	18mm
Flavor		Imprint Code	G147
Contains			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:24385-125-27	90 in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/13/2010	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part334	07/13/2010	

**Labeler** - Amerisourcebergen Drug Corporation (007914906)

### Establishment

Name	Address	ID/FEI	Business Operations
Guardian Drug Company		119210276	manufacture(24385-125)

Revised: 12/2019

Amerisourcebergen Drug Corporation