

LIDOCAINE PAIN RELIEF- lidocaine spray
Trifecta Pharmaceuticals USA, LLC.

Globe Lidocaine 4% Pain Relief Spray

Active Ingredient

Lidocaine 4%

Purpose

Topical Anesthetic

Warnings

For External Use Only

Extremely Flammable

- **do not use near heat or flame or while smoking**
- **avoid long term storage above 104°F (40°C)**
- **do not puncture or incinerate. Contents under pressure**
- **do not store at temperature above 120°F (49°C).**

Uses

Temporarily relieves minor pain

When Using this product

- Use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes and mucous membranes
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat such as heating pads or a medicated patch to area of use
- do not use at the same time as other topical analgesics.

Ask Doctor before use

Ask doctor before use if you have

- Deep or puncture wounds
- Animal Bites
- Serious burns

Do not use

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting doctor

Stop use and ask a doctor

- If condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

Keep out of the reach of children

If swallowed, get medical help or contact a Poison Control Center right away

Pregnant or Breast Feeding

ask a health professional before use.

Directions

Adults and children over 12 years

- Spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period.
- Product will dry quickly on its own and does not need to be rubbed in

Children 12 years or younger: ask a doctor

Other information

- Store at controlled room temperature 68°-77°F (20°-25°C)

Inactive Ingredients

Caprylic Capric triglyceride, propylene glycol, SD alcohol, Water

Questions or Comments

Call 1-888-296-9067

Distributed By:

Trifecta Pharmaceuticals USA, LLC.

101 NE Third Avenue, Suite 1500

Ft. Lauderdale, FL. 33301 USA

www.trifecta-pharma.com

SKU: 6001

*** This product is not manufactured or distributed by Chattem Inc. the distributor of Aspercreme®.**

Packaging

LABEL

***Compare to the active ingredient in
Aspercreme® Lidocaine 4% Dry Spray**

NDC: 69396-178-04



**Lidocaine 4%
Pain Relief Spray**

NUMBS PAIN AWAY

Fast Acting Pain Relief
Sprays at any Angle
Dries Quickly
Fragrance-Free

Net Wt. 4 oz. (113g)

MAXIMUM STRENGTH

Drug Facts

Active ingredient	Purpose
Lidocaine 4%	Topical anesthetic

Use Temporarily relieves minor pain.

Warnings
For external use only.

Do not use

- on large areas of the body or on cut, irritated or swollen skin
- on puncture wounds
- for more than one week without consulting a doctor

When using this product

- use only as directed. Read and follow all directions and warnings on this label.
- do not allow contact with the eyes and mucous membranes
- avoid spraying on face
- avoid inhalation of spray
- do not bandage or apply local heat (such as heating pads) or a medicated patch to area of use
- do not use at the same time as other topical analgesics

Stop use and ask a doctor if

- condition worsens
- redness is present
- irritation develops
- symptoms persist for more than 7 days or clear up and occur again within a few days

Extremely Flammable

- do not use near heat or flame or while smoking
- avoid long term storage above 104°F (40°C)
- do not puncture or incinerate. Contents under pressure.
- do not store at temperatures above 120°F (49°C)

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Adults and children over 12 years:

- spray affected area every 6 to 8 hours, not to exceed 3 applications in a 24 hour period
- product will dry quickly on its own, and does not need to be rubbed in

Children 12 years or younger: ask a doctor

Other information
Store at 20° to 25°C (68° to 77°F).

Inactive ingredients
Caprylic/Capric triglyceride, Propylene glycol, SD Alcohol, Water.

Questions? Call 1-888-296-9067


8 50058 16137 2

DOT 2Q
M6018


EXTREMELY FLAMMABLE

Distributed by:
Trifecta Pharmaceuticals USA®
101 NE Third Avenue, Suite 1500
Ft. Lauderdale, FL 33301 USA
www.trifecta-pharma.com
SKU: 6001

LIDOCAINE PAIN RELIEF

lidocaine spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69396-178
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)			LIDOCAINE	4 g in 100 g
Inactive Ingredients				
Ingredient Name				Strength
ALCOHOL (UNII: 3K9958V90M)				
CAPRYLIC/CAPRIC TRIGLYCERIDE (UNII: C9H2L21V7U)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69396-178-04	113 g in 1 BOTTLE, SPRAY; Type 0: Not a Combination Product	01/21/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M017	01/21/2026	

Labeler - Trifecta Pharmaceuticals USA, LLC. (079424163)

Revised: 1/2026

Trifecta Pharmaceuticals USA, LLC.