

**SLEEP AID NIGHTTIME- diphenhydramine hcl liquid**  
**Rite Aid Corporation**

-----  
**Drug Facts**

**Active ingredient (in each 30 mL)**

Diphenhydramine HCl 50 mg

**Purpose**

Nighttime sleep-aid

**Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on the skin
- in children under 12 years of age

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are**

taking sedatives or tranquilizers

**When using this product**

avoid alcoholic beverages

**Stop use and ask a doctor if**

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

1222) right away.

### **Directions**

- take only one dose per day (24 hours)
- mL=milliliter
- keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- adults and children 12 years and over
  - one dose=30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years do not use

### **Other information**

- **each 30 mL contains:** sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

### **Inactive ingredients**

citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

### **Questions or comments?**

Call **1-877-753-3935** Monday-Friday 9AM-5PM EST

### **Principal Display Panel**

Compare to the active ingredient in Vicks® ZzzQuil®\*

FREE | GLUTEN FREE

FROM | PARABEN FREE

### **NIGHTTIME**

### **SLEEP-AID**

DIPHENHYDRAMINE HCL 50 mg per 30 mL

Not for treating cold or flu

non-habit forming

Alcohol 10%

BERRY FLAVOR

FL OZ (mL)

Failure to follow these warnings could result in serious consequences.

\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® ZzzQuil® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

**DISTRIBUTED BY:**

**RITE AID.**

30 HUNTER LANE

CAMP HILL, PA 17011

[www.riteaid.com](http://www.riteaid.com)

**Package Label**

← PEEL HERE **Drug Facts** (continued under label)

Failure to follow these warnings could result in serious consequences.

**Drug Facts**

**Active ingredient** **Purpose**  
(in each 30 mL)  
Diphenhydramine HCl 50 mg.....Nighttime sleep-aid

**Uses**

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

**Warnings**

- Do not use** ■ in children under 12 years of age  
■ with any other product containing diphenhydramine, even one used on skin

**FREE** | **GLUTEN FREE**  
FRM | **PARABEN FREE**

Compare to the active ingredient in Vicks® ZzzQuil®\*

NDC 11822-2119-6

**NIGHTTIME SLEEP-AID**

**DIPHENHYDRAMINE HCl**  
**50 mg per 30 mL**

**not for treating cold or flu**

non-habit forming  
alcohol 10%



**BERRY FLAVOR**

6 FL OZ (177 mL)



\*This product is not manufactured or distributed by The Procter & Gamble Company. Vicks® ZzzQuil® is a registered trademark of The Procter & Gamble Company.

**TAMPER EVIDENT: DO NOT USE IF PRINTED SAFETY SEAL AROUND DOSAGE CUP OR UNDER CAP IS BROKEN OR MISSING.**

**DISTRIBUTED BY: RITE AID, 30 HUNTER LANE, CAMP HILL, PA 17011**  
www.riteaid.com

**SATISFACTION GUARANTEE**

If you're not satisfied, we'll happily refund your money.



**Drug Facts** (continued)

**Ask a doctor before use if you have**

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- trouble urinating due to an enlarged prostate gland

**Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.**

**When using this product, avoid alcoholic beverages.**

**Stop use and ask a doctor if sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of a serious underlying medical illness.**

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. ▶**

**Drug Facts** (continued)

**Directions**

- take only one dose per day (24 hours)
- mL = milliliter ■ keep dosing cup with product
- measure only with dosing cup provided. Do not use any other dosing device.
- adults and children 12 years and over
  - one dose = 30 mL at bedtime if needed, or as directed by a doctor
- children under 12 years: do not use

**Other information**

- each 30 mL contains: sodium 23 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light

**Inactive ingredients** citric acid, ethyl alcohol, FD&C blue #1, FD&C red #40, flavor, high fructose corn syrup, polyoxyl 40 stearate, propylene glycol, purified water, saccharin sodium, sodium benzoate, sodium citrate

**Questions or comments?** Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

**RITE AID Nighttime Sleep-Aid Berry Flavor**

**SLEEP AID NIGHTTIME**

diphenhydramine hcl liquid

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:11822-2119
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40)	DIPHENHYDRAMINE	50 mg

(DIPHENHYDRAMINE - UNII:8GTS82S83M)

HYDROCHLORIDE

in 30 mL

**Inactive Ingredients**

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>POLYOXYL 40 STEARATE</b> (UNII: 13A4J4NH9I)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SACCHARIN SODIUM ANHYDROUS</b> (UNII: I4807BK602)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	
<b>HIGH FRUCTOSE CORN SYRUP</b> (UNII: XY6UN3QB6S)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>ALCOHOL</b> (UNII: 3K9958V90M)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	

**Product Characteristics**

<b>Color</b>		<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	BERRY	<b>Imprint Code</b>	
<b>Contains</b>			

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-2119-1	355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/27/2019	
2	NDC:11822-2119-2	2 in 1 PACKAGE	12/27/2019	
2		355 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		
3	NDC:11822-2119-6	177 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	12/27/2019	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	12/27/2019	

**Labeler** - Rite Aid Corporation (014578892)