

**DAYTIME COLD AND FLU RELIEF- acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid**  
**The Kroger Co.**

-----  
**Kroger DayTime Severe Cooling Cold and Flu Relief**

**Active ingredients (in each 30 mL)**

**Acetaminophen 650 mg**

Dextromethorphan HBr 20 mg

Guaifenesin 400 mg

Phenylephrine HCl 10 mg

**Purposes**

**Pain reliever/fever reducer**

Cough suppressant

Expectorant

Nasal decongestant

**Uses**

- temporarily relieves common cold/flu symptoms:
  - nasal congestion
  - sinus congestion & pressure
  - cough due to minor throat and bronchial irritation
  - minor aches and pains
  - headache
  - fever
  - sore throat
  - reduce swelling of nasal passages
  - temporarily restores freer breathing through the nose
  - promotes nasal and/or sinus drainage
- help loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make cough more productive

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 4 doses in 24 hrs which is maximum daily amount for this product
- taken with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- Skin reddening
- Blisters
- Rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or non-prescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if you are**

taking the blood thinning drug warfarin.

**When using this product,**

**do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy, or sleepless
- pain, nasal congestion or cough gets worse, or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with a rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### **Directions**

- take only as directed
- only use the dose cup provided
- do not exceed 4 doses per 24 hours

Adults & children 12 yrs & over	30 mL every 4 hrs.
Children 4 to under 12 yrs	Ask a doctor
Children under 4 yrs.	Do not use

### **Other information**

- **each 30 mL contains:** sodium 81 mg
- store at room temperature. Do not refrigerate

### **Inactive ingredients**

citric acid, D&C Yellow No. 10, disodium edetate, FD&C Blue No. 1, natural and artificial flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose

### **Questions or comments?**

**1-800-632-6900**

### **Principal Display Panel**

**COMPARE TO** the active ingredients in VICKS® DAYQUIL™ SEVERE+ VapoCOOL™ \*see back panel

NDC 30142-722-12

### **Daytime**

### **SEVERE COOLING**

### **COLD & FLU RELIEF**

**Acetaminophen-** Pain Reliever/Fever Reducer

**Dextromethorphan HBr-** Cough Suppressant

**Phenylephrine HCl-** Nasal decongestant

# Guafenesin- Expectorant

## FOR RELIEVES OF

Minor Aches & Pains, Fever

Nasal congestion & Sinus Pressure

Cough

Chest congestion

12 FL OZ (354 mL)

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN**

**DISTRIBUTED BY THE KROGER CO.**

**CINCINNATI, OHIO 45202**

**QUALITY GUARANTEE**

**800-632-6900**

[www.kroger.com](http://www.kroger.com)

Vicks® Dayquil™ Severe+ VapoCOOL™ are registered trademarks of Procter & Gamble Company, Cincinnati, OH 45202. The Procter & Gamble Company is not affiliated with the Kroger Co. or this product.

### Product Label

<p><b>Drug Facts (continued)</b></p> <p>Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin.</p> <p><b>When using this product, do not use more than directed.</b></p> <p><b>Stop use and ask a doctor if</b> • you get nervous, dizzy or sleepless • pain, nasal congestion, or cough gets worse or lasts more than 7 days • fever gets worse or lasts more than 3 days • redness or swelling is present • new symptoms occur • cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.</p> <p><b>If pregnant or breast-feeding,</b> ask a health professional before use.</p> <p><b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center right away at 1-800-222-1222. Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.</p> <p><b>Directions</b> • take only as directed • only use the dose cup provided • do not exceed 4 doses per 24 hrs adults &amp; children 12 yrs &amp; over 30 mL every 4 hrs children 4 to under 12 yrs ask a doctor children under 4 yrs do not use</p> <p><b>Other information</b> • each 30 mL contains: sodium 81 mg • store at room temperature. Do not refrigerate.</p> <p><b>Inactive ingredients</b> citric acid, D&amp;C Yellow No.10, disodium edetate, FD&amp;C Blue No. 1, natural and artificial flavor, glycerin, propyl gallate, propylene glycol, purified water, sodium benzoate, sodium chloride, sodium citrate, sorbitol, sucralose</p> <p><b>Questions or comments?</b> 1-800-632-6900</p> <p>*Vicks® Dayquil™ Severe+ VapoCOOL™ are registered trademarks of The Procter &amp; Gamble Company, Cincinnati, OH 45202. The Procter &amp; Gamble Company is not affiliated with The Kroger Co. or this product.</p>	<p>COMPARE TO the active ingredients of VICKS® DAYQUIL™ SEVERE+ VapoCOOL™ *See back panel</p> <p>NDC 30142-722-12</p> <p> </p> <p><b>DayTime</b> </p> <p><b>SEVERE COOLING</b></p> <p><b>COLD &amp; FLU RELIEF</b></p> <p><b>Acetaminophen Pain Reliever/Fever Reducer Dextromethorphan HBr Cough Suppressant Phenylephrine HCl Nasal Decongestant Guafenesin Expectorant</b></p> <p><b>FOR RELIEF OF</b> Minor Aches &amp; Pains, Fever Nasal Congestion &amp; Sinus Pressure Cough Chest Congestion</p> <p>12 FL OZ (354 mL)</p>	<p><b>Drug Facts</b> <b>DO NOT USE IF IMPRINTED SHRINK BAND IS MISSING OR BROKEN</b></p> <table border="1"><thead><tr><th>Active ingredients (in each 30 mL)</th><th>Purpose</th></tr></thead><tbody><tr><td>Acetaminophen 650 mg.....</td><td>Pain reliever/fever reducer</td></tr><tr><td>Dextromethorphan HBr 20 mg.....</td><td>Cough suppressant</td></tr><tr><td>Guafenesin 400 mg.....</td><td>Expectorant</td></tr><tr><td>Phenylephrine HCl 10 mg.....</td><td>Nasal decongestant</td></tr></tbody></table> <p><b>Uses</b> temporarily relieves common cold/flu symptoms: • nasal congestion • sinus congestion &amp; pressure • cough due to minor throat &amp; bronchial irritation • minor aches &amp; pains • headache • fever • sore throat • reduces swelling of nasal passages • temporarily restores freer breathing through the nose • promotes nasal and/or sinus drainage • helps loosen phlegm (mucus) and thin bronchial secretions to rid the bronchial passageways of bothersome mucus and make coughs more productive.</p> <p><b>Warnings</b></p> <p><b>Liver warning:</b> This product contains acetaminophen. Severe liver damage may occur if you take • more than 4 doses in 24 hrs, which is the maximum daily amount for this product • taken with other drugs containing acetaminophen • 3 or more alcoholic drinks every day while using this product</p> <p><b>Allergy Alert:</b> Acetaminophen may cause severe skin reactions. Symptoms may include: • Skin reddening • blisters • Rash</p> <p>If a skin reaction occurs, stop use and seek medical help right away</p> <p><b>Sore throat warning:</b> If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.</p> <p><b>Do not use</b> • with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. • If you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p><b>Ask a doctor before use if you have</b> • liver disease • heart disease • high blood pressure • thyroid disease • diabetes • trouble urinating due to enlarged prostate gland • cough that occurs with too much phlegm (mucus) • persistent or chronic cough such as occurs with smoking, asthma, chronic bronchitis, or emphysema • a sodium-restricted diet</p>	Active ingredients (in each 30 mL)	Purpose	Acetaminophen 650 mg.....	Pain reliever/fever reducer	Dextromethorphan HBr 20 mg.....	Cough suppressant	Guafenesin 400 mg.....	Expectorant	Phenylephrine HCl 10 mg.....	Nasal decongestant
Active ingredients (in each 30 mL)	Purpose											
Acetaminophen 650 mg.....	Pain reliever/fever reducer											
Dextromethorphan HBr 20 mg.....	Cough suppressant											
Guafenesin 400 mg.....	Expectorant											
Phenylephrine HCl 10 mg.....	Nasal decongestant											

**DAYTIME COLD AND FLU RELIEF**

acetaminophen, dextromethorphan hbr, guaifenesin phenylephrine hcl liquid

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:30142-722
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	650 mg in 30 mL
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 30 mL
<b>GUAIFENESIN</b> (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 30 mL
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	10 mg in 30 mL

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	
<b>EDETATE DISODIUM</b> (UNII: 7FLD91C86K)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>PROPYL GALLATE</b> (UNII: 8D4SNN7V92)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>SODIUM CITRATE, UNSPECIFIED FORM</b> (UNII: 1Q73Q2JULR)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>SUCRALOSE</b> (UNII: 96K6UQ3ZD4)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:30142-722-12	354 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	01/28/2020	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	01/28/2020	

Revised: 8/2025

The Kroger Co.