

BLUE LIZARD SPORT SPF 50 SUNSCREEN- octisalate and titanium dioxide and zinc oxide lotion
Crown Laboratories

Blue Lizard Sport SPF 50 Sunscreen

Active Ingredients

Octisalate 5%

Titanium Dioxide 5.36%

Zinc Oxide 10%

Purpose

Sunscreen

Uses

- Helps prevent sunburn and photodamage caused by UVA/UVB exposure
- Higher SPF gives more sunburn protection
- If used as directed with other sun protection measures (see **Directions**), decreases the risks of skin cancer and early skin aging caused by the sun

Warnings

- When using this product • Keep out of eyes. Rinse with water to remove
- Stop use and ask doctor if • Rash or irritation occurs
- Do not use • On damaged or broken skin • If allergic to any ingredient
- If swallowed, get medical help or contact a Poison Control Center

Directions

- **Shake well prior to use**
- Apply liberally to dry skin 15 minutes before sun exposure
- For topical use only
- Children under 6 months: ask a doctor
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: Limit time in the sun, especially from 10 a.m. - 2 p.m.
- Wear long-sleeved shirts, pants, hats, and sunglasses.

- **Reapply to dry skin:** • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours

Keep out of reach of children

Other Information

- Protect the product in this container from excessive heat and direct sun
- May stain some fabrics

Inactive Ingredients

Alumina, Aluminum Stearate, Beeswax, Butyloctyl Salicylate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Diisopropyl Sebacate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Hexyl Laurate, Hydrogenated Castor Oil, Isostearyl Isostearate, L-Arginine, Methyl Glucose Dioleate, Methylpropanediol, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Phenoxyethanol, Phenylpropanol, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polyurethane-35, Propanediol, Purified Water, Sorbitan Oleate, Stearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Trimethylsiloxysilicate, VP Hexadecene Copolymer

Questions?

Visit www.bluelizardsunscreen.com or call **800.877.8869**

Crown Laboratories, Inc., Johnson City, TN 37604

Blue Lizard Sport 3oz Tube

BLUE LIZARD

AUSTRALIAN SUNSCREEN

50+

UVA/UVB PROTECTION

BROAD SPECTRUM

SPF 50+

TRUSTED BY DERMATOLOGIST FOR OVER 20 YEARS

SPORT

mineral-based sunscreen

combining mineral and chemical UV protectors

Smart Cap TECHNOLOGY

CAP CHANGES COLOR IN HARMFUL UV LIGHT

WATER RESISTANT (80 MINUTES)

Mineral-Based Sunscreen

Combining mineral and chemical UV protectors for water-resistant performance you can trust.

3fl oz (89ml)

P11762.00



NEW

BLUE LIZARD®

AUSTRALIAN SUNSCREEN

50⁺

**UVA / UVB PROTECTION
BROAD SPECTRUM
SPF 50+**

**TRUSTED BY
DERMATOLOGISTS
FOR OVER 20 YEARS**

SPORT

mineral-based sunscreen
combining mineral and chemical UV protectors

Smart Cap™ TECHNOLOGY
CAP CHANGES COLOR IN HARMFUL UV LIGHT

**WATER RESISTANT
(80 MINUTES)**

3 fl oz (89 ml)



Mineral-Based Sunscreen
Combining mineral and chemical UV protectors for water-resistant performance you can trust.

Drug Facts		Made in USA
Active Ingredients		Purpose
Octisalate 5%		Sunscreen
Titanium Dioxide 5.36%		Sunscreen
Zinc Oxide 10%		Sunscreen
Uses • Helps prevent sunburn and photodamage caused by UVA/UVB exposure • Higher SPF gives more sunburn protection • If used as directed with other sun protection measures (see <i>Directions</i>), decreases the risk of skin cancer and early skin aging caused by the sun		
Warnings • When using this product • Keep out of eyes. Rinse with water to remove • Stop use and ask a doctor if • Rash or irritation occurs • Do not use • On damaged or broken skin • If allergic to any ingredient • If swallowed, get medical help or contact a Poison Control Center		
Directions • Shake well prior to use • Apply liberally to dry skin 15 minutes before sun exposure • For topical use only • Keep out of reach of children • Children under 6 months: ask a doctor • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • Limit time in the sun, especially from 10 a.m. – 2 p.m. • Wear long-sleeved shirts, pants, hats, and sunglasses. Reapply to dry skin: • after 80 minutes of swimming or sweating • immediately after towel drying • at least every 2 hours		
Other Information • Protect the product in this container from excessive heat and direct sun • May stain some fabrics		
Inactive Ingredients: Alumina, Aluminum Stearate, Beeswax, Butylcetyl Salicylate, C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Caprylyl Glycol, Cetyl Dimethicone, Cetyl PEG/PPG-10/1 Dimethicone, Diisopropyl Sebacate, Dimethicone, Disodium EDTA, Ethylhexylglycerin, Hexyl Laurate, Hydrogenated Castor Oil, Isostearyl Isostearate, L-Arginine, Methyl Glucose Dioleate, Methylpropanediol, Octyldodecyl Neopentanoate, PEG-7 Hydrogenated Castor Oil, Phenoxyethanol, Phenylpropanol, Polyglyceryl-4 Isostearate, Polyhydroxystearic Acid, Polyurethane-35, Propanediol, Purified Water, Sorbitan Oleate, Stearic Acid, Tocopheryl Acetate, Triethoxycaprylylsilane, Trimethylsiloxyethylsilicate, VP/Hexadecane Copolymer		
Questions? Visit www.bluelizardsunscreen.com or call 800.877.8869		
P11762.00		 3 03162 07530 6 CROWN Crown Laboratories, Inc. Johnson City, TN 37604

BLUE LIZARD SPORT SPF 50 SUNSCREEN			
octisalate and titanium dioxide and zinc oxide lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0316-2075
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	55.5 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	59.5 mg in 1 mL
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	111 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
ALUMINUM STEARATE (UNII: U6XF9NP8HM)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ARGININE (UNII: 94ZLA3W45F)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 5) (UNII: 035JKJ76MT)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
METHYL GLUCOSE DIOLEATE (UNII: FA9KFJ4Z6P)	
OCTYLDODECYL NEOPENTANOATE (UNII: X8725R883T)	
PEG-7 HYDROGENATED CASTOR OIL (UNII: WE09129TH5)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
PROPANEDIOL (UNII: 5965N8W85T)	
WATER (UNII: 059QF0KO0R)	
SORBITAN MONOOLEATE (UNII: 06XEA2VD56)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
HEXADECYL POVIDONE (4 HEXADECYL BRANCHES/REPEAT) (UNII: AG75W62QYU)	
POLYHYDROXYSTEARIC ACID (2300 MW) (UNII: YXH47AOU0F)	
CETYL DIMETHICONE 25 (UNII: U4AS1BW4ZB)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
DIISOPROPYL SEBACATE (UNII: J8T3X564IH)	
POLYURETHANE-35 (NOT MORE THAN 500 MPa.S AT 40%) (UNII: Q2LKX89BE0)	
BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3)	
ISOSTEARYL ISOSTEARATE (UNII: IV0Z586Z4Y)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:0316-2075-30	89 mL in 1 TUBE; Type 0: Not a Combination Product	02/09/2021	
2	NDC:0316-2075-50	259 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	05/01/2021	03/31/2025
3	NDC:0316-2075-45	148 mL in 1 TUBE; Type 0: Not a Combination Product	05/01/2021	05/01/2021
4	NDC:0316-2075-40	1 in 1 CARTON	03/04/2021	
4		148 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	02/09/2021	

Labeler - Crown Laboratories (119508400)

Establishment

Name	Address	ID/FEI	Business Operations
Crown Laboratories		119508400	manufacture(0316-2075)

Revised: 1/2026

Crown Laboratories