

ACIDIL- picea mariana resin, activated charcoal, strychnos nux-vomica seed, robinia pseudoacacia bark tablet
Laboratoires Boiron

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

ACIDIL

Active ingredients** (in each tablet)

Abies nigra 4C HPUS (0.63 mg)

Carbo vegetabilis 4C HPUS (0.63 mg)

Nux vomica 4C HPUS (0.63 mg) (contains less than 10⁻⁹ mg strychnine alkaloids)

Robinia pseudoacacia 4C HPUS (0.63 mg)

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Abies nigra 4C HPUS (0.63 mg).....Relieves stomach pain after eating

Carbo vegetabilis 4C HPUS (0.63 mg).....Relieves stomach bloating with gas

Nux vomica 4C HPUS (0.63 mg)..... Relieves heartburn due to excessive eating and drinking

Robinia pseudoacacia 4C HPUS (0.63 mg).....Relieves heartburn with acid indigestion

Uses*

Temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour until symptoms are relieved. If

necessary, dissolve 2 tablets under the tongue 15 minutes before meals.

Children under 12 years of age: Ask a doctor.

Croscarmellose sodium, lactose, magnesium stearate

do not use if glue carton flaps are open or if the blister seal is broken

store below 86°F (30°C)

Heartburn relief*

Acid Indigestion Upset Stomach*

No Known Drug Interactions

120 Meltaway Tablets unflavored

60 Meltaway Tablets unflavored

20 Meltaway Tablets unflavored

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED.

**C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Questions or comments?

BoironUSA.com

Info@Boiron.com

1-800-BOIRON-1

(1-800-264-7661)

Made in France

Distributed by Boiron Inc.

Newtown Square, PA 19073

Drug Facts

Active ingredients* (in each tablet)

Active ingredients* (in each tablet)	Purpose*
Abies nigra 4C HPUS (0.63 mg)	Relieves stomach pain after eating
Carbo vegetabilis 4C HPUS (0.63 mg)	Relieves stomach bloating with gas
Nux vomica 4C HPUS (0.63 mg) (contains less than 10 ⁻⁴ mg strychnine alkaloids)	Relieves heartburn due to excessive eating and drinking
Robinia pseudoacacia 4C HPUS (0.63 mg)	Relieves heartburn with acid indigestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves:

■ heartburn ■ acid indigestion ■ bloating ■ upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour until symptoms are relieved. If necessary, dissolve 2 tablets in the mouth 15 minutes before meals.

■ Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. "C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by Boiron Inc.
Newtown Square, PA
19073

♻️ please recycle



SAMPLE
NOT FOR SALE

NDC 0220-9004-91

HEARTBURN RELIEF*

Acid Indigestion • Bloating Upset Stomach*

Help
Your Body
the Natural
Way

Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Powered Relief
- No Known Drug Interactions

BOIRON®
World Leader in
Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

Active ingredients* (in each tablet)	Purpose*
Abies nigra 4C HPUS (0.63 mg)	Relieves stomach pain after eating
Carbo vegetabilis 4C HPUS (0.63 mg)	Relieves stomach bloating with gas
Nux vomica 4C HPUS (0.63 mg) (contains less than 10 ⁻⁴ mg strychnine alkaloids)	Relieves heartburn due to excessive eating and drinking
Robinia pseudoacacia 4C HPUS (0.63 mg)	Relieves heartburn with acid indigestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves:

■ heartburn ■ acid indigestion ■ bloating
■ upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour until symptoms are relieved. If necessary, dissolve 2 tablets in the mouth 15 minutes before meals.

■ Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton end flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. "C, K, CK, and X are homeopathic dilutions; see BoironUSA.com/info for details.

Drug Facts (continued)

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



NDC 0220-9004-04

HEARTBURN RELIEF*

Acid Indigestion • Bloating Upset Stomach*

Help
Your Body
the Natural
Way

Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Powered Relief
- No Known Drug Interactions

BOIRON®
World Leader in
Homeopathic Medicines

60
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet)

<i>Nuxvomica</i> 4C HPUS (0.63 mg)	Relieves stomach pain after eating
<i>Carbo vegetabilis</i> 4C HPUS (0.63 mg)	Relieves stomach bloating with gas
<i>Nuxvomica</i> 4C HPUS (0.63 mg)	Relieves heartburn due to excessive eating and drinking
<i>Robinia pseudoacacia</i> 4C HPUS (0.63 mg)	Relieves heartburn with acid indigestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses* temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets in the mouth every 15 minutes for 1 hour until symptoms are relieved. If necessary, dissolve 2 tablets in the mouth 15 minutes before meals.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton and flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.



NDC 0220-9004-29

HEARTBURN RELIEF*

Acid Indigestion • Bloating Upset Stomach*



Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Powered Relief
- No Known Drug Interactions

BOIRON®

World Leader in Homeopathic Medicines

120
MELTAWAY
TABLETS
Unflavored

FREE INSIDE! Acidil®

20 MELTAWAY TABLETS

The Plant-Powered Way to Fight Acid Indigestion*



Meltaway tablets require no food or water

There are many triggers that can cause indigestion, including certain foods, new diets, changes in routine, and even stress. That's why Acidil is made with plant-powered ingredients to target multiple heartburn symptoms with tablets that melt easily in your mouth. Choose the on-the-go relief of Acidil for your non-stop life.

- Convenient, discreet & unflavored
- Easy to take before or after meals
- No artificial colors, flavors, sweeteners, or preservatives

Drug Facts

Active ingredients* (in each tablet)

<i>Nuxvomica</i> 4C HPUS (0.63 mg)	Relieves stomach pain after eating
<i>Carbo vegetabilis</i> 4C HPUS (0.63 mg)	Relieves stomach bloating with gas
<i>Nuxvomica</i> 4C HPUS (0.63 mg)	Relieves heartburn due to excessive eating and drinking
<i>Robinia pseudoacacia</i> 4C HPUS (0.63 mg)	Relieves heartburn with acid indigestion

The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Purpose*

Uses* temporarily relieves:

- heartburn
- acid indigestion
- bloating
- upset stomach associated with these symptoms

Warnings

Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
- Children under 12 years of age: Ask a doctor.

Other information

- do not use if glued carton and flaps are open or if the blister seal is broken
- store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

*CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE, NOT FDA EVALUATED. C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts (continued)

Questions or comments?

BoironUSA.com
Info@Boiron.com
1-800-BOIRON-1
(1-800-264-7661)

Made in France
Distributed by
Boiron Inc.
Newtown Square, PA
19073

♻️ please recycle



NDC 0220-9004-91

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*



Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions

BOIRON®

World Leader in Homeopathic Medicines

20
MELTAWAY
TABLETS
Unflavored

Drug Facts

Active ingredients* (in each tablet) **Purpose***
 Abies nigra 4C HPUS (0.6 mg) Relieves stomach pain after eating
 Carbo vegetabilis 4C HPUS (0.6 mg) Relieves stomach bloating with gas
 Nux vomica 4C HPUS (0.6 mg) Relieves heartburn due to excessive eating and drinking (contains less than 10⁻⁶ mg strychnine alkaloids)
 Robinia pseudoacacia 4C HPUS (0.6 mg) Relieves heartburn with acid indigestion
 The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
 temporarily relieves:
 ■ heartburn ■ acid indigestion ■ bloating ■ upset stomach associated with these symptoms

Warnings
 Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
 If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information
 ■ do not use if glued carton end flaps are open or if the blister seal is broken
 ■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.

Drug Facts

(continued)
Questions or comments?
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)



Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

please recycle



NDC 0220-9004-04

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*



Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions



BOIRON®
 World Leader in Homeopathic Medicines

FREE INSIDE!

Acidil®
 20 MELTAWAY TABLETS



Get Plant-Based Relief with Acidil!
 A convenient & discreet way to relieve heartburn anywhere, anytime.*

Common Causes of Heartburn

- Eating too fast or too much
- Certain foods and beverages
- Stress and nervousness

Tips for Managing Heartburn

- Limit intake of trigger foods or beverages
- Relax to help alleviate stress
- Take Acidil at the first sign of symptoms!

Acidil®
 HEARTBURN RELIEF

- Plant-Based Actives
- NO Dyes or Colors
 - NO Flavors
 - NO Artificial Sweeteners
 - NO Preservatives

SAMPLE - NOT FOR SALE

Drug Facts

Active ingredients* (in each tablet) **Purpose***
 Abies nigra 4C HPUS (0.6 mg) Relieves stomach pain after eating
 Carbo vegetabilis 4C HPUS (0.6 mg) Relieves stomach bloating with gas
 Nux vomica 4C HPUS (0.6 mg) Relieves heartburn due to excessive eating and drinking (contains less than 10⁻⁶ mg strychnine)
 Robinia pseudoacacia 4C HPUS (0.6 mg) Relieves heartburn with acid indigestion
 The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses* temporarily relieves:
 ■ heartburn ■ acid indigestion ■ bloating ■ upset stomach associated with these symptoms

Warnings
 Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
 If pregnant or breastfeeding, ask a health professional before use.

Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

please recycle

Directions

■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information
 ■ do not use if glued carton end flaps are open or if the blister seal is broken
 ■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

Questions or comments?
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)



BOIRON®

A Better Way

At Boiron, we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

NDC 0220-9004-91

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*



Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions



BOIRON®
 World Leader in Homeopathic Medicines

Drug Facts

(continued)
Questions or comments?
 BoironUSA.com
 info@Boiron.com
 1-800-BOIRON-1
 (1-800-264-7661)



Made in France
 Distributed by Boiron Inc.
 Newtown Square, PA 19073

please recycle



NDC 0220-9004-04

HEARTBURN RELIEF*

Acid Indigestion Upset Stomach*



Acidil®

MELTAWAY TABLETS

HOMEOPATHIC MEDICINE

- Plant-Based Actives
- No Known Drug Interactions



BOIRON®
 World Leader in Homeopathic Medicines

BOIRON®

A Better Way

At Boiron, we believe there's a better way to feel better. Since 1932, the Boiron family has been dedicated to providing the purest medicines using sustainable practices. As world leader in homeopathic medicines, quality has always been our passion and your well-being is our goal.

The Boiron Promise

Your health deserves the greatest respect. That's why we're committed to your satisfaction. Please visit BoironUSA.com/promise for details.

Drug Facts

Active ingredients* (in each tablet) **Purpose***
 Abies nigra 4C HPUS (0.6 mg) Relieves stomach pain after eating
 Carbo vegetabilis 4C HPUS (0.6 mg) Relieves stomach bloating with gas
 Nux vomica 4C HPUS (0.6 mg) Relieves heartburn due to excessive eating and drinking (contains less than 10⁻⁶ mg strychnine)
 Robinia pseudoacacia 4C HPUS (0.6 mg) Relieves heartburn with acid indigestion
 The letters "HPUS" indicate that the components in this product are officially monographed in the Homeopathic Pharmacopoeia of the United States.

Uses*
 temporarily relieves:
 ■ heartburn ■ acid indigestion ■ bloating ■ upset stomach associated with these symptoms

Warnings
 Stop use and ask a doctor if symptoms persist for more than 7 days or worsen. If you have trouble swallowing or persistent abdominal pain, see your doctor promptly.
 If pregnant or breastfeeding, ask a health professional before use.


Keep out of reach of children. In case of accidental overdose, get medical help or contact a Poison Control Center right away.

Directions
 ■ Adults and children 12 years of age and older: At the onset of symptoms, dissolve 2 tablets under the tongue every 15 minutes for 1 hour. If necessary, dissolve 2 tablets under the tongue 15 minutes before meals until symptoms are relieved.
 ■ Children under 12 years of age: Ask a doctor.

Other information
 ■ do not use if glued carton end flaps are open or if the blister seal is broken
 ■ store below 86°F (30°C)

Inactive ingredients croscarmellose sodium, lactose, magnesium stearate

CLAIMS BASED ON TRADITIONAL HOMEOPATHIC PRACTICE, NOT ACCEPTED MEDICAL EVIDENCE. NOT FDA EVALUATED. *C, K, CK, and X are homeopathic dilutions: see BoironUSA.com/info for details.



Acidil Image

ACIDIL			
picea mariana resin, activated charcoal, strychnos nux-vomica seed, robinia pseudoacacia bark tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0220-9004
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
PICEA MARIANA RESIN (UNII: 71AOV0W131) (PICEA MARIANA RESIN - UNII:71AOV0W131)		PICEA MARIANA RESIN	4 [hp_C]
ACTIVATED CHARCOAL (UNII: 2P3VWU3H10) (ACTIVATED CHARCOAL - UNII:2P3VWU3H10)		ACTIVATED CHARCOAL	4 [hp_C]
STRYCHNOS NUX-VOMICA SEED (UNII: 269XH13919) (STRYCHNOS NUX-VOMICA SEED - UNII:269XH13919)		STRYCHNOS NUX-VOMICA SEED	4 [hp_C]
ROBINIA PSEUDOACACIA BARK (UNII: 7TPC058OWY) (ROBINIA PSEUDOACACIA BARK - UNII:7TPC058OWY)		ROBINIA PSEUDOACACIA BARK	4 [hp_C]
Inactive Ingredients			
Ingredient Name			Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)			
LACTOSE (UNII: J2B2A4N98G)			
MAGNESIUM STEARATE (UNII: 70097M6I30)			
Product Characteristics			
Color	white	Score	no score

Shape	ROUND (BOIRON)	Size	9mm	
Flavor		Imprint Code	;	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0220-9004-04	60 in 1 BLISTER PACK; Type 0: Not a Combination Product	08/05/1997	
2	NDC:0220-9004-91	20 in 1 BLISTER PACK; Type 0: Not a Combination Product	04/16/2020	
3	NDC:0220-9004-29	120 in 1 BLISTER PACK; Type 0: Not a Combination Product	05/09/2023	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		08/05/1997		

Labeler - Laboratoires Boiron (282560473)

Registrant - Boiron Inc. (014892269)

Establishment

Name	Address	ID/FEI	Business Operations
Boiron		282560473	manufacture(0220-9004)

Revised: 5/2023

Laboratoires Boiron