

**BIGHERO LIQUID WART CORN CALLUS REMOVER- salicylic acid 17% liquid wart corn callus remover liquid**  
**Jiangxi Yudexi Pharmaceutical Co., LTD**

-----

**85248-015**

**Active Ingredient**

Salicylic acid 17%

**Purpose**

Wart remover

**Use**

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When Using**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

**Stop Use**

Stop use and ask a doctor if discomfort persists.

**Ask Doctor**

Stop use and ask a doctor if discomfort persists.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222)right away.

**Directions**

Wash the affected area. May soak wart in warm water for 5 minutes Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during orafter use.

**Inactive ingredients**

Water,Polyethylene Glycol,Glycerin,Borneol

**PRINCIPAL DISPLAY PANEL**

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

**Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**

Store at room temperature.

Avoid excessive heat (37°C / 99°F).

Skin discoloration may occur during or after use.

**Inactive ingredients:**

Water.....53%

Polyethylene Glycol.....16%

Glycerin.....8%

Bornol.....1%



Distributor: Jiangxi Yudei Pharmaceutical Co., LTD  
Address: No.1918, Jinghai West 5th Road, Chengbei Jinghai District, Zhangshu City, Yichun City, Jiangxi Province

# Bighero®



## LIQUID WART CORN & CALLUS REMOVER

**FORM A PROTECTIVE MASK IN A MINUTE**



**HIGHLY EFFICIENT**  
Dries and drops off in 1-15 days



**ADVANCED TECHNOLOGY**  
The liquid turns into a mask in seconds



**SAFE & HYGIENIC**  
Doesn't hurt dermis and prevents spreading

NET WT: 2 fl oz (60mL total)  
Two bottles, each 30mL (1 fl.oz)

**Drug Facts**

**Active Ingredient:** Salicylic acid 17% -----

**Purpose** Wart remover

**Uses**

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When using this product**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

**Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**

Store at room temperature.

Avoid excessive heat (37°C / 99°F).

Skin discoloration may occur during or after use.

**Inactive ingredients:**

Water.....53%

Polyethylene Glycol.....16%

Glycerin.....8%

Bornol.....1%



Distributor: Jiangxi Yudei Pharmaceutical Co., LTD  
Address: No.1918, Jinghai West 5th Road, Chengbei Jinghai District, Zhangshu City, Yichun City, Jiangxi Province

# Bighero®



## LIQUID WART CORN & CALLUS REMOVER

**FORM A PROTECTIVE MASK IN A MINUTE**



**HIGHLY EFFICIENT**  
Dries and drops off in 1-15 days



**ADVANCED TECHNOLOGY**  
The liquid turns into a mask in seconds



**SAFE & HYGIENIC**  
Doesn't hurt dermis and prevents spreading

NET WT: 1fl oz (30mL)

**Drug Facts**

**Active Ingredient:** Salicylic acid 17% -----

**Purpose** Wart remover

**Uses**

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When using this product**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

**Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**

Store at room temperature.

Avoid excessive heat (37°C / 99°F).

Skin discoloration may occur during or after use.

**Inactive ingredients:**

Water.....53%

Polyethylene Glycol.....16%

Glycerin.....8%

Bornol.....1%



Distributor: Jiangxi Yudei Pharmaceutical Co., LTD  
Address: No.1918, Jinghai West 5th Road, Chengbei Jinghai District, Zhangshu City, Yichun City, Jiangxi Province

# Bighero®



## LIQUID WART CORN & CALLUS REMOVER

**FORM A PROTECTIVE MASK IN A MINUTE**



**HIGHLY EFFICIENT**  
Dries and drops off in 1-15 days



**ADVANCED TECHNOLOGY**  
The liquid turns into a mask in seconds



**SAFE & HYGIENIC**  
Doesn't hurt dermis and prevents spreading

NET WT: 1fl oz (30mL)

**Drug Facts**

**Active Ingredient:** Salicylic acid 17% -----

**Purpose** Wart remover

**Uses**

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When using this product**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature away from heat.

**Stop use and ask a doctor if discomfort persists.**

**Keep out of reach of children.** If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

**Directions**

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

**Other information**

Store at room temperature.

Avoid excessive heat (37°C / 99°F).

Skin discoloration may occur during or after use.

**Inactive ingredients:**

Water.....53%

Polyethylene Glycol.....16%

Glycerin.....8%

Bornol.....1%



Distributor: Jiangxi Yudei Pharmaceutical Co., LTD  
Address: No.1918, Jinghai West 5th Road, Chengbei Jinghai District, Zhangshu City, Yichun City, Jiangxi Province

# Bighero®



## LIQUID WART CORN & CALLUS REMOVER

**FORM A PROTECTIVE MASK IN A MINUTE**



**HIGHLY EFFICIENT**  
Dries and drops off in 1-15 days



**ADVANCED TECHNOLOGY**  
The liquid turns into a mask in seconds



**SAFE & HYGIENIC**  
Doesn't hurt dermis and prevents spreading

NET WT: 1fl oz (30mL)

**Drug Facts**

**Active Ingredient:** Salicylic acid 17% -----

**Purpose** Wart remover

**Uses**

For the removal of common warts and plantar warts.

Common warts have a rough "cauliflower like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only. Keep away from fire and flame.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When using this product**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature away from heat.

## BIGHERO LIQUID WART CORN CALLUS REMOVER

salicylic acid 17% liquid wart corn callus remover liquid

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-015
Route of Administration	TOPICAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength

<b>SALICYLIC ACID</b> (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	17 g in 100 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)				
<b>WATER</b> (UNII: 059QF0KO0R)				
<b>BORNEOL</b> (UNII: M89NIB437X)				
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:85248-015-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/28/2026	
2	NDC:85248-015-02	2 in 1 BOX	01/28/2026	
2		30 mL in 1 BOTTLE; Type 0: Not a Combination Product		
<b>Marketing Information</b>				
<b>Marketing Category</b>		<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
OTC Monograph Drug		M028	01/28/2026	

**Labeler** - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD