

**BITANK LIQUID WART CORN CALLUS REMOVER- bitank liquid wart corn callus
remover liquid
Jiangxi Yudexi Pharmaceutical Co., LTD**

85248-016

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Keep away from fire and flame

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When Using

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222)right away.

Directions

Wash the affected area. May soak wart in warm water for 5 minutes.Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.

Inactive ingredients

Water,Polyethylene Glycol,Glycerin,Borneol.

PRINCIPAL DISPLAY PANEL

BITANK®

Stop use and ask a doctor if discomfort persists.
Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions
Wash the affected area.
May soak wart in warm water for 5 minutes.
Dry area thoroughly.
Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.
Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information
Store at room temperature.
Avoid excessive heat (37°C / 99°F).
Skin discoloration may occur during or after use.

Inactive ingredients:
Water 53%
Polyethylene Glycol 16%
Glycerin 8%
Borneol 6%



DISTRIBUTOR:JIANGXI YUDEXI
PHARMACEUTICAL CO., LTD
ADDRESS: NO.1998, JINGKAI WEST 5TH
ROAD, CHENGBEI JINGKAI DISTRICT, ZHANG
SHU CITY, YICHUN CITY, JIANGXI PROVINCE

BITANK®

LIQUID WART CORN & CALLUS REMOVER

FORM A PROTECTIVE MASK IN A MINUTE

HIGHLY EFFICIENT
Dries and drops off in 7-15 days

ADVANCED TECHNOLOGY
The liquid turns into a mask in seconds

SAFE & HYGIENIC
Doesn't hurt dermis and prevents spreading



NET WT:1fl oz (30mL)

Drug Facts

Active ingredient: Salicylic acid 17% Wart remover
Purpose

Uses
For the removal of common warts and plantar warts.
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only. Keep away from fire and flame.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.

Cap tightly and store at room temperature, away from heat.

BITANK®

LIQUID WART CORN & CALLUS REMOVER

FORM A PROTECTIVE MASK IN A MINUTE

HIGHLY EFFICIENT
Dries and drops off in 7-15 days

ADVANCED TECHNOLOGY
The liquid turns into a mask in seconds

SAFE & HYGIENIC
Doesn't hurt dermis and prevents spreading



NET WT:1fl oz (30mL)

BITANK LIQUID WART CORN CALLUS REMOVER

bitank liquid wart corn callus remover liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-016
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: 0414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
GLYCERIN (UNII: PDC6A3C00X)	
BORNEOL (UNII: M89NIB437X)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-016-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/28/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	01/28/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD