

DHIZHAYO WART REMOVER- salicylic acid 17% wart remover cream
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-017

Active Ingredient

Salicylic acid 17%

Purpose

Wart remover

Use

For the removal of common warts, which have a rough,cauliflower-like appearance.

Warnings

For external use only- Avoid contact with eyes.

If the product gets into the eyes, rinse with water for 15 minutes.

Avoid inhaling vapors.

Do not use

On irritated or infected skin, or reddened areas, If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth.or moles.

When Using

If pregnant or breastfeeding, consult a health professional before use.

Stop Use

Stop use and ask a doctor if discomfort persists.

Ask Doctor

Stop use and ask a doctor if discomfort persists.

Keep Out Of Reach Of Children

If swallowed, seek immediate medical help or contact a Poison Control Center.

1. Wash the affected area. (Soaking in warm water for 5 minutes may help.)
2. Dry thoroughly.
3. Apply a small amount to cover each wart. Let it dry
4. Repeat twice daily as needed, for up to 12 weeks.

Water, Polyethylene Glycol, Glycerin, Borneol-Methylparaben

		<h1>WART REMOVER CREAM</h1> <ul style="list-style-type: none"> • For common warts and plantar warts. • For external use only.
	<p style="writing-mode: vertical-rl; transform: rotate(180deg);">Whizhayo</p>	<h2>WART REMOVER CREAM</h2> <p>The most powerful</p> <ul style="list-style-type: none"> • For common warts and plantar warts. • For external use only. <p>NET WT 0.7OZ/20G</p> <p style="writing-mode: vertical-rl;">Whizhayo</p>
		<p>Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD Address: No.1998, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province</p>
C03.99901228		<p>Drug Facts</p> <p>Active Ingredient.....purpose Salicylic acid 17%..... Wart remover Use For the removal of common warts, which have a rough, cauliflower-like appearance. Warnings For external use only- Avoid contact with eyes. If the product gets into eyes, rinse with water for 15 minutes. Avoid inhaling vapors. Do not use: On irritated or infected skin, or reddened areas. If you are diabetic or have poor blood circulation. On birthmarks, warts with hair growth, or moles. When Using If pregnant or breastfeeding, consult a health professional before use.</p> <p>Keep out of reach of children. If swallowed, seek immediate medical help or contact a Poison Control Center. Stop use and ask a doctor if discomfort persists. Directions 1. Wash the affected area. (Soaking in warm water for 5 minutes may help.) 2. Dry thoroughly. 3. Apply a small amount to cover each wart. Let it dry. 4. Repeat twice daily as needed, for up to 12 weeks. Inactive Ingredients Water, Polyethylene Glycol, Glycerin, Borneol, Methylparaben</p>

salicylic acid 17% wart remover cream

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-017
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name		Basis of Strength	Strength	
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)		SALICYLIC ACID	17 g in 100 g	
Inactive Ingredients				
Ingredient Name			Strength	
METHYLPARABEN (UNII: A2I8C7HI9T)				
BORNEOL (UNII: M89NIB437X)				
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)				
GLYCERIN (UNII: PDC6A3C0OX)				
WATER (UNII: 059QF0KO0R)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-017-01	20 g in 1 TUBE; Type 0: Not a Combination Product	01/28/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M028	01/28/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD