

**BYT BANGYTONG SALICYLIC ACID WART REMOVAL SOLUTION- salicylic acid  
17% liquid wart corn remover liquid liquid  
Shenzhen Jindali Technology Co., Ltd**

-----  
**BYT BANGYTONG LIQUID WART CORN REMOVER**

**Active Ingredient**

Salicylic acid 17%

**Purpose**

Wart remover

**Use**

For the removal of common warts and plantar warts. Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

**Warnings**

For external use only.

**Do not use**

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

**When Using**

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible. Cap tightly and store at room temperature, away from heat.

**Stop Use**

Stop use and ask a doctor if discomfort persists.

**Ask Doctor**

Stop use and ask a doctor if discomfort persists.

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact the Poison Control Center(1-800-222-1222)right away.

**Directions**

Wash the affected area. May soak wart in warm water for 5 minutes.Dry area thoroughly. Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry. Repeat this procedure once or twice daily as needed (until wart is removed) for upto 12 weeks.

**Other information**

Store at room temperature.Avoid excessive heat (37°C/99°F).Skin discoloration may occur during or after use.

**Inactive ingredients**

Water,Polyethylene Glycol,Glycerin,Borneol.

**PRINCIPAL DISPLAY PANEL**

BYT BANGYTONG®

Stop use and ask doctor if discomfort persists.

Keep out of reach of children. If swallowed, get medical help or contact the Poison Control Center (1-800-222-1222) right away.

Directions

Wash the affected area.

May soak wart in warm water for 5 minutes.

Dry area thoroughly.

Use a cotton swab to apply a sufficient amount to cover each wart. Let it dry.

Repeat this procedure once or twice daily as needed (until wart is removed) for up to 12 weeks.

Other information

Store at room temperature.

Avoid excessive heat (37°C/99°F).

Skin discoloration may occur during or after use.

Inactive ingredients:

Water .....53%

Polyethylene Glycol .....16%

Glycerin .....8%

Borneol .....6%

Distributor: Shenzhen Jindell Technology Co., Ltd.

Address: 4B-08B, Phase II, South China (Int'l) Leather and

Accessories Logistics Zone, No. 1, Haonan Ave, Huihua Com,

Pinghu St, Longgang Dist, Shenzhen, Guangdong, 518111 China

Manufacturer: Jiangxi Zhongliang Pharmaceutical Co., Ltd.

Address: Qiongzhou Economic and Technological Development

Zone, Zhangshu City Yichun, Jiangxi, 331208 China

BYT BANGYTONG®

## LIQUID WART & CORN REMOVER

### FAST ACTING LIQUID

- ✓ works quickly
- ✓ proven effective
- ✓ formulated for wart and corn removal



MEDICAL STRENGTH  
NET WT: 30ml / 1fl oz

Drug Facts

Active ingredient: Salicylic acid 17% ..... Wart remover

Purpose

Uses  
For the removal of common warts and plantar warts.  
Common warts have a rough "cauliflower-like" surface and are easily recognizable. Plantar warts are located only on the soles of the feet, tender to touch, with an interrupted footprint pattern.

Warnings

For external use only.

Do not use

on irritated skin or on any area that is infected or reddened. On moles, birthmarks, warts with hair growing from them, genital warts, or warts on the face or mucous membranes. If you have diabetes or poor blood circulation.

When using this product

Avoid contact with eyes. If product gets into the eye, flush with Water for 15 minutes. Non-edible.  
Cap tightly and store at room temperature, away from heat.

BYT BANGYTONG®

## LIQUID WART & CORN REMOVER

### FAST ACTING LIQUID

- ✓ works quickly
- ✓ proven effective
- ✓ formulated for wart and corn removal



MEDICAL STRENGTH  
NET WT: 30ml / 1fl oz

## BYT BANGYTONG SALICYLIC ACID WART REMOVAL SOLUTION

salicylic acid 17% liquid wart corn remover liquid liquid

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:87382-156
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	17 g in 100 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>BORNEOL</b> (UNII: M89NIB437X)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:87382-156-01	30 mL in 1 BOTTLE; Type 0: Not a Combination Product	01/28/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M028	01/28/2026	

**Labeler** - Shenzhen Jindali Technology Co., Ltd (722786197)

**Registrant** - Shenzhen Jindali Technology Co., Ltd (722786197)

Revised: 1/2026

Shenzhen Jindali Technology Co., Ltd