

ALKA-SELTZER PAIN RELIEF- alka-seltzer pain relief tablet, effervescent
Bayer HealthCare LLC.

Alka-Seltzer Pain Relief UI1600130

Active ingredient (in each tablet)

Buffered aspirin 325 mg (NSAID)*

Pain reliever/fever reducer

*nonsteroidal anti-inflammatory drug

Uses

- temporarily relieves minor aches and pains due to:
- headache ● muscle pain ● backache
- toothache ● menstrual pain ● colds
- minor pain of arthritis
- temporarily reduces fever

Warnings

Reye's syndrome: Children and teenagers who have or are recovering from chicken pox or flu-like symptoms should not use this product. When using this product, if changes in behavior with nausea and vomiting occur, consult a doctor because these symptoms could be an early sign of Reye's syndrome, a rare but serious illness.

Allergy alert: Aspirin may cause a severe allergic reaction which may include:

· hives · facial swelling · asthma (wheezing) · shock

Stomach bleeding warning: This product contains an NSAID, which may cause severe stomach bleeding. The chance is

higher if you

- are age 60 or older
- have had stomach ulcers or bleeding problems
- take a blood thinning (anticoagulant) or steroid drug
- take other drugs containing prescription or nonprescription NSAIDs (aspirin, ibuprofen, naproxen, or others)
- have 3 or more alcoholic drinks every day while using this product
- take more or for a longer time than directed

STOMACH WARNING: TO AVOID SERIOUS INJURY, DO NOT TAKE UNTIL TABLET IS COMPLETELY DISSOLVED. IT IS VERY IMPORTANT NOT TO TAKE THIS PRODUCT WHEN OVERLY FULL FROM FOOD OR DRINK. Consult a doctor if

severe stomach pain occurs after taking this product.

Do not use

- if you are allergic to aspirin or any other pain reliever/fever reducer
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if

- stomach bleeding warning applies to you
- you have a history of stomach problems, such as heartburn
- you have high blood pressure, heart disease, liver cirrhosis, or kidney disease
- you are taking a diuretic
- you have asthma
- you have a sodium-restricted diet

Ask a doctor or pharmacist before use if you are taking a prescription drug for

- diabetes ● gout ● arthritis

Stop use and ask a doctor if

- an allergic reaction occurs. Seek medical help right away.
- you experience any of the following signs of stomach bleeding:
 - feel faint ● vomit blood ● have bloody or black stools
 - have stomach pain that does not get better
 - pain gets worse or last more than 10 days
 - fever gets worse or last more than 3 days
 - redness or swelling is present
 - new symptoms occur
 - ringing in the ears or a loss of hearing occurs

If pregnant or breast-feeding, ask a health professional before use. It is especially important not to use aspirin at 20 weeks or later in pregnancy unless definitely directed to do so by a doctor because it may cause problems in the unborn child or complications during delivery.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- Completely dissolve 2 tablets in 4 ounces of water and be sure bubbling has stopped before drinking
- Do not exceed recommended dose. **SEE WARNINGS.**

adults and children 12 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 8 tablets in 24 hours
adults 60 years and over	2 tablets every 4 hours, or as directed by a doctor	do not exceed 4 tablets in 24 hours
children under 12 years	consult a doctor	

Other information

- each tablet contains: sodium 568 mg
- store at room temperature. Avoid excessive heat.
- Alka-Seltzer Pain Relief in water contains principally the analgesic sodium acetylsalicylate

Inactive Ingredients anhydrous citric acid, sodium bicarbonate

Questions or comments? 1-800-986-0369 (Mon - Fri 9AM - 5PM EST)



ALKA-SELTZER PAIN RELIEF

alka-seltzer pain relief tablet, effervescent

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0280-8251
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ASPIRIN (UNII: R16CO5Y76E) (ASPIRIN - UNII:R16CO5Y76E)	ASPIRIN	325 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	1000 mg
SODIUM BICARBONATE (UNII: 8MDF5V39QO)	1916 mg

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	25mm
Flavor		Imprint Code	Alka;Seltzer
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0280-8251-24	12 in 1 CARTON	12/01/2025	
1		2 in 1 POUCH; Type 0: Not a Combination Product		
2	NDC:0280-8251-36	18 in 1 CARTON	12/01/2025	
2		2 in 1 POUCH; Type 0: Not a Combination Product		
3	NDC:0280-8251-72	36 in 1 CARTON	12/01/2025	
3		2 in 1 POUCH; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	12/01/2025	

Labeler - Bayer HealthCare LLC. (112117283)