

DRAWYUM PAIN RELIEF GEL-PATCH- lidocaine 4% pain relief gel-patch patch
Jiangxi Yudexi Pharmaceutical Co., LTD

85248-019

Active Ingredient

Lidocaine 4%

Purpose

Pain Relief

Use

■ temporarily relieves minor pain associated with: ■arthritis ■simple backache ■bursitis
■tendonitis ■muscle strains ■sprains ■bruises ■cramps

Warnings

For external use only

Do not use

■use only as directed. Read and follow all directions and warnings on this carton. ■avoid contact with eyes and mucous membranes ■rare cases of serious burns have been reported with products of this type ■ do not apply to wounds or damaged skin, broken or irritated skin ■do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ A transient burning sensation may occur upon application but usually disappears within a few days.

When Using

■use only as directed. Read and follow all directions and warnings on this carton. ■avoid contact with eyes and mucous membranes ■rare cases of serious burns have been reported with products of this type ■ do not apply to wounds or damaged skin, broken or irritated skin ■do not bandage tightly or apply local heat (such as heating pads) to the area of use ■ A transient burning sensation may occur upon application but usually disappears within a few days.

Stop Use

■condition worsens ■redness is present ■irritation develops ■symptoms persist for more than 7 days or clear up and occur again within a few days ■you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied If pregnant or breast-feeding, ask a health professional before use

Ask Doctor

■ condition worsens ■ redness is present ■ irritation develops ■ symptoms persist for more than 7 days or clear up and occur again within a few days ■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

Keep Out Of Reach Of Children

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Directions

adults and children over 12 years. ■ remove backing from patch by firmly grasping both ends and gently pulling until backing separate in middle ■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area ■ once exposed portion of patch is positioned, carefully remove remaining backing to completely apply patch to affected area ■ Wear one patch for up to 8 hours. ■ Repeat if needed, but do not use more than 3 times daily. children 12 years or younger: ask a doctor

Inactive ingredients

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, Starch, talc, tartaric acid, titanium dioxide

PRINCIPAL DISPLAY PANEL

C03.99901226

DRAWYUM

128*45*177mm

DRAWYUM

LIDOCAINE 4% Pain Relief Gel-Patch

Maximum Strength PAIN RELIEF

Muscle, Joint, Back, Neck, Shoulder, Legs

- Flexible Gel Patch Designed For Secure Application
- No-Mess, Single-Use Application
- Easy To Apply and Remove
- Unscented

12H
LONG LASTING20 PATCHES
4.7" x 3.5" | 12 x 9CM

Drug Facts

Active Ingredient... Lidocaine 4%..... Purpose Pain Relief
Uses
■ temporarily relieves minor pain associated with:
■ arthritis ■ simple backache ■ bursitis ■ tendinitis ■ muscle strains ■ sprains ■ bruises ■ cramps

Warnings

For external use only

When using this product
■ use only as directed. Read and follow all directions and warnings on this carton.
■ avoid contact with eyes and mucous membranes
■ rare cases of sensitivity have been reported with products of this type
■ do not apply to wounds or damaged skin, broken or irritated skin
■ do not use tautly or apply local heat (such as heating pads) to the area of use
■ A transient burning sensation may occur upon application but usually disappears within a few days.

Stop use and ask a doctor if
■ condition worsens
■ redness is present
■ irritation develops
■ symptoms persist for more than 7 days or clear up and occur again within a few days
■ you experience signs of skin injury, such as pain, swelling, or blistering where the product was applied

If pregnant or breast-feeding, ask a health professional before use.
Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

adults and children over 12 years.
■ remove backing from patch by firmly grasping both ends and gently pulling until backing separates in middle
■ carefully remove smaller portion of backing from patch and apply exposed portion of patch to affected area
■ once exposed portion of patch is positioned, carefully remove remaining backing to completely cover patch to affected area
■ Wear one patch for up to 8 hours.
■ Repeat if needed, but do not use more than 3 times daily.
children 12 years or younger: ask a doctor.

Inactive Ingredients

water, aluminum hydroxide, cellulose gum, glycerin, isopropyl myristate, nonoxynol-30, polyacrylic acid, polysorbate 80, sodium polyacrylate, sorbitan sesquioleate, Starch, talc, tartaric acid, titanium dioxide.



Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD
Address: No.1998, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province

4%

LIDOCAINE
PAIN RELIEF GEL-PATCH

DRAWYUM PAIN RELIEF GEL-PATCH

lidocaine 4% pain relief gel-patch patch

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-019
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	4 g in 100

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
POLYACRYLIC ACID (250000 MW) (UNII: 9G2MAD7J6W)	

TITANIUM DIOXIDE (UNII: 15FIX9V2JP)

SODIUM POLYACRYLATE (2500000 MW) (UNII: 05I15JN12J)

TARTARIC ACID (UNII: W4888I119H)

NONOXYNOL-30 (UNII: JJX07DG188)

SORBITAN SESQUIOLEATE (UNII: 0W8RRI5W5A)

POLYSORBATE 80 (UNII: 60ZP39ZG8H)

CELLULOSE GUM (UNII: K679OBS311)

GLYCERIN (UNII: PDC6A3C00X)

ISOPROPYL MYRISTATE (UNII: 0RE8K4LNJS)

STARCH, CORN (UNII: O8232NY3SJ)

TALC (UNII: 7SEV7J4R1U)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-019-01	20 in 1 PATCH; Type 0: Not a Combination Product	01/29/2026	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M017	01/29/2026	

Labeler - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD