

**DAYTIME COLD AND FLU AND NIGHTTIME SOFTGELS- acetaminophen,  
dextromethorphan hbr, doxylamine succinate  
CVS Pharmacy**

-----  
**CVS 907T Daytime Cold and Flu and Nighttime Softgels**

***Daytime Cold & Flu Softgels***

***Drug Facts***

***Active ingredients (in each softgel)***

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

***Purposes***

**Pain reliever/fever reducer**

Cough suppressant

***Uses***

- temporarily relieves these common cold and flu symptoms:
  - cough due to minor throat and bronchial irritation as may occur with the common cold or inhaled irritants
  - the intensity of coughing
  - the impulse to cough to help you get to sleep
  - minor aches and pains
  - sore throat
  - headache
- temporarily reduces fever

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product do not use more than directed**

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see Overdose warning)**
- do not take more than 12 softgels in any 24-hour period
- adults and children 12 years of age and over: take 2 softgels every 4 hours
- children under 12 years of age: do not use

**Other information**

- store at 20-25°C (68-77°F)
- avoid excessive heat

**Inactive ingredients**

FD&C blue no. 1, gelatin, polyethylene glycol, povidone, propylene glycol, purified water,

shellac, sorbitol sorbitan solution, titanium dioxide

**Questions or comments? Call 1-877-290-4008**

## ***Nighttime Cold & Flu Softgels***

### ***Drug Facts***

#### ***Active ingredients (in each softgel)***

**Acetaminophen 325 mg**

Dextromethorphan HBr 10 mg

Doxylamine succinate 6.25 mg

### ***Purposes***

#### **Pain reliever/fever reducer**

Cough suppressant

Antihistamine

### ***Uses***

- temporarily relieves these common cold and flu symptoms:
  - cough
  - minor aches and pains
  - sore throat
  - headache
  - runny nose
  - sneezing
  - itching of the nose or throat
  - itchy, watery eyes due to hay fever
- temporarily reduces fever
- controls cough to help you get to sleep

### ***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take:

- more than 12 softgels in 24 hours, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- glaucoma
- trouble urinating due to an enlarged prostate gland
- a breathing problem such as emphysema or chronic bronchitis
- persistent or chronic cough such as occurs with smoking, asthma, or emphysema
- cough that occurs with too much phlegm (mucus)

**Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

**When using this product**

- **do not use more than directed**
- excitability may occur, especially in children
- marked drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- use caution when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

- pain or cough gets worse or lasts more than 7 days
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.**

**Overdose warning:** Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**

- **do not take more than directed (see Overdose warning)**

- do not take more than 12 softgels in any 24-hour period
- adults and children 12 years of age and over: take 2 softgels every 4 hours
- children under 12 years of age: do not use


### Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat

### Inactive ingredients

D&C yellow no. 10, FD&C blue no. 1, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, shellac, sorbitol sorbitan solution, titanium dioxide

Questions or comments? Call 1-877-290-4008



<h2>DAYTIME COLD AND FLU AND NIGHTTIME SOFTGELS</h2> <p>acetaminophen, dextromethorphan hbr, doxylamine succinate kit</p>													
<h3>Product Information</h3> <table border="1"> <tr> <td><b>Product Type</b></td> <td>HUMAN OTC DRUG</td> <td><b>Item Code (Source)</b></td> <td>NDC:51316-937</td> </tr> </table>				<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-937						
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:51316-937										
<h3>Packaging</h3> <table border="1"> <thead> <tr> <th>#</th> <th>Item Code</th> <th>Package Description</th> <th>Marketing Start Date</th> <th>Marketing End Date</th> </tr> </thead> <tbody> <tr> <td>1</td> <td>NDC:51316-937-24</td> <td>1 in 1 CARTON; Type 0: Not a Combination Product</td> <td>02/05/2026</td> <td></td> </tr> </tbody> </table>				#	Item Code	Package Description	Marketing Start Date	Marketing End Date	1	NDC:51316-937-24	1 in 1 CARTON; Type 0: Not a Combination Product	02/05/2026	
#	Item Code	Package Description	Marketing Start Date	Marketing End Date									
1	NDC:51316-937-24	1 in 1 CARTON; Type 0: Not a Combination Product	02/05/2026										
<h3>Quantity of Parts</h3> <table border="1"> <thead> <tr> <th>Part #</th> <th>Package Quantity</th> <th>Total Product Quantity</th> </tr> </thead> <tbody> <tr> <td>Part 1</td> <td>2 BLISTER PACK</td> <td>16 in 2</td> </tr> <tr> <td>Part 2</td> <td>2 BLISTER PACK</td> <td>8 in 2</td> </tr> </tbody> </table>				Part #	Package Quantity	Total Product Quantity	Part 1	2 BLISTER PACK	16 in 2	Part 2	2 BLISTER PACK	8 in 2	
Part #	Package Quantity	Total Product Quantity											
Part 1	2 BLISTER PACK	16 in 2											
Part 2	2 BLISTER PACK	8 in 2											

## Part 1 of 2

### DAYTIME COLD AND FLU

acetaminophen, dextromethorphan hbr capsule, liquid filled

#### Product Information

**Item Code (Source)** NDC:51316-897

**Route of Administration** ORAL

#### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg

#### Inactive Ingredients

Ingredient Name	Strength
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>WATER</b> (UNII: 059QF0K00R)	

#### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	OVAL (OBLONG SHAPED CAPSULE)	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	199
<b>Contains</b>			

#### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		8 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/05/2026	

## Part 2 of 2

### NIGHTTIME

acetaminophen, dextromethorphan hbr, doxylamine succinate capsule, liquid filled

## Product Information

Item Code (Source)	NDC:51316-906
Route of Administration	ORAL

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DOXYLAMINE SUCCINATE</b> (UNII: V9B19B5Y12) (DOXYLAMINE - UNII:95QB77JKPL)	DOXYLAMINE SUCCINATE	6.25 mg
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg

## Inactive Ingredients

Ingredient Name	Strength
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>FD&amp;C BLUE NO. 1</b> (UNII: H3R47K3TBD)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)	
<b>SHELLAC</b> (UNII: 46N107B71O)	
<b>GELATIN, UNSPECIFIED</b> (UNII: 2G86QN327L)	
<b>SORBITAN</b> (UNII: 6O92ICV9RU)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>SORBITOL SOLUTION</b> (UNII: 8KW3E207O2)	
<b>D&amp;C YELLOW NO. 10</b> (UNII: 35SW5USQ3G)	

## Product Characteristics

Color	green	Score	no score
Shape	OVAL (OBLONG SHAPED CAPSULE)	Size	20mm
Flavor		Imprint Code	191
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		4 in 1 BLISTER PACK; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/05/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	02/05/2026	

**Labeler** - CVS Pharmacy (062312574)

**Registrant** - TIME CAP LABORATORIES, INC. (037052099)

## Establishment

Name	Address	ID/FEI	Business Operations
MARKSANS PHARMA LIMITED		925822975	manufacture(51316-937)

Revised: 1/2026

CVS Pharmacy