

**DR.SEYMOUR BUTTS HEMORRHOID- lidocaine5% phenylephrine hcl 0.25%  
hemorrhoid ointment  
Jiangxi Yudexi Pharmaceutical Co., LTD**

-----

**85248-018**

**Active Ingredient**

Lidocaine 5% Phenylephrine HCl 0.25%

**Purpose**

Local anesthetic□Vasoconstrictor

**Use**

Temporarily shrinks hemorrhoidal tissue and relieves pain, soreness, burning, itching, and discomfort associated with hemorrhoids.

**Warnings**

For external use only Allergy alert: do not use if you have a history of allergy to amide-type local anesthetics (e.g., lidocaine).

**Do not use**

- if the tube seal is broken or missing
- in children under 12 years of age unless directed by a doctor
- for more than 7 days unless directed by a doctor

**When Using**

- avoid contact with eyes
- do not exceed the recommended dosage unless directed by a doctor
- do not put this product into the rectum (use the applicator as directed)
- if introduction of applicator causes additional pain, stop use and ask a doctor

**Stop Use**

- bleeding occurs
- condition worsens or does not improve within 7 days
- redness, irritation, swelling, pain, or rash develops

If pregnant or breast-feeding, ask a health professional before use.

**Ask Doctor**

- heart disease, high blood pressure, thyroid disease, or diabetes •
- difficulty urinating due to an enlarged prostate • allergies to amide-type local anesthetics

## Keep Out Of Reach Of Children

If swallowed, get medical help or contact a Poison Control Center right away.

## Directions

Adults: When practical, cleanse the affected area with mild soap and warm water, rinse thoroughly, and gently dry. Apply to the affected area up to 4 times daily, especially at night, in the morning, and after each bowel movement. To use applicator: lubricate applicator; gently insert partway into the anal canal and apply a small amount. Clean applicator after each use.

Children under 12 years of age: ask a doctor.

## Other information

Store at 20–25°C (68–77°F).

## Inactive ingredients

Purified Water, Witch Hazel Extract, Aloe Vera Extract, Boswellia serrata Extract, Sophora japonica Extract, Calendula Extract, Centella asiatica Extract, Vitamin E (Tocopherol), Tocopheryl Acetate, Petrolatum USP, Shea Butter, Glycerin, Caprylic/Capric Triglycerides (MCT), Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Ethylhexylglycerin.

## PRINCIPAL DISPLAY PANEL

<p><b>Drug Facts</b></p> <table border="1"> <tr> <td>Active ingredients</td><td>Purpose</td></tr> <tr> <td>Lidocaine 5% .....</td><td>Local anesthetic</td></tr> <tr> <td>Phenylephrine HCl 0.25%.....</td><td>Vasoconstrictor</td></tr> </table> <p><b>Uses</b> Temporarily shrinks hemorrhoidal tissue and relieves pain, soreness, burning, itching, and discomfort associated with hemorrhoids.</p>	Active ingredients	Purpose	Lidocaine 5% .....	Local anesthetic	Phenylephrine HCl 0.25%.....	Vasoconstrictor	 <p>dr. Seymour Butts<sup>TM</sup> 33100 DrButts.com Manufactured in a cGMP-compliant facility support@DrSeymourButts.com</p>	<p>C03.99901091</p> <p><b>Numbs • Shrinks • Soothes</b></p> <p><b>Maximum Strength</b></p>	 <p>SCAN ME ↗</p>
Active ingredients	Purpose								
Lidocaine 5% .....	Local anesthetic								
Phenylephrine HCl 0.25%.....	Vasoconstrictor								

**Warnings**

For external use only

Allergy alert: do not use if you have a history of allergy to amide-type local anesthetics (e.g., lidocaine).

**Do not use**

- if the tube seal is broken or missing • in children under 12 years of age unless directed by a doctor
- for more than 7 days unless directed by a doctor

**When using this product**

- avoid contact with eyes • do not exceed the recommended dosage unless directed by a doctor • do not put this product into the rectum (use the applicator as directed) • if introduction of applicator causes additional pain, stop use and ask a doctor

**Ask a doctor before use if you have**

- heart disease, high blood pressure, thyroid disease, or diabetes • difficulty urinating due to an enlarged prostate • allergies to amide-type local anesthetics

**Stop use and ask a doctor if**

- bleeding occurs • condition worsens or does not improve within 7 days • redness, irritation, swelling, pain, or rash develops If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

Adults: When practical, cleanse the affected area with mild soap and warm water, rinse thoroughly, and gently dry. Apply to the affected area up to 4 times daily, especially at night, in the morning, and after each bowel movement. To use applicator: lubricate applicator; gently insert partway into the anal canal and apply a small amount. Clean applicator after each use. Children under 12 years of age: ask a doctor.

**Other information**

Store at 20–25°C (68–77°F).

**Inactive ingredients**

Purified Water, Witch Hazel Extract, Aloe Vera Extract, Boswellia serrata Extract, Sophora japonica Extract, Calendula Extract, Centella asiatica Extract, Vitamin E (Tocopherol), Tocopheryl Acetate, Petrolatum USP, Shea Butter, Glycerin, Caprylic/Capric Triglycerides (MCT), Cetearyl Alcohol, Glyceryl Stearate, PEG-100 Stearate, Phenoxyethanol, Ethylhexylglycerin, .

Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD  
Address: No.1998, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province



X004ULHF1X

Made in China

Distributor:  
Dr. Seymour  
Miami, FL  
Dr. Seymour  
Manufacturing  
Questions? 8

# Dr. Seymour Butts™

“Because pain in the butt shouldn’t be a way of life.”



## Hemorrhoid Ointment

Fragrance-Free • Paraben-Free

- ✓ Reduces swelling & discomfort
- ✓ Fast relief from pain & burning
- ✓ Soothes irritated skin

Lidocaine 5%  
Phenylephrine HCl 0.25%

With Witch Hazel, Aloe &  
Botanicals

External use only. See Drug Facts.

NET WT 1.06oz (30 g)

# Dr. Seymour Butts™

“Because pain in the butt shouldn’t be a way of life.”



## DR. SEYMOUR BUTTS HEMORRHOID

lidocaine5% phenylephrine hcl 0.25% hemorrhoid ointment

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:85248-018
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>LIDOCAINE</b> (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	5 g in 100 g
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	0.25 g in 100 g

## Inactive Ingredients

Ingredient Name	Strength
<b>PEG-100 STEARATE</b> (UNII: YD01N1999R)	
<b>SHEA BUTTER</b> (UNII: K49155WL9Y)	
<b>GLYCERYL STEARATE</b> (UNII: 2300U9XXE4)	
<b>CAPRYLIC/CAPRIC TRIGLYCERIDE</b> (UNII: C9H2L21V7U)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>BOSWELLIA SERRATA GUM</b> (UNII: 4PW41QCO2M)	
<b>PETROLATUM</b> (UNII: 4T6H12BN9U)	
<b>BAPTISIA ALBA WHOLE</b> (UNII: 104HF4767P)	
<b>PHENOXYETHANOL</b> (UNII: HIE492ZZ3T)	
<b>CALENDULA ARvensis LEAF</b> (UNII: 3U3U118F2L)	
<b>CETOSTEARYL ALCOHOL</b> (UNII: 2DMT128M1S)	
<b>ALOE VERA LEAF</b> (UNII: ZY81Z83H0X)	
<b>SWERTIA JAPONICA WHOLE FLOWERING</b> (UNII: 01X0P6GX6C)	
<b>.ALPHA.-TOCOPHEROL</b> (UNII: H4N855PNZ1)	
<b>ETHYLHEXYLGLYCERIN</b> (UNII: 147D247K3P)	
<b>CENTELLA ASIATICA TRITERPENOIDS</b> (UNII: 4YS74Q4G4J)	
<b>.ALPHA.-TOCOPHEROL ACETATE</b> (UNII: 9E8X80D2L0)	
<b>WITCH HAZEL</b> (UNII: 101I4J0U34)	

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-018-01	30 g in 1 TUBE; Type 0: Not a Combination Product	01/29/2026	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M015	01/29/2026	

**Labeler** - Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)

Revised: 1/2026

Jiangxi Yudexi Pharmaceutical Co., LTD