

**LXHUKU WART REMOVER- salicylic acid 17% wart remover patch**  
**Jiangxi Yudexi Pharmaceutical Co., LTD**

-----

**85248-022**

**Active Ingredient**

Salicylic acid 17%

**Purpose**

Wart Remover

**Use**

For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface

**Warnings**

For external use only.

**Do not use**

On irritated,infected, or reddened skin; on genital warts and warts on the face; on moles, birthmarks, and warts with hair growing from them;on mucous membranes.

**When Using**

Ask a doctor before use if you have diabetes or poor blood circulation

**Stop Use**

Ask a doctor before use if you have diabetes or poor blood circulation

**Ask Doctor**

Ask a doctor before use if you have diabetes poor blood circulation

**Keep Out Of Reach Of Children**

If swallowed, get medical help or contact a Poison control Center right away.

**Directions**

wash affected area: may soak wart in warm water for 5 minutes dry area thoroughly,remove bandage strips by peeling backing off If necessary,cut medicated patch to fit wart carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 weeks

## Other information

Store between 59°and 86°F(15°and 30°C).

## Inactive ingredients

hard paraffin,lanolin,phenol.

## PRINCIPAL DISPLAY PANEL

85\*125\*17mm

<b>Drug Facts</b>	<b>Purpose</b>
<b>Active ingredients</b> Salicylic acid 17%.....	Wart Remover
<b>USE</b> For the removal of common warts. The common wart is easily recognized by the rough 'cauliflower-like' appearance of the surface	
<b>WARNINGS</b> <b>For external use only.</b> <b>DO NOT USE</b> on irritated, infected or reddened skin on genital warts and warts on the face on moles, birthmarks and warts with hair growing from them on mucous membranes <b>KEEP OUT OF REACH OF CHILDREN</b> If swallowed, get medical help or contact a Poison Control Center right away.	
<b>DIRECTIONS</b> wash affected area: may soak wart in warm water for 5 minutes dry area thoroughly, remove bandage strips by peeling backing off If necessary, cut medicated patch to fit wart carefully apply medicated plaster, repeat procedure every 48 hours as needed (until wart is removed) for up to 12 weeks	
<b>WHEN USING</b> Ask a doctor before use if you have diabetes or poor blood circulation <b>OTHER INFORMATION</b> Store between 59° and 86°F (15° and 30°C). <b>INACTIVE INGREDIENTS</b> hard paraffin, lanolin, phenol.	
<small>Distributor: Jiangxi Yudexi Pharmaceutical Co., LTD Address: No.1998, Jingkai West 5th Road, Chengbei Jingkai District, Zhangshu City, Yichun City, Jiangxi Province</small>	

## LXHUKU WART REMOVER

salicylic acid 17% wart remover patch

Product Information				
Product Type		HUMAN OTC DRUG	Item Code (Source)	NDC:85248-022
Route of Administration		TOPICAL		
Active Ingredient/Active Moiety				
Ingredient Name			Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)			SALICYLIC ACID	17 g in 100
Inactive Ingredients				
Ingredient Name			Strength	
LANOLIN (UNII: 7EV65EAW6H)				
PARAFFIN (UNII: I9O0E3H2ZE)				
PHENOL (UNII: 339NCG44TV)				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:85248-022-01	180 in 1 BOX; Type 0: Not a Combination Product	01/29/2026	
Marketing Information				
Marketing Category		Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug		M028	01/29/2026	

**Labeler -**
Jiangxi Yudexi Pharmaceutical Co., LTD (455662836)